

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

EVO-STIK STICKS LIKE TURBO Supercedes Date: 03-Mar-2021

Revision date 18-Jun-2021 Revision Number 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

|--|

Product Name Pure substance/mixture EVO-STIK STICKS LIKE TURBO Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Sealant.
Uses advised against	None known

1.3. Details of the supplier of the safety data sheet

Company Name	<u>Supplier</u>
Bostik SA	Bostik Limited
420 rue d'Estienne d'Orves	Common Rd
92700 Colombes	ST16 3EH
FRANCE	Stafford UK
Tel: +33 (0)1 49 00 90 00	Tel: +44 (1785) 27 26 25
	Fax: +44 (1785) 25 72 36

E-mail address

SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom Ireland +44 (1785) 272650 +353 (1) 8624900 (Monday- Friday 9am-5pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word None

Hazard statements This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH208 - Contains Trimethoxyvinylsilane. May produce an allergic reaction EUH210 - Safety data sheet available on request

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand P102 - Keep out of reach of children

2.3. Other hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Harmful to aquatic life.

EVO-STIK STICKS LIKE TURBO

Supercedes Date: 03-Mar-2021

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Trimethoxyvinylsilane	220-449-8	2768-02-7	1 - <5	Skin Sens. 1B (H317) Acute Tox. 4 (H332) Flam. Liq. 3 (H226)		01-2119513215- 52-XXXX
Titanium dioxide	236-675-5	13463-67-7	0.1 - <1	Carc. 2 (H351i)		01-2119489379- 17-XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. If medical advice is needed, have product container or label at hand.		
Inhalation	Remove to fresh air. If symptoms persist, call a doctor.		
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.		
Ingestion	Call a doctor immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Small amounts of toxic methanol are released by hydrolysis.		
4.2. Most important symptoms and effects, both acute and delayed			
Symptoms	None known.		

4.3. Indication of any immediate medical attention and special treatment needed

EVO-STIK STICKS	LIKE TURBO
Supercedes Date:	03-Mar-2021

Note to doctors	Treat symptomatically. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.			
SECTION 5: Firefighting mea	asures			
5.1. Extinguishing media				
Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.			
Unsuitable extinguishing media	Full water jet.			
5.2. Special hazards arising from t	he substance or mixture			
Specific hazards arising from the chemical	Thermal decomposition can lead to release of irritating gases and vapours.			
Hazardous combustion products	Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx). Silicon dioxide. Thermal decomposition can lead to release of irritating and toxic gases and vapours.			
5.3. Advice for firefighters				
Special protective equipment and precautions for fire-fighters	Wear self contained breathing apparatus for fire fighting if necessary.			
SECTION 6: Accidental relea	ase measures			
6.1. Personal precautions, protecti	ve equipment and emergency procedures			
Personal precautions	Use personal protective equipment as required. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing.			
Other information	Prevent further leakage or spillage if safe to do so.			
For emergency responders	Use personal protection recommended in Section 8.			
6.2. Environmental precautions				
Environmental precautions	Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.			
6.3. Methods and material for containment and cleaning up				
6.3. Methods and material for cont	ainment and cleaning up			
6.3. Methods and material for cont Methods for containment	ainment and cleaning up Do not scatter spilled material with high pressure water streams.			
Methods for containment	Do not scatter spilled material with high pressure water streams.			
Methods for containment Methods for cleaning up	Do not scatter spilled material with high pressure water streams. Take up mechanically, placing in appropriate containers for disposal.			
Methods for containment Methods for cleaning up Prevention of secondary hazards	Do not scatter spilled material with high pressure water streams. Take up mechanically, placing in appropriate containers for disposal.			
Methods for containment Methods for cleaning up Prevention of secondary hazards 6.4. Reference to other sections	Do not scatter spilled material with high pressure water streams. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated objects and areas thoroughly observing environmental regulations. See section 8 for more information. See section 13 for more information.			

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.

EVO-STIK STICKS LIKE TURBO

Supercedes Date: 03-Mar-2021

2.2. Conditions for safe storage, including any incompatibilities				
Storage Conditions	Protect from moisture. Keep away from food, drink and animal feedingstuffs.			
7.3. Specific end use(s)				
Specific use(s) Sealant.				
ldentified uses Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.			
Other information	Observe technical data sheet.			
SECTION 8: Exposure controls/personal protection				

8.1. Control parameters

Exposure Limits

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing

Chemical name	European Union	Ireland	United Kingdom
Limestone	-	TWA: 10 mg/m ³	TWA: 10 mg/m ³
1317-65-3		TWA: 4 mg/m ³	TWA: 4 mg/m ³
		STEL: 30 mg/m ³	STEL: 30 mg/m ³
		STEL: 12 mg/m ³	STEL: 12 mg/m ³
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m ³	TWA: 260 mg/m ³	TWA: 266 mg/m ³
	*	STEL: 600 ppm	STEL: 250 ppm
		STEL: 780 mg/m ³	STEL: 333 mg/m ³
		Sk*	Sk*

Chemical name	European Union	Ireland	United Kingdom
Methyl alcohol	-	15 mg/L (urine - Methanol end of	-
67-56-1		shift)	

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)				
Trimethoxyvinylsilane (2768-	02-7)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
worker Systemic health effects Long term	Inhalation	27,6 mg/m³		
worker Systemic health effects Long term	Dermal	3,9 mg/kg bw/d		

Titanium dioxide (13463-67-7)				
Туре	Exposure route	Derived No Effect Level	Safety factor	
		(DNEL)		
worker	Inhalation	10 mg/m ³		
Long term				
Local health effects				

Derived No Effect Level (DNEL)			
Trimethoxyvinylsilane (2768-02-7)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Systemic health effects	Inhalation	18,9 mg/m ³	

EVO-STIK STICKS LIKE TURBO

Long term			
Consumer	Dermal	7,8 mg/kg bw/d	
Systemic health effects			
Long term			
Consumer	Oral	0,3 mg/kg bw/d	
Systemic health effects			
Long term			

Titanium dioxide (13463-67-7)			
Туре	Exposure route	Derived No Effect Level	Safety factor
		(DNEL)	
Consumer	Oral	700 mg/kg bw/d	
Long term			
Systemic health effects			

Predicted No Effect Concentration No information available. (PNEC)

Predicted No Effect Concentration (PNEC)		
Trimethoxyvinylsilane (2768-02-7)		
Environmental compartment	Predicted No Effect Concentration (PNEC)	
Freshwater	0.34 mg/l	
Marine water	0.034 mg/l	
Microorganisms in sewage treatment	110 mg/l	

Titanium dioxide (13463-67-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Marine water	0.0184 mg/l
Freshwater sediment	1000 mg/kg
Freshwater	0.184 mg/l
Marine sediment	100 mg/kg
Soil	100 mg/kg
Microorganisms in sewage treatment	100 mg/l
Freshwater - intermittent	0.193 mg/l

8.2. Exposure controls

Engineering controls	Ensure adequate ventilation, especially in confined areas.	
Personal protective equipment		
Eye/face protection	Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166.	
Hand protection	Wear suitable gloves. Recommended Use:. Neoprene [™] . Nitrile rubber. Butyl rubber. Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves must conform to standard EN 374	
Skin and body protection	None under normal use conditions.	
Respiratory protection	In case of inadequate ventilation wear respiratory protection. Wear a respirator conforming to EN 140 with Type A/P2 filter or better. Ensure adequate ventilation, especially in confined areas.	
Recommended filter type:	Organic gases and vapours filter conforming to EN 14387. White. Brown.	
Environmental experience controls	Do not allow uncontrolled discharge of product into the environment	

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Solid
Appearance	Paste

Remarks • Method

EVO-STIK STICKS LIKE TURBO Supercedes Date: 03-Mar-2021 Revision date 18-Jun-2021 Revision Number 2

Colour	White
Odour	No information available
Odour threshold	No information available
Property	Values
рН	No data available
pH (as aqueous solution)	No data available
Melting point / freezing point	No data available
Initial boiling point and boiling	No data available
range	
Flash point	> 60
Evaporation rate	No data available
Flammability	No data available
Flammability Limit in Air	
Upper flammability or explosive	No data available
limits	
Lower flammability or explosive	No data available
limits	
Vapour pressure	No data available
Relative vapour density	No data available
Relative density	No data available
Water solubility	Insoluble in water
Solubility(ies)	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Kinematic viscosity	> 21 mm²/s
Dynamic viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available
0.2. Other information	
9.2. Other information Solid content (%)	No information available

9.2. Other informationSolid content (%)No information availableVOC Content (%)1.56 g/cm³

SECTION 10: Stability and reactivity

10.1. Reactivity Product cures with moisture. Reactivity 10.2. Chemical stability Stable under normal conditions. Stability **Explosion data** Sensitivity to mechanical None. impact Sensitivity to static discharge None. 10.3. Possibility of hazardous reactions Possibility of hazardous reactions None under normal processing. 10.4. Conditions to avoid Conditions to avoid Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and sources of ignition.

EVO-STIK STICKS LIKE TURBO			
Supercedes Date:	03-Mar-2021		

10.5. Incompatible materials		
Incompatible materials	None known based on information supplied.	
10.6. Hazardous decomposition	products	
Hazardous decomposition products	Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.	
SECTION 11: Toxicologica	al information	
11.1. Information on toxicologic	al effects	
Information on likely routes of e	xposure	
Product Information		
Inhalation	Based on available data, the classification criteria are not met.	
Eye contact	Based on available data, the classification criteria are not met.	
Skin contact	Based on available data, the classification criteria are not met. May cause sensitisation in susceptible persons.	
Ingestion	Based on available data, the classification criteria are not met.	
Symptoms related to the physical, chemical and toxicological characteristics		
Symptoms	No information available.	
Numerical measures of toxicity	_	

Acute toxicity				
The following values are calculated based on chapter 3.1 of the GHS document				
ATEmix (dermal)	7,419.00 mg/kg			
ATEmix (inhalation-vapour)	325.30 mg/l			

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Trimethoxyvinylsilane 2768-02-7	LD50 = 7120 -7236 mg/kg (Rattus) OECD 401	= 3360 µL/kg (Oryctolagus cuniculus)	LC50 (4hr) 16.8 mg/l (Rattus) OECD TG 403
Titanium dioxide 13463-67-7	>10000 mg/kg (Rattus)	LD50 > 10000 mg/Kg	>5 mg/l

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

 OECD Test No. 406: Skin Sensitisation. No sensitisation responses were observed. No classification is proposed, based on conclusive negative data. May cause sensitisation in susceptible persons.

Product Information			
Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	No sensitisation responses

EVO-STIK STICKS LIKE TURBO

Supercedes Date: 03-Mar-2021

	 	······
Sensitisation		were observed

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Chemical name	European Union
Titanium dioxide	Carc. 2
13463-67-7	

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Reproductive toxicity	Based on available data, the classification criteria are not met.		
STOT - single exposure	Based on available data, the classification criteria are not met.		
STOT - repeated exposure	Based on available data, the classification criteria are not met.		
Aspiration hazard	Based on available data, the classification criteria are not met.		
11.2. Information on other hazards			
11.2.1. Endocrine disrupting properties			
Endocrine disrupting properties	No information available.		
11.2.2. Other information			

Other adverse effects

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Harmful to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Trimethoxyvinylsilane 2768-02-7	EC 50 (72h) > 957 mg/l (Desmodesmus subspicatus) EU Method C.3	mykiss)	-	EC50(48hr) 168.7mg/l (Daphnia magna)		
Titanium dioxide 13463-67-7	LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203	-	-	-		

12.2. Persistence and degradability

Persistence and degradability No information available.

Component Information

EVO-STIK STICKS LIKE TURBO

Trimethoxyvinylsilane (2768-02-7)				
Method	Exposure time	Value	Results	
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily	
Biodegradability: Manometric	-		biodegradable	
Respirometry Test (TG 301 F)			-	

12.3. Bioaccumulative potential

Bioaccumulation

There is no data for this product.

Component Information

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Trimethoxyvinylsilane	1.1	-
2768-02-7		

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Trimethoxyvinylsilane 2768-02-7	The substance is not PBT / vPvB
Titanium dioxide	The substance is not PBT / vPvB
13463-67-7	PBT assessment does not apply

12.6. Other adverse effects

Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Uncured product should be disposed of as hazardous waste. Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.
Contaminated packaging	Handle contaminated packages in the same way as the product itself.
European Waste Catalogue	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1 UN number or ID number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	None

EVO-STIK STICKS LIKE TURBO Supercedes Date: 03-Mar-2021

IMDG		
14.1 UN number or ID number	Not regulated	
14.2 Proper Shipping Name	Not regulated	
14.3 Transport hazard class(es)	Not regulated	
14.4 Packing group	Not regulated	
14.5 Marine pollutant	NP	
14.6 Special Provisions	None	
14.7 Transport in bulk according	to Annex II of MARPOL and the IBC Code	Not applicable
Air transport (ICAO_TI / IATA_DCP		

Air transport (ICAO-TI / IATA-DGR)			
14.1 UN number or ID number	Not regulated		
14.2 Proper Shipping Name	Not regulated		
14.3 Transport hazard class(es)	Not regulated		
14.4 Packing group	Not regulated		
14.5 Environmental hazards	Not applicable		
14.6 Special Provisions	None		

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

EVO-STIK STICKS LIKE TURBO

Supercedes Date: 03-Mar-2021

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour H317 - May cause an allergic skin reaction H332 - Harmful if inhaled

Legend

TWA STEL Ceiling	TWA (time-weighted average) STEL (Short Term Exposure Limit) Ceiling Limit Value
*	Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
EWC	European Waste Catalogue

Key literature references and sources for data

No information available

Prepared By	Product Safety & Regulatory Affairs
Revision date	18-Jun-2021
Indication of changes	
Revision note	SDS sections updated, 2, 3, 8, 9, 11.
Training Advice	No information available
Further information	No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet