



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

# SAFETY DATA SHEET

LS-X 50ml

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Product name** : LS-X 50ml  
**Product code** : 61016  
**Product description** : Not available.  
**Product type** : Solid.

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Restricted to professional users.

### 1.3 Details of the supplier of the safety data sheet

|                 |   |                     |   |
|-----------------|---|---------------------|---|
| <b>Supplier</b> | : Alpha, Alent plc<br>Forsyth Road<br>Sheerwater<br>Woking<br>Surrey<br>England<br>GU21 5RZ<br>Tel: +44(0)1483 758400<br>Fax: +44(0)1483 728837 | <b>Manufacturer</b> | : Alpha, Alent plc<br>Forsyth Road<br>Sheerwater<br>Woking<br>Surrey<br>England<br>GU21 5RZ<br>Tel: +44(0)1483 758400<br>Fax: +44(0)1483 728837 |
|-----------------|---|---------------------|---|

**Contact person** : europeanregulatory@alent.com

**Emergency phone:** +44 1483 758400

**Material uses** : Sealants

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Product definition** : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Skin Irrit. 2, H315

**Ingredients of unknown toxicity** :

**Ingredients of unknown ecotoxicity** :

Classification according to Directive 1999/45/EC [DPD]

Europe

The product is classified as dangerous according to Directive 1999/45/EC and its amendments.

LS-X 50ml

## SECTION 2: Hazards identification

**Classification** : Xi; R36  
**Human health hazards** : Irritating to eyes.

See Section 16 for the full text of the R phrases or H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

### 2.2 Label elements

**Hazard pictograms** : 

**Signal word** : Warning  
**Hazard statements** : Causes skin irritation.

#### Precautionary statements

**Prevention** : Wear protective gloves: < 1 hour (breakthrough time): disposable vinyl. Wash hands thoroughly after handling.  
**Response** : IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical attention.  
**Storage** : Not applicable.  
**Disposal** : Not applicable.  
**Hazardous ingredients** : triethoxyoctylsilane  
**Supplemental label elements** : Not applicable.

### 2.3 Other hazards

**Other hazards which do not result in classification** : None known.

## SECTION 3: Composition/information on ingredients

**Substance/mixture** : Mixture

| Product/ingredient name                | Identifiers   | %            | Classification  |  | Type |
|--|---|--------------|---|--|------|
|  |   |              | 67/548/EEC  | Regulation (EC) No. 1272/2008 [CLP]  |      |
| <b>Europe</b><br>triethoxyoctylsilane  | REACH #:<br>01-2119972313-39<br>EC: 220-941-2<br>CAS: 2943-75-1 | ≥25 -<br><50 | Xi; R36<br><br><b>See Section 16 for the full text of the R-phrases declared above.</b> | Skin Irrit. 2, H315<br><br><b>See Section 16 for the full text of the H statements declared above.</b> | [1]  |
| <b>Austria</b><br>triethoxyoctylsilane | REACH #:<br>01-2119972313-39<br>EC: 220-941-2<br>CAS: 2943-75-1 | ≥25 -<br><50 | Xi; R36   | Skin Irrit. 2, H315  | [1]  |
| <b>Belgium</b><br>triethoxyoctylsilane | REACH #:<br>01-2119972313-39<br>EC: 220-941-2<br>CAS: 2943-75-1 | ≥25 -<br><50 | Xi; R36   | Skin Irrit. 2, H315  | [1]  |
| <b>Bulgaria</b>                        |   |              |   |  |      |

LS-X 50ml

**SECTION 3: Composition/information on ingredients**

|                       |   |              |         |                     |     |
|-----------------------|---|--------------|---------|---------------------|-----|
| triethoxyoctylsilane  | REACH #:<br>01-2119972313-39<br>EC: 220-941-2<br>CAS: 2943-75-1 | ≥25 -<br><50 | Xi; R36 | Skin Irrit. 2, H315 | [1] |
| <b>Croatia</b>        |   |              |         |                     |     |
| triethoxyoctylsilane  | REACH #:<br>01-2119972313-39<br>EC: 220-941-2<br>CAS: 2943-75-1 | ≥25 -<br><50 | Xi; R36 | Skin Irrit. 2, H315 | [1] |
| <b>Czech Republic</b> |   |              |         |                     |     |
| triethoxyoctylsilane  | REACH #:<br>01-2119972313-39<br>EC: 220-941-2<br>CAS: 2943-75-1 | ≥25 -<br><50 | Xi; R36 | Skin Irrit. 2, H315 | [1] |
| <b>Denmark</b>        |   |              |         |                     |     |
| triethoxyoctylsilane  | REACH #:<br>01-2119972313-39<br>EC: 220-941-2<br>CAS: 2943-75-1 | ≥25 -<br><50 | Xi; R36 | Skin Irrit. 2, H315 | [1] |
| <b>Estonia</b>        |   |              |         |                     |     |
| triethoxyoctylsilane  | REACH #:<br>01-2119972313-39<br>EC: 220-941-2<br>CAS: 2943-75-1 | ≥25 -<br><50 | Xi; R36 | Skin Irrit. 2, H315 | [1] |
| <b>Finland</b>        |   |              |         |                     |     |
| triethoxyoctylsilane  | REACH #:<br>01-2119972313-39<br>EC: 220-941-2<br>CAS: 2943-75-1 | ≥25 -<br><50 | Xi; R36 | Skin Irrit. 2, H315 | [1] |
| <b>France</b>         |   |              |         |                     |     |
| triethoxyoctylsilane  | REACH #:<br>01-2119972313-39<br>EC: 220-941-2<br>CAS: 2943-75-1 | ≥25 -<br><50 | Xi; R36 | Skin Irrit. 2, H315 | [1] |
| <b>Germany</b>        |   |              |         |                     |     |
| triethoxyoctylsilane  | REACH #:<br>01-2119972313-39<br>EC: 220-941-2<br>CAS: 2943-75-1 | ≥25 -<br><50 | Xi; R36 | Skin Irrit. 2, H315 | [1] |
| <b>Greece</b>         |   |              |         |                     |     |
| triethoxyoctylsilane  | REACH #:<br>01-2119972313-39<br>EC: 220-941-2<br>CAS: 2943-75-1 | ≥25 -<br><50 | Xi; R36 | Skin Irrit. 2, H315 | [1] |
| <b>Hungary</b>        |   |              |         |                     |     |
| triethoxyoctylsilane  | REACH #:<br>01-2119972313-39<br>EC: 220-941-2<br>CAS: 2943-75-1 | ≥25 -<br><50 | Xi; R36 | Skin Irrit. 2, H315 | [1] |
| <b>Ireland</b>        |   |              |         |                     |     |
| triethoxyoctylsilane  | REACH #:<br>01-2119972313-39<br>EC: 220-941-2<br>CAS: 2943-75-1 | ≥25 -<br><50 | Xi; R36 | Skin Irrit. 2, H315 | [1] |
| <b>Italy</b>          |   |              |         |                     |     |

LS-X 50ml

**SECTION 3: Composition/information on ingredients**

|                      |   |              |         |                     |     |
|----------------------|---|--------------|---------|---------------------|-----|
| triethoxyoctylsilane | REACH #:<br>01-2119972313-39<br>EC: 220-941-2<br>CAS: 2943-75-1 | ≥25 -<br><50 | Xi; R36 | Skin Irrit. 2, H315 | [1] |
| <b>Latvia</b>        |   |              |         |                     |     |
| triethoxyoctylsilane | REACH #:<br>01-2119972313-39<br>EC: 220-941-2<br>CAS: 2943-75-1 | ≥25 -<br><50 | Xi; R36 | Skin Irrit. 2, H315 | [1] |
| <b>Lithuania</b>     |   |              |         |                     |     |
| triethoxyoctylsilane | REACH #:<br>01-2119972313-39<br>EC: 220-941-2<br>CAS: 2943-75-1 | ≥25 -<br><50 | Xi; R36 | Skin Irrit. 2, H315 | [1] |
| <b>Netherlands</b>   |   |              |         |                     |     |
| triethoxyoctylsilane | REACH #:<br>01-2119972313-39<br>EC: 220-941-2<br>CAS: 2943-75-1 | ≥25 -<br><50 | Xi; R36 | Skin Irrit. 2, H315 | [1] |
| <b>Norway</b>        |   |              |         |                     |     |
| triethoxyoctylsilane | REACH #:<br>01-2119972313-39<br>EC: 220-941-2<br>CAS: 2943-75-1 | ≥25 -<br><50 | Xi; R36 | Skin Irrit. 2, H315 | [1] |
| <b>Poland</b>        |   |              |         |                     |     |
| triethoxyoctylsilane | REACH #:<br>01-2119972313-39<br>EC: 220-941-2<br>CAS: 2943-75-1 | ≥25 -<br><50 | Xi; R36 | Skin Irrit. 2, H315 | [1] |
| <b>Portugal</b>      |   |              |         |                     |     |
| triethoxyoctylsilane | REACH #:<br>01-2119972313-39<br>EC: 220-941-2<br>CAS: 2943-75-1 | ≥25 -<br><50 | Xi; R36 | Skin Irrit. 2, H315 | [1] |
| <b>Romania</b>       |   |              |         |                     |     |
| triethoxyoctylsilane | REACH #:<br>01-2119972313-39<br>EC: 220-941-2<br>CAS: 2943-75-1 | ≥25 -<br><50 | Xi; R36 | Skin Irrit. 2, H315 | [1] |
| <b>Slovakia</b>      |   |              |         |                     |     |
| triethoxyoctylsilane | REACH #:<br>01-2119972313-39<br>EC: 220-941-2<br>CAS: 2943-75-1 | ≥25 -<br><50 | Xi; R36 | Skin Irrit. 2, H315 | [1] |
| <b>Slovenia</b>      |   |              |         |                     |     |
| triethoxyoctylsilane | REACH #:<br>01-2119972313-39<br>EC: 220-941-2<br>CAS: 2943-75-1 | ≥25 -<br><50 | Xi; R36 | Skin Irrit. 2, H315 | [1] |
| <b>Spain</b>         |   |              |         |                     |     |
| triethoxyoctylsilane | REACH #:<br>01-2119972313-39<br>EC: 220-941-2<br>CAS: 2943-75-1 | ≥25 -<br><50 | Xi; R36 | Skin Irrit. 2, H315 | [1] |
| <b>Sweden</b>        |   |              |         |                     |     |

LS-X 50ml

### SECTION 3: Composition/information on ingredients

|                            |   |              |         |                     |     |
|----------------------------|---|--------------|---------|---------------------|-----|
| triethoxyoctylsilane       | REACH #:<br>01-2119972313-39<br>EC: 220-941-2<br>CAS: 2943-75-1 | ≥25 -<br><50 | Xi; R36 | Skin Irrit. 2, H315 | [1] |
| <b>Switzerland</b>         |   |              |         |                     |     |
| triethoxyoctylsilane       | REACH #:<br>01-2119972313-39<br>EC: 220-941-2<br>CAS: 2943-75-1 | ≥25 -<br><50 | Xi; R36 | Skin Irrit. 2, H315 | [1] |
| <b>Turkey</b>              |   |              |         |                     |     |
| triethoxyoctylsilane       | REACH #:<br>01-2119972313-39<br>EC: 220-941-2<br>CAS: 2943-75-1 | ≥25 -<br><50 | Xi; R36 | Skin Irrit. 2, H315 | [1] |
| <b>United Kingdom (UK)</b> |   |              |         |                     |     |
| triethoxyoctylsilane       | REACH #:<br>01-2119972313-39<br>EC: 220-941-2<br>CAS: 2943-75-1 | ≥25 -<br><50 | Xi; R36 | Skin Irrit. 2, H315 | [1] |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

#### Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

#### 4.2 Most important symptoms and effects, both acute and delayed

LS-X 50ml

## SECTION 4: First aid measures

### Potential acute health effects

- Eye contact** : No known significant effects or critical hazards.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : Causes skin irritation.
- Ingestion** : No known significant effects or critical hazards.

### Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:  
pain or irritation  
watering  
redness
- Inhalation** : No specific data.
- Skin contact** : Adverse symptoms may include the following:  
irritation  
redness
- Ingestion** : No specific data.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media** : None known.

### 5.2 Special hazards arising from the substance or mixture

- Hazards from the substance or mixture** : No specific fire or explosion hazard.
- Hazardous combustion products** : Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide  
metal oxide/oxides

### 5.3 Advice for firefighters

- Special precautions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

LS-X 50ml

## SECTION 6: Accidental release measures

- For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
- 6.2 Environmental precautions** : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
- 6.3 Methods and material for containment and cleaning up**
- Small spill** : Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.
- 6.4 Reference to other sections** : See Section 1 for emergency contact information.  
See Section 8 for information on appropriate personal protective equipment.  
See Section 13 for additional waste treatment information.

## SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 7.1 Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

- : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

### 7.3 Specific end use(s)

- Recommendations** : Not available.
- Industrial sector specific solutions** : Not available.

## SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 8.1 Control parameters

#### Occupational exposure limits

##### Europe

No exposure limit value known.

LS-X 50ml

## SECTION 8: Exposure controls/personal protection

### **Austria**

No exposure limit value known.

### **Belgium**

No exposure limit value known.

### **Bulgaria**

No exposure limit value known.

### **Croatia**

No exposure limit value known.

### **Czech Republic**

No exposure limit value known.

### **Denmark**

No exposure limit value known.

### **Estonia**

No exposure limit value known.

### **Finland**

No exposure limit value known.

### **France**

No exposure limit value known.

### **Germany**

No exposure limit value known.

### **Greece**

No exposure limit value known.

### **Hungary**

No exposure limit value known.

### **Ireland**

No exposure limit value known.

### **Italy**

No exposure limit value known.

### **Latvia**

No exposure limit value known.

### **Lithuania**

No exposure limit value known.

### **Netherlands**

No exposure limit value known.

### **Norway**

No exposure limit value known.

### **Poland**

No exposure limit value known.

### **Portugal**

No exposure limit value known.

### **Romania**

No exposure limit value known.

### **Slovakia**

No exposure limit value known.

### **Slovenia**

No exposure limit value known.

LS-X 50ml

## SECTION 8: Exposure controls/personal protection

### Spain

No exposure limit value known.

### Sweden

No exposure limit value known.

### Switzerland

No exposure limit value known.

### Turkey

No exposure limit value known.

### United Kingdom (UK)

No exposure limit value known.

**Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

### Derived effect levels

No DELs available.

### Predicted effect concentrations

No PECs available.

## 8.2 Exposure controls

**Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

### Individual protection measures

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. Recommended: safety glasses with side-shields

### Skin protection

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. < 1 hour (breakthrough time): disposable vinyl

**Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: None assigned.

LS-X 50ml

## SECTION 8: Exposure controls/personal protection

- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Recommended: None assigned.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

- Physical state** : Solid. [paste]
- Colour** : Clear. White.
- Odour** : Acetic acid.
- pH** : Not available.
- Melting point/freezing point** : 100°C
- Initial boiling point and boiling range** : Not available.
- Flash point** : [Product does not sustain combustion.]
- Upper/lower flammability or explosive limits** : Not available.
- Relative density** : Not available.
- Solubility(ies)** : Insoluble in the following materials: cold water and hot water.
- Partition coefficient: n-octanol/ water** : Not available.
- Auto-ignition temperature** : Not available.
- VOC content** : 0 % (w/w)

### 9.2 Other information

No additional information.

## SECTION 10: Stability and reactivity

- 10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients.
- 10.2 Chemical stability** : The product is stable.
- 10.3 Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.
- 10.4 Conditions to avoid** : No specific data.
- 10.5 Incompatible materials** : No specific data.
- 10.6 Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

LS-X 50ml

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

**Conclusion/Summary** : Not available.

#### Acute toxicity estimates

Not available.

#### Irritation/Corrosion

**Conclusion/Summary** : Not available.

#### Sensitiser

**Conclusion/Summary** : Not available.

#### Mutagenicity

**Conclusion/Summary** : Not available.

#### Carcinogenicity

**Conclusion/Summary** : Not available.

#### Reproductive toxicity

**Conclusion/Summary** : Not available.

#### Teratogenicity

**Conclusion/Summary** : Not available.

#### Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure)

Not available.

#### Aspiration hazard

Not available.

**Information on the likely routes of exposure** : Not available.

#### Potential acute health effects

**Inhalation** : No known significant effects or critical hazards.

**Ingestion** : No known significant effects or critical hazards.

**Skin contact** : Causes skin irritation.

**Eye contact** : No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Inhalation** : No specific data.

**Ingestion** : No specific data.

**Skin contact** : Adverse symptoms may include the following:  
irritation  
redness

**Eye contact** : Adverse symptoms may include the following:  
pain or irritation  
watering  
redness

#### Delayed and immediate effects and also chronic effects from short and long term exposure

##### Short term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

##### Long term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

LS-X 50ml

## SECTION 11: Toxicological information

### Potential chronic health effects

Not available.

- Conclusion/Summary** : Not available.
- General** : No known significant effects or critical hazards.
- Carcinogenicity** : No known significant effects or critical hazards.
- Mutagenicity** : No known significant effects or critical hazards.
- Teratogenicity** : No known significant effects or critical hazards.
- Developmental effects** : No known significant effects or critical hazards.
- Fertility effects** : No known significant effects or critical hazards.
- Other information** : Not available.

## SECTION 12: Ecological information

### 12.1 Toxicity

- Conclusion/Summary** : Not available.

### 12.2 Persistence and degradability

- Conclusion/Summary** : Not available.

### 12.3 Bioaccumulative potential

Not available.

### 12.4 Mobility in soil

- Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.
- Mobility** : Not available.

### 12.5 Results of PBT and vPvB assessment

- PBT** : Not applicable.
- vPvB** : Not applicable.

- 12.6 Other adverse effects** : No known significant effects or critical hazards.

## SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 13.1 Waste treatment methods

#### Product

- Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
- Hazardous waste** : Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.

#### European waste catalogue (EWC)

| Waste code | Waste designation                                     |
|------------|---|
| 16 03 06   | organic wastes other than those mentioned in 16 03 05 |

#### Packaging

LS-X 50ml

### SECTION 13: Disposal considerations

- Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
- Special precautions** : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

### SECTION 14: Transport information

|                                 | ADR/RID        | IMDG           |
|---------------------------------|----------------|----------------|
| 14.1 UN number                  | Not regulated. | Not regulated. |
| 14.2 UN proper shipping name    | -              | -              |
| 14.3 Transport hazard class(es) | -              | -              |
| 14.4 Packing group              | -              | -              |

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU Regulation (EC) No. 1907/2006 (REACH)

##### Annex XIV - List of substances subject to authorisation

##### Substances of very high concern

None of the components are listed.

**Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles** : Not applicable.

##### Other EU regulations

**Europe inventory** : All components are listed or exempted.

##### National regulations

Austria

Belgium

Bulgaria

Croatia

Czech Republic

Denmark

Estonia

Finland

France

Germany

**Hazard class for water** : 1 Appendix No. 4

Greece

Hungary

Ireland

Italy

Latvia

LS-X 50ml

**SECTION 15: Regulatory information**[Lithuania](#)[Netherlands](#)[Norway](#)[Poland](#)[Portugal](#)[Romania](#)[Slovakia](#)[Slovenia](#)[Spain](#)[Sweden](#)[Switzerland](#)[Turkey](#)[United Kingdom \(UK\)](#)

**15.2 Chemical Safety Assessment** : This product contains substances for which Chemical Safety Assessments are still required.

**SECTION 16: Other information**

**Date of printing** : 25.05.2015.

**Date of issue/ Date of revision** : 15.04.2015.

**Date of previous issue** : 08.04.2015.

**Version** : 2.01

**Notice to reader**

☑ Indicates information that has changed from previously issued version.

**Abbreviations and acronyms** : ATE = Acute Toxicity Estimate  
 CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]  
 DNEL = Derived No Effect Level  
 EUH statement = CLP-specific Hazard statement  
 PNEC = Predicted No Effect Concentration  
 RRN = REACH Registration Number

**Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]**

| Classification      | Justification      |
|---------------------|--------------------|
| Skin Irrit. 2, H315 | Calculation method |

**Europe**

**Full text of abbreviated H statements** : H315 Causes skin irritation.

**Full text of classifications [CLP/GHS]** : Skin Irrit. 2, H315 SKIN CORROSION/IRRITATION - Category 2

**Full text of abbreviated R phrases** : R36- Irritating to eyes.

**Full text of classifications [DSD/DPD]** : Xi - Irritant

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

LS-X 50ml

an Alent plc Company