Printing date 23.03.2018

Version number 3



Revision: 31.05.2016

1.1 Product	ng identifier
	: <u>Ultra Foam Cleaner 3in1 RM 615</u>
	t identified uses of the substance or mixture and uses advised against
	elevant information available.
Аррисанон	of the substance / the mixture Car shampoo
	of the supplier of the safety data sheet
Manufactu	er/Supplier:
Alfred Kärc	her GmbH & Co. KG
	her-Str. 28-40
D - 71364 V	
Postfach 16	
D - 71349 V	Vinnenden
Tel.: +49-7	195-14-0
	195-14-2212
www.karche	r.com
Distributor.	
Kaercher (U	VK) Ltd.
Kaercher H	
Beaumont H	
Banbury	
Oxon OX16	1TB
Great Brita	
$T_{al} \cdot \downarrow AA = 1$	295-752-000
	295-266-436
	ormation obtainable from:
Department	
	195-14-2548
	195-14-3164
• •	karcher.com
-	ncy telephone number:
	ous Materials [or Dangerous Goods] Incidents
	Fire, Exposure, or Accident
	TREC Day or Night
	and Canada: 1-800-424-9300
Outside US	A and Canada: +1 703-741-5970 (collect calls accepted)

(Contd. on page 2)



Printing date 23.03.2018

Version number 3

Revision: 31.05.2016

Trade name: Ultra Foam Cleaner 3in1 RM 615

(Contd. of page 1) **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Dam. 1 H318 Causes serious eye damage. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS05 · Signal word Danger · Hazard-determining components of labelling: sodium lauryl ether sulfate · Hazard statements H315 Causes skin irritation. H318 Causes serious eye damage. · Precautionary statements P102 Keep out of reach of children. P264 Wash hands thoroughly after handling. Wear protective gloves / eye protection / face protection. P280 *P302+P352* IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. *P332+P313* If skin irritation occurs: Get medical advice/attention. · 2.3 Other hazards The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds. · Results of PBT and vPvB assessment · *PBT:* Not applicable. · vPvB: Not applicable.

*

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Cleaning agent

(Contd. on page 3)



Printing date 23.03.2018

Version number 3

Revision: 31.05.2016

Trade name: Ultra Foam Cleaner 3in1 RM 615

Dangerous components:		(Contd. of page
CAS: 68891-38-3 NLP: 500-234-8 Reg.nr.: 01-2119488639-16-XXXX	sodium lauryl ether sulfate Eye Dam. 1, H318; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	>20-<25%
CAS: 61827-42-7 Reg.nr.: 02-2119549526-31-XXXX	alkyl-C10-polyethyleneglycolether + 8 EO Eye Dam. 1, H318; Acute Tox. 4, H302	1-5%
Regulation (EC) No 648/2004 on a	detergents / Labelling for contents	
anionic surfactants		≥15 - <30%
non-ionic surfactants, preserv BENZISOTHIAZOLINONE)	pation agents (METHYLISOTHIAZOLINONE,	<5%

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information Involve doctor immediately.
- · After inhalation
- In case of unconsciousness place patient stably in side position for transportation. Supply fresh air; consult doctor in case of complaints.
- *After skin contact Immediately wash with water and soap and rinse thoroughly. Immediately rinse with water.*
- · After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing
- Rinse out mouth and then drink plenty of water.
- If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents
- Water spray

Use fire extinguishing methods suitable to surrounding conditions.

- $\cdot \textit{ For safety reasons unsuitable extinguishing agents Water with full jet.}$
- \cdot 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 4)



(Contd. of page 3)

Printing date 23.03.2018

Version number 3

Revision: 31.05.2016

Trade name: Ultra Foam Cleaner 3in1 RM 615

· Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

- Do not allow to penetrate the ground/soil.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders). Ensure adequate ventilation.
- 6.4 Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Avoid contact with eyes and skin.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility:
- Keep away from food, beverages and feed.
- Further information about storage conditions: Protect from frost. Store under lock and key and out of the reach of children.
- Keep receptacle tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

(Contd. on page 5)

GB



(Contd. on page 6)

GB

Printing date 23.03.2018

*

· Odour threshold:

Version number 3

Revision: 31.05.2016

Trade name: Ultra Foam Cleaner 3in1 RM 615

(Contd. of page 4) Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin. • Respiratory protection: Use suitable respiratory protective device only when aerosol or mist is formed. Short term filter device: Filter A/P2. In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Not necessary if room is well-ventilated. · Protection of hands: * chemical resistant protective gloves (EN 374) The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Protective gloves. · Material of gloves Butyl rubber, BR · Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. For the permanent contact gloves made of the following materials are suitable: * butyl rubber 0,7 mm, 480 min • As protection from splashes gloves made of the following materials are suitable: * nitril rubber 0,4 mm, 30 min • Eye protection: Tightly sealed goggles. **SECTION 9: Physical and chemical properties** · 9.1 Information on basic physical and chemical properties · General Information · Appearance: Form: Fluid Colour: Blue · Odour: **Characteristic**

Not determined.



Printing date 23.03.2018

Version number 3

Revision: 31.05.2016

Trade name: Ultra Foam Cleaner 3in1 RM 615

	(Contd. of page
pH-value at 20 °C:	10.3
pH-value 1 %:	7.3
Change in condition	
Melting point/freezing point:	undetermined
Initial boiling point and boiling range	:: 100 °C
Flash point:	>100 °C
Flammability (solid, gaseous)	Not applicable.
Ignition temperature:	not applicable
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	1.033 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
dynamic at 20 °C:	20 mPas
kinematic:	Not determined.
Solvent content:	
Organic solvents:	0.1 %
VOC (EC)	0.10 %
Solids content:	25.0 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity corresponds to 10.3

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 7)



(Contd. of page 6)

Printing date 23.03.2018

Version number 3

Revision: 31.05.2016

Trade name: Ultra Foam Cleaner 3in1 RM 615

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

61827-42-7 alkyl-C10-polyethyleneglycolether + 8 EO

Oral ATE 500 mg/kg (Rat)

Dermal LD50 >4,000 mg/kg (Rat)

- · Primary irritant effect:
- Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation
- Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- \cdot Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

,

· Aquatic	toxicity:

68891-38-3 sodium lauryl ether sulfate

- LC50 >10-100 mg/l (fish)
- EC50 >100 mg/l (bacteria)

61827-42-7 alkyl-C10-polyethyleneglycolether + 8 EO

LC50/96 h 10-100 mg/l (Leuciscus idus)

EC50/48 h 10-100 mg/l (Aquatic invertebrates)

EC50/72 h 10-100 mg/l (Aquatic plants)

· 12.2 Persistence and degradability No further relevant information available.

 \cdot Other information: The product is biodegradable.

• 12.3 Bioaccumulative potential No further relevant information available.

· 12.4 Mobility in soil No further relevant information available.

- \cdot Additional ecological information:
- *COD-value:* 630000 mg/l

· General notes:

The product does not contain organic complexing agents.

(Contd. on page 8)

GB



Printing date 23.03.2018

Version number 3

Revision: 31.05.2016

Trade name: Ultra Foam Cleaner 3in1 RM 615

(Contd. of page 7)

In compliance with the prescribed application parameters, the product does not lead to stable emulsions.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

· 12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · **vPvB:** Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Must be specially treated adhering to official regulations.

· European waste catalogue

07 06 01* aqueous washing liquids and mother liquors

· Uncleaned packaging:

· Recommendation: Non contaminated packagings may be recycled.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
 14.4 Packing group ADR, IMDG, IATA 	Void	
 14.5 Environmental hazards: Marine pollutant: 	No	
· 14.6 Special precautions for user	Not applicable.	
		(Contd. on page 9



0

Printing date 23.03.2018

Version number 3

Revision: 31.05.2016

. 1

Trade name: Ultra Foam Cleaner 3in1 RM 615

	(Contd. of page 8)
• 14.7 Transport in bulk according to Anne Marpol and the IBC Code	e x II of Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations
- · Information about limitation of use:
- Employment restrictions concerning juveniles must be observed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

· Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

· Department issuing SDS: PCD-D

• *Contact:* Department PCD-D Tel.: +49-7195-14-2548

Fax : +49-7195-14-3164 safetydata@karcher.com

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

(Contd. on page 10)

⁻⁻⁻GB



Printing date 23.03.2018Version number 3Revision: 31.05.2016

			(Contd. of page
Acute Tox. 4: Acute toxicit			
Skin Irrit. 2: Skin corrosio	0.2		
Eve Dam. 1: Serious eve a	lamage/eye irritation – Categ	ory 1	
	0 . 0		
Aquatic Chronic 3: Hazar	dous to the aquatic environm the previous version a	ent - long-term aquatic hazard – Cate	egory 3