
# 207013 - Modena Mono mixer

Useful Information				
Minimum operating pressure	0.2 bar			
Maximum operating pressure	5 bar			
Guarantee length	2 years			


### Technical Diagram





Exploded

<u>Diagram</u>



Item Number	Supplier Ref	Item Description	Quantity	Material	Spares Available
1	P51-D	Indice	2	ABS	Yes
2	P51-B H	Indice Seat	1	PE	Yes
3	P51-B C	Indice Seat	1	PE	Yes
4	SC4-12S/L	Screw	2	Stainless Steel	Yes
5	H51-E	Handle	2	ZINC	Yes
6	VS01-C20	1/2" CD Valve	1	BRASS+EPDM+Cerami c Disc	Yes
7	VS01-C20	1/2" CD Valve	1	BRASS+EPDM+Cerami c Disc	Yes
8	M0113Z-01	Tap Body	1	BRASS	No
9	SC4-7.5S	Screw	1	Stainless Steel	Yes
10	OR014	O ring	1	EPDM	Yes
11	OR015	O Ring	1	EPDM	Yes
12	M33247-N1	Block Ring	1	POM	Yes
13	M0112-02-01	Washer	1	POM	Yes
14	167020-02	Spout	1	BRASS	No
15	A13-04X	Washer	1	EPDM+Stainless Steel	Yes
16	A13-02	Flow straightener	1	POM	Yes
17	A14-04	Flow straightener Shell	1	ABS	Yes
18	N24-F	Fixing kit	1	Steel+NBR+Brass	Yes
19	BZG12-1/2"-370	Braided Connectors	1	Stainless Steel+BRASS+ EPDM	Yes

Flow Rates

## <u>FAQ</u>

### What should I do if my tap is dripping/leaking?

Cleaning the valve (if water dripping from tap)

Before carrying out any maintenance, turn off the mains water supply. If unsure contact a qualified tradesman.

- 1. Remove the cap (e), grub screw (a), handles (b).
- 2. Remove the valve (d) using a suitable spanner, clean thoroughly under cold water
- 3. to remove any build up of limescale or debris.
- 4. If necessary replace the valve.
- 5. Replace the valve (d) into the body, tighten the valve using a suitable spanner.
- 6. Replace the handles (b) and indice (f), tighten the grub screw (a).
- 7. Re-fit the cap (e) to handle.

#### What does the Guarantee Cover?

The Guarantee Covers leakage, manufacturing defects and Chrome Plating.

The guarantee does not cover:

- Damage or defects caused by:
  - general wear and tear (including special non-chrome finishes;
  - components such as filters, seals, 'O'rings and washers)
  - incorrect installation
  - repair using non- PPI parts
  - accidental or wilful misuse
  - corrosion and the use of inappropriate cleaning products.
  - system debris including the build up of limescale (which can be controlled through regular servicing and maintenance).
- Compensation for loss of use of the product or consequential loss of any kind.