

# Why choose an appliance from Wickes?







From ovens to dishwashers, washing machines to wine coolers, we've got a wide range of appliances to suit you and your budget.



#### Free design service

Because we know our free-standing and integrated appliances so well, we can design with style and function in mind.



#### **Product demonstrations**

Your dedicated Design Consultant can demonstrate the features and benefits of our appliances.



#### Trusted installation

Our Wickes Approved Installers will fit each appliance just as the manufacturer recommends.



#### Appliances for every budget

We can find appliances and payment plans to help your budget go further.



#### Quality to be proud of

All our appliances come with standard manufacturers' warranties.\*



#### Top brands

We offer a choice of market-leading brands and state-of-the-art technology.

### Contents

Ovens /Compact appliances	5-19
Built In Single Ovens	6-11
Compact & Microwave Ovens	12-15
Double Ovens	16-17
Coffee Machines	17
Warming Drawers	18-19
Hobs	20-27
Gas Hobs	21-22
Gas on glass Hobs	22
Induction Hobs	23-26
Induction Hobs with Extractor	26
Ceramic Hobs	27
Hoods	28-37
Designer Hoods	29-30
Chimney Hoods	30-32
Island Hoods	32
Downdraft Hoods	33
Ceiling Hoods	33
Canopy Hoods	33-34
Integrated Hoods	35
Ducting Kits/Filters	36-37
Dishwashers	40-44
<b>Dishwashers</b> 45cm Dishwashers	<b>40-44</b> 40-41

Laundry	48-51
Integrated Washing Machines	49
Freestanding Washing Machines	49
Integrated Washer Dryers	50
Freestanding Washer Dryers	50
Tumble Dryers	5
Stacking Kits	5
Cooling	54-61
Integrated Fridge Freezers	55-56
Integrated Fridges	56-57
Integrated Freezers	57-58
Built Under Fridges and Freezers	58
Freestanding Fridge Freezers	58-60
Wine Coolers	6
Rangemaster	64-71
Range Cookers	64-69
Hoods	70-71
Leisure	73-7
Range Cookers	73-74
Hoods	75
Energy Ratings	78-79





# The easy way to healthy cooking results.

With their impressive technology, elegant design and crystal clear TFT touchDisplay, Bosch Series 8 ovens meet every need and more in the kitchen. The intuitive Digital Control Ring engraved into the glass with TFT touchDisplay, provides convenience and functionality with full control over your cooking at all times.

Including innovative features such as the Air Fry Function for healthier, tastier and more crispy meals with hardly any oil. Not forgetting the Oven Assistant to suggest the most suitable settings or programmes and switch directly to your selection – pure convenience.



### Ovens

We offer innovative technology for every cook and stylish designs for every decor.



#### Steam cooking

Cooks more evenly and enhances flavours and textures by preserving more of your food's nutrients. Delivers heat more effectively so you can cook at lower temperatures.

#### Multifunction cooking

Combines all the benefits of grill, fan, conventional or microwave cooking into one single oven – perfect if space is at a premium.





#### Fan cooking

Distributes heat more evenly so you can cook faster using lower temperatures, saving you money and time.



## Cleaning



#### Easy cleaning enamel

A smooth enamel lining makes it quick and simple to wipe away grease and spillages from the oven's interior.

#### Pyrolytic cleaning

This is a self-cleaning programme that heats the oven up to 500°C whilst safely locking the door during the session. Food residue is turned to ash for you to simply wipe clean.

#### Steam cleaning

A special pre-set programme helps you to loosen food residue inside the oven for easier cleaning.

## Self cleaning catalytic liners

The special coating on these catalyticlined cookers and ovens oxidises grease and residue when heated to 200°C, meaning you can clean as you cook.

#### Built In Single Ovens











MODEL	AEG BPK355061M	<b>AEG</b> BSK778380T	AEG BPK948330M	AEG BSK978330M	<b>AEG</b> BPK748380B
Code	285152	285160	239027	239030	239031
Description	Pyrolytic Multifunction Oven with SteamBake	Matt Black Pyrolytic Multifunction Oven with SteamCrisp	Connected Multifunction Single Oven with Pyrolytic cleaning	Connected SteamCrisp Pyrolytic single oven with Quarter steam	Multifunction Single Oven with Pyrolytic cleaning
Cooking Functions	9	18	17	19	16
Oven Capacity Main (litres)	72	71	71	71	71
Size	H 594 x W 594 x D568mm	H 594 x W 594 x D 568mm	H 590 x W 560 x D 550mm	H 590 x W 560 x D 550mm	H 590 x W 560 x D 550mm
Electrical Connection	16	16	16	16	16
Energy Rating	A+	A++	A++	A++	A++
Control	Command Wheel	Touch Control	Command Wheel	Command Wheel	Touch Control
Additional Features	- Steam Bake - Pyrolytic cleaning - Multifunction oven - Hot Air	- Matt Black Design	- Connected via My AEG app - Pyrolytic cleaning - Food probe - Multifunction oven - SurroundCook function for fast and efficient cooking	- 25% steam ensures moist cooking and efficient reheating - Connected via My AEG app - Pyrolytic cleaning - Food probe	- Pyrolytic cleaning - Food probe - Multifunction oven - SurroundCook function












MODEL	AEG BPK748380M	AEG BSK978330B	<b>AEG</b> BPK948330B	<b>AEG</b> BPK556260B	<b>AEG</b> BPK556260M
Code	239036	270531	270532	270533	270538
Description	Multifunction single oven with Pyrolytic cleaning	Connected SteamCrisp Pyrolytic single oven with Quarter steam	Connected Multifunction single oven with Pyrolytic cleaning	Multifunction single oven with Pyrolytic cleaning	Multifunction single oven with Pyrolytic cleaning
Cooking Functions	16	19	17	9	8
Oven Capacity Main (litres)	71	71	71	71	71
Size	H 590 x W 560 x D 550mm	Aperture: H 567 x W 595 x D 567mm	Aperture: H 594 x W 595 x D 567mm	Aperture: H 594 x W 595 x D 567mm	Aperture: H 594 x W 595 x D 567mm
Electrical Connection	16	16	16	16	16
Energy Rating	A++	A++	A++	A+	A+
Control	Touch Control	Command wheel	Command wheel	Rotary & Touch Control	Rotary & Touch Control
Additional Features	- Food probe - Multifunction oven - SurroundCook function	- 25% steam ensures moist cooking and efficient reheating - Food probe	- Pyrolytic cleaning - Food probe - SurroundCook function for fast and efficient cooking	- Food probe - SurroundCook function for fast and efficient cooking - Steambake function for perfect baking	- Food probe  - SurroundCook function for fast and efficient cooking  - Steambake function for perfect baking

#### Built In Single Ovens



	22 0		\$ <b>■</b> \$		
MODEL	<b>AEG</b> BPX535061M	AEG BEX335011M	Bosch HHF113BR0B	Bosch HHF113BA0B	Bosch HBS573BS0B
Code	310723	310724	292114	303876	292115
Description	SurroundCook Pyrolytic Self Clean Oven - Stainless Steel	SurroundCook Aqua Clean Oven - Stainless Steel	Series 2 Electric Single Oven	Series 2 Built-in oven - Black	Series 4, Built-in oven with Pyrolitic Cleaning - Stainless steel
Cooking Functions	8	Top/Bottom heat, True fan cooking, Bottom heat, Fast grilling, Grilling, Light, Moist fan baking, Pizza setting, Turbo grilling	4	4	7
Oven Capacity Main (litres)	72	72	66	66	71
Size	H 594 x W 560 x D 550mm	H 594 x W 560 x D 550mm	H 595 x W 594 X D 548mm	H 595 x W 594 x D 548 mm	H 595 x W 594 x D 548 mm
Electrical Connection	16	16	13	13	13
Energy Rating	A+	A+	А	А	А
Control	Retractable Rotary Controls	Retractable Rotary Controls	Rotary dial	Rotary Dial	Retractable Rotary Dial
Additional Features	- Pyrolytic Self Cleaning	- AquaClean	- Red LED display control: easy-to-use thanks to the time functions - Automatic start - Integral cooling fan	- Red LED display control: easy-to-use thanks to the time functions - Automatic start - Integral cooling fan	- 3D HotAir allows even cooking on up to 3 shelf levels - 2 universal pans, - EcoClean Direct

#### Built In Single Ovens





#### Built In Single Ovens



#### Built In Single Ovens

MODEL	CDA SL400SS	CDA SL400BL
Code	288508	288507
Description	Built In Electric Single Oven - Stainless Steel	Built In Electric Single Oven - Black
Cooking Functions	12	12
Oven Capacity Main (litres)	77	77
Size	W 595 x H 383 x D 412 mm	W 595 x H 383 x D 412 mm
Electrical Connection	13A	13A
Energy Rating	A+	A+
Control	Full touch control	Full touch control
Additional Features	- Steam clean programme Soft close door action - Telescopic shelving - Lateral lights	- Steam clean programme Soft close door action - Telescopic shelving - Lateral lights

MODEL	Samsung NV7B42205AK/U4	Samsung NV7B42503AK/U4	Samsung NV7B4355VAK/U4	Samsung NV7B5775XAK/U4	Samsung NV7B43205AK/U4
Code	264872	264873	264874	272914	302563
Description	Samsung Series 4 DualCook Catalytic Oven	Samsung Series 4 Dual Cook Pyrolytic Oven	Samsung Series 4 Dual Cook Flex Pyrolytic Oven	Samsung Series 5 Dual Cook Flex Pyrolytic Oven	Samsung Series 4 Dual Cook Flex Catalytic Oven
Cooking Functions	6	6	6	7	6
Oven Capacity Main (litres)	76	76	76	76	76
Size	Aperture: H 596 x W 595 x D 570mm	Aperture: H 596 x W 595 x D 570mm	Aperture: H 596 x W 595 x D 570mm	Aperture: H 596 x W 595 x D 570mm	Aperture: H 596 x W 595 x D 570mm
Electrical Connection	16	16	16	16	16
Energy Rating	A+	A+	A+	A+	A+
Control	Touch Control	Touch Control	Touch Control	Command Wheel & Touch Sreen	Touch Control
Additional Features	- Dual Cook - Catalytic Cleaning - Full Touch Control - WiFi Control	- Dual Cook - Pyrolytic Cleaning - Natural Steam - WiFi Control	- Dual Cook Flex - Pyrolytic Cleaning - Natural Steam - WiFi Control	- Dual Cook Flex - Pyrolytic Cleaning - Air Fry - WiFi Control	Full Touch Control - WiFi Control - SmartThings Cooking - Air Sous Vide



## Compact appliances

#### Compact ovens & microwaves

Powerful performance in a small design. This range offers the same great cooking performance and range of features as the full size equivalent.







#### Coffee machines

Enjoy the luxury of authentic Italian espressos and creamy cappuccinos in your own home with these stunning additions to your kitchen.

#### Warming drawers

The AEG Vacuum Sealer Drawer lets you apply the professional sous vide cooking method at home, perfectly sealing in flavour, moisture and nutrients. Our warming drawers will keep your dishes at the perfect temperature, ready to bring to the table.



#### Compact & Microwave Ovens













	Aust .	200			
MODEL	AEG MBB1756SEM	AEG MBE2658SEM	<b>AEG</b> KMK365060M	<b>AEG</b> KMK565060B	<b>AEG</b> KMK768080T
Code	205997	205998	285166	285167	285159
Description	17L 800W Microwave	26L 900W Microwave	43L Convection Oven with Microwave	43L Convection Oven with Microwave	Matt Black 43L Combination Compact Oven with Microwave
Power Levels	5	5	-	_	-
Output (watts)	800W	900W	1000W	1000W	1000W
Grill Output (watts)	-	_	1000W	1000W	1000W
Capacity (litres)	17	26	43	43	43
Size	Aperture: H 360 x W 562 x D 300mm	Aperture: H 450 x W 562 x D 550mm	H 455 x W 595 x D 567mm	H 455 x W 595 x D 567mm	H 455 x W 595 x D 567mm
Additional Features	- Electronic, touch-activated door - Opens with just a tap	- Frequently used microwave settings can be saved and accessed quickly	- LED digital display  - Child lock for added safety  - Isofront® Plus quadruple glazed door  - Fan controlled defrosting	- LED digital display  - Child lock for added safety  - Isofront® Plus quadruple glazed door  - Fan controlled defrosting	- LED digital display - Child lock for added safety - Isofront® Plus quadruple glazed door - Fan controlled defrosting

#### Compact & Microwave Ovens

#### Bosch Bosch MODEL KMX365060B KMX365060M MBE2658DEM CMG7241B1B BFL523MS0B 303184 303185 310737 303857 Code 292117 Combination Microwave Combination Microwave Integrated Microwave/Grill Series 8 Built-in Oven Series 4 Built-in Description 26L - Black & Stainless Steel Combi - Black Microwave Compact Oven Compact Oven 5 Power Levels Output (watts) 1000W 1000W 900W 900W 800W **Grill Output** 1900W 1900W 800W (watts) Capacity 45 43 43 26 20 (litres) Size H 455 x W 595 x D 567mm H 455 x W 595 x D 567mm H 459 x W 596 x D 404mm H 455 x W 594 x D 564 mm H 382 x W 594 x D 317mm Additional - 14 Cooking functions - 14 Cooking functions - Child lock: With the push - AutoPilot 7: every dish is - TFT Touch Display a perfect success thanks Features of a button, prevent little Combi Quick combines - Combi Quick combines - 2D Hotair: even heat hands from being able to 7 pre-set automatic distribution for perfect Microwave cooking with Microwave cooking with to adjust the settings or programmes results on one level traditional fan cooking traditional fan cooking operate the microwave - Pop-out controls: for an Oven Assistant with to halve the cooking time to halve the cooking time easy to clean front Voice Control - 45 pre-set assisted cooking - 45 pre-set assisted cooking - Automatic safety switch off - Automatic Switch-off programmes programmes stops cooking as soon as the dish is done

	(d:				L 1
MODEL	Bosch CMA583MS0B	NEFF C1AMG84G0B	NEFF C1AMG84N0B	NEFF C24MR21G0B	NEFF C24MR21N0B
Code	292118	285444	231416	289753	289738
Description	Series 4 Built-in Combination Microwave	N50 Combination Microwave Oven in Graphite Grey	N50 Combination Microwave Oven	N70 Compact Oven with Microwave Function - Graphite Grey	N70 Compact with Microwave Function
Power Levels	5	5	5	5	5
Output (watts)	900W	900W	900W	900W	900W
Grill Output (watts)	_	_	-	-	_
Capacity (litres)	44	44L	44L	45L	45L
Size	H 454 x W 594 x D 570mm	H 454 x W 594 x 570mm Aperture: H 450-458 x W 560-568 x D 550mm	H 454 x W 594 x D 570mm Aperture: H 450-458 x W 560-568 x D 550mm	H 455 x W 596 x D 548mm	H 455 x W 596 x D 548mm
Additional Features	- Hotair: perfect results on one level thanks to optimal distribution of heat - AutoPilot 15: every dish is a perfect success thanks to 15 pre-set automatic programmes	- LCD Display - Control Dials & One-Touch Buttons -15 Cooking programmes	- LCD Display - Control Dials & One-Touch Buttons - 15 Cooking programmes	- 3,7" Full Touch TFT Display - Soft Open / Soft Close door - Easy Clean - Home Connect	- 3,7" Full Touch TFT Display - Soft Open / Soft Close door - Easy Clean - Home Connect

#### Compact & Microwave Ovens

MODEL	NEFF C24MS31G0B	NEFF HLAWD23G0B	NEFF HLAWD23N0B	Samsung NQ5B4353FBK/U4	Samsung NQ5B5763DBK/U4
Code	289744	285446	302706	264875	272915
Description	N90 Compact Oven with Microwave - Graphite Grey	N50 Built-in Microwave Oven in Graphite Grey	N50 Built-in Microwave Oven in Graphite Grey	Samsung Series 4 Smart Compact Microwave oven	Samsung Series 5 Smart Compact Microwave oven
Power Levels	5	5	5	3	3
Output (watts)	900W	800W	800W	1600W	1600W
Grill Output (watts)	-	-	-	2600W	2600W
Capacity (litres)	45L	20L	20L	50L	50L
Size	H 455 x W 596 x D 548mm	H-382 x W 594 x D 317mm Aperture: H 362-365 x W 560-568 x D 300mm	H-382 x W 594 x D 317mm Aperture: H 362-365 x W 560-568 x D 300mm	Aperture: H 456 x W 595 x D 570mm	Aperture: H 456 x W 595 x D 570mm
Additional Features	- 4,1" Full Touch TFT Display - Circo Therm - Eco Clean with Easy Clean - Soft Open / Soft Close door - Home Connect	- LED interior light - 7 Cooking Programmes - Side opening hinged door - Control Dials & One-Touch Buttons - Automatic Programmes	- LED interior light - 7 Cooking Programmes - Side opening hinged door - Control Dials & One-Touch Buttons - Automatic Programmes	- Full Touch LED Display - Steam Cleaning - WiFi Control - 5 Year Warranty	- Natural Steam - Air Fry - WiFi Control - 5 Year Warranty



#### Double Ovens

#### Bosch Bosch MODEL DCK731110M DCB535060M MHA133BR0B MBS533BB0B Code 157620 302697 292120 303874 Built In Double Built In Double Series 2 Electric Built-in Double Series 4 Built-In Description Multifunction Oven Multifunction Oven Oven Double Oven - Black Cooking Main 10 Main 10 Top 8 Top 6 Main 2 Top 3 Main 2 Top 3 **Functions** Oven Capacity Main 68 Main 68 Main 76 Main 71 Top 43 Top 43 Top 34 Top 34 (litres) Aperture: H 888 x W 594 x D 568mm H 888 x W 594 x D 550mm 888 x 594 x 550mm Size H 875 x W 560 x D 550mm $\checkmark$ **Under Counter** Electrical 25 30 30 32 Connection **Energy Rating** A - Main / A - Top Oven A - Main / A - Top Oven A - Main / B - Top oven A - Main / B - Top oven Rotary dial Touch Rotary & Touch Control Retractable Rotary Control - Heat-activated catalytic cleaning - Heat-activated catalytic cleaning in - EcoClean Direct: less cleaning effort Additional - Pop-out controls Features thanks to a special coating which in both ovens both ovens - EcoClean Direct SurroundCook function for fast SurroundCook function for fast covers the rear wall of the lower oven - 2 universal pans, slim size - Oven with 2 heating methods: 3D and efficient cooking and efficient cooking Hotair, Hotair gentle - Programmable Timer - LED display with touch buttons

#### Bosch NEFF NEFF CDA U1ACE5HN0B MODEL MBS533BS0B U1ACE2HG0B DC941SS 303875 178423 285447 300296 Code Series 4 Built-In N50 Built In Double N50 Built-in Double Oven Built-In Electric Double Description Double Oven in Graphite Grey Multifunction Oven Cooking Main 2 Main 4 Top 3 Top 3 Main 7 Top 4 Main 5 Top 4 Functions Oven Capacity Main 71 Top 34 Main 71 Top 34 Main 71 Top 34 Main 59 (litres) H 888 x W 594 x D 550mm H 888 x W 594 x D 550mm 888 x 594 x 550mm Size Aperture: H 875-888 x Aperture: H 875-888 x W 595 x H 888 x D 540mm W 560 x D 550mm W 560-568 x D 550mm **Under Counter** Electrical 32 32 20 32 Connection **Energy Rating** A - Main / B - Top Oven A - Main / B - Top oven A - Main / B - Top Oven A - Main / A - Top oven Control Retractable Rotary Retractable Rotary Retractable Rotary Rotary Control Additional - Pop-out controls - CircoTherm® - CircoTherm® Top oven capacity: 35L, double Features - EcoClean Direct EcoClean® Direct - LCD-Display glazed removable doors - LCD Display - EasyClean - 2 universal pans, slim size

#### Double Ovens

#### Built Under Double Ovens

	CDA AEG		AEG
MODEL	DC941BL	DUB535060M	DUK731110M
Code	300297	302698	157621
Description	CDA DC941BL Built-In Electric Double Oven - Black	Built Under Double Multifunction Oven	Built Under Double Multifunction Oven
Cooking Functions	Main 4 Top 3	Main 9 Top 6	Main 10 Top 7
Oven Capacity Main	Main 59	Main 45 Top 40	Main 46 Top 40
Size	W 595 x H 888 x D 540mm	H 715 x W 594 x D 568mm	Aperture: H 720 x W 600 x D 550mm
Under Counter	_	-	$\checkmark$
Electrical Connection	20A	30	30
Energy Rating	A - Main / A - Top Oven	A - Main / A - Top Oven	A - Main / A - Top Oven
Control	Rotary control with touch control programmable clock/timer	Rotary & Touch Control	Touch
Additional Features	Top oven capacity: 35L, double glazed removable doors	- Air Fry - LED Timer Display - Catalytic Cleaning liners	- Heat-activated catalytic cleaning

#### Coffee Machines

MODEL	<b>AEG</b> KKA894500T	<b>AEG</b> KKK994500M	AEG KKK994500B	NEFF CL4TT11G0
Code	284345	178436	270536	289740
Description	Matt Black Integrated Coffee Machine	Integrated Coffee Machine	Integrated Coffee Machine	N90 Built in Fully Automatic Coffee Machine - Graphite Grey
Functions	16	16	9	20
Capacity	2.5L	2.5L	2.5L	2.4L
Size	Aperture: H 455 x W 595 x D 450mm	Aperture: H 455 x W 595 x D 450mm	Aperture: H 455 x W 595 x D 450mm	H 455 x W 594 x D 385mm
Guarantee	2 Years	2 Years	2 Years	2 Years
Additional Features	- Up to six cups of coffee at a touch The MultiCup setting is ideal for serving several guests at once -Touch Control	- Serve up to six cups of coffee at once - Two separate heaters for coffee and water - Auto-start function - Touch controls - Suitable for coffee beans and ground coffee - 500ml thermal milk jug included	- Serve up to six cups of coffee at once - Two separate heaters for coffee and water - Auto-start function - Touch controls - Suitable for coffee beans and ground coffee - 500ml thermal milk jug included	- OneTouch DoubleCup - get two cups at a touch of a button  - Home Connect - get more from your coffee machine using the App or voice control  - Up to 29 different coffee specialities  - Favourites: save up to 30 personalised beverages

#### Warming Drawers

#### **AEG** KDK911424T **AEG** KDK911424M **AEG** KDE911424B AEG KDK912924M MODEL 284570 Code 206184 239026 206183 14cm Built in Warming Drawer Matt Black 14cm Description 14cm Warming Drawer 29cm Warming Drawer Warming Drawer Place 6 6 Settings Temperature Range 30-80°C 30-80°C 30-80°C 30-80°C Aperture: H 141 x W 560 x D 535mm Aperture: H 295 x W 560 x D 535mm Size H 139 x W 596 x D 530mm H 139 x W 595 x D 535mm - Seamlessly integrates with the rest of your kitchen and perfectly Additional - Dough proving - Defrost gently - Pre-Warm plates, cups and - Pull-out drawer and non-slip mat for additional stability Features glasses - Defrost gently matches your AEG oven - Dough proving - Pre-Warm plates, cups and - Pre-Warm plates, cups and glasses - Pre-Warm plates, cups and - Defrost gently glasses glasses - Defrost gently

#### Warming Drawers

MODEL	NEFF	<b>NEFF</b>	<b>NEFF</b>	Samsung
	N24HA11N1B	N34HA11G1B	N24HA11G1B	NL20T8100WK/UR
Code	289748	289743	289749	264871
Description	N70 14cm	N70 29cm Warming Drawer -	N70 14cm Warming Drawer -	Series 4/5 14cm
	Warming Drawer	Graphite Grey	Graphite Grey	Warming Drawer
Place	12 plates	40 plates	12 plates	12 plates
Settings	64 espresso cups	192 espresso cups	64 espresso cups	64 espresso cups
Temperature Range	30-80°C	30-80°C	30-80°C	30-80°C
Size	H 140 x W 594 x D 518mm	H 290 x W 594 x D 518mm	H 140 x W 594 x D 518mm	H 140 x W 595 x D 522mm
	Aperture:	Aperture:	Aperture:	Aperture:
	H 140 x W 560 x D 550mm	H 290 x W 560 x D 550mm	H 140 x W 560 x D 550mm	H 140 x W 560 x D 550mm
Additional Features	- Low temperature cooking, Keep warm, plate warming, cup warming - Touch Control illuminated - Push-Pull opening mechanism	- Low temperature cooking, Keep warm, plate warming, cup warming  - Touch Control illuminated  - Push-Pull opening mechanism	- Low temperature cooking, keep warm, plate warming, cup warming - Touch Control illuminated - Push-Pull opening mechanism	- Defrost Function - Dough Proving - Keep Food Warm

MODEL	Bosch BIC7101B1B	Bosch BIC510NS0B	<b>NEFF</b> N1AHA01G0B	<b>NEFF</b> N1AHA01N0B
Code	302450	292119	285448	178426
Description	Series 8 Built-in warming drawer - Black	Series 6 14cm Warming Drawer	N50 14cm Warming Drawer in Graphite Grey	N50 14cm Warming Drawer
Place Settings	12 plates 64 Espresso Cups	14 Plates 64 espresso cups	14 Plates 64 espresso cups	14 Plates 64 espresso cups
Temperature Range	30-80°C	40-80°C	40-80°C	40-80°C
Size	H 140 x W 594 x D 518 mm	H 140 x W 594 x D 540mm Aperture: H 140 x W 560 x D 550mm	H 140 x W 594 x D 540mm Aperture: H 140 x W 560-568 x D 550mm	H 140 x W 594 x D 540mm Aperture: H 140 x W 560-568 x D 550mm
Additional Features	- Push-pull mechanism: Easy opening and closing thanks to a clever spring mechanism - Temperature control - Home Connect	<ul> <li>Push-pull mechanism: easy opening and closing thanks to a clever spring mechanism</li> <li>4 Functions: keeping drinks and food warm, pre-warming of tableware, yeast dough proving, thawing of delicate foods</li> </ul>	- 4 Functions: keeping drinks and food warm, pre-warming of tableware, yeast dough proving, thawing of delicate foods	- 4 Functions: keeping drinks and food warm, pre-warming of tableware, yeast dough proving, thawing of delicate foods

MODEL	<b>CDA</b> VW153BL	CDA VW153SS
Code	299896	299897
Description	CDA Push-push warming drawer - Black	CDA Push-push warming drawer - Stainless Steel
Place Settings	6	6
Opening	Push-push handle-less	Push-push handle-less
Temperature Range	40-80°C	40-80°C
Capacity (kg max)	20	20
Size	W 595 x H 135 x D 548mm	W 595 x H 135 x D 548mm
Power Supply	3A	ЗА



## Hobs

From gas to induction, our hobs offer their own benefits and features with various burners and cooking zone options.

#### Induction

Induction technology is the fastest, safest and most energy efficient way to cook on a hob, heating the pan directly with no pre-heat required.





#### Combi

Save space in the kitchen by installing a hob with the extractor built in.

#### Gas

A traditional choice that provides controlled cooking with instant heat and flexibility. All gas hobs feature flame safety devices for your peace of mind.



#### 60cm Gas Hobs



#### 75cm Gas Hobs



- Black glass inlay

- High efficiency burners

- Cast iron supports



- Integrated ignition





dials: easily access dials in

front with strong grip for

effortless turning

- Cast iron pan supports with

protective rubber feet



slide pots easily

- Safety Shut Off

MODEL	AEG HGB75420YM	AEG HGX75400SM	Bosch PGQ7B5B90	NEFF T27DS59N0	Samsung NA75D3030AS/EU
Code	231752	302695	292122	205962	272908
Description	75cm Slim Gas Hob	75cm Gas Hob	75cm Series 4 Gas Hob	75cm N70 5 Burner Gas Hob	Samsung 75cm Gas Hob - Stainless Steel
Zones	5	5	5	5	5
Electrical Connection (amps)	13	13	3	3	13
Flame Safety Device	✓	✓	✓	✓	✓
Size	H 40 x W 745 x D 510mm Aperture: W 560 x D 480mm	H 40 x W 745 x D 510mm Aperture: W 560 x D 480mm	H 53 x W 750 x D 520mm Aperture: H 45 x W 560-562 x D 480-492mm	H 53 x W 750 x D 520mm Aperture: H 45 x W 560-562 x D 480-492mm	H 98 x W 750 x D 510mm Aperture: W 560-562 x D 480-490mm
Additional Features	- StepPower controls to allow Precise control of Gas Flow	- Speed Burners get you cooking up to 20% faster - Wok burner	- Wok burner: powerful cooking at up to 3.3kW - Continuous cast-iron pan	- FlameSelect® can adjust the flame precisely in 9 steps - Wok burner	- Triple Crown Burner for faster cooking - Wok Grate

stability

- Ergonomic control knobs

with raised center for precise

adjustments

#### 90cm Gas Hobs

#### 60cm Gas on glass Hobs


#### MODEL HGB95522YM HKB64450NB PPP6A6B90 T26CS49S0 NA64D3000AK/U1 239019 239018 302441 272923 272907 Code 60cm 60cm Series 6, Tempered 60cm Samsung 60cm Description Glass, Gas Hob, Black N70 4 Burner Gas Hob Gas Hob - Black Glass Gas Hob Gas on Glass Hob Zones 5 4 4 4 Electrical Connection 13 13 13 (amps) Flame Safety $\checkmark$ $\checkmark$ $\checkmark$ Device W 857 x D 520mm H 40 x W 590 x D 520mm H 58 x W 590 x D 520 mm H 58 x W 590 x D 520mm H 98 x W 600 x D 520mm Aperture: H 45 x W 560-562 Size Aperture: Aperture: Aperture: Aperture: H 60 x W 830 x D 480mm W 560 x D 480mm x D 480-492 mm W 560 x D 480-492mm W 560-562 x D 480-490mm Additional - StepPower controls to StepPower controls allows - FlameSelect Tempered Glass Surface - Powerful Heat Features allow Precise control of Precise control of Gas Flow - FlameSelect® - Seamless rails to slide - Semi-continuous cast-iron Gas Flow - Cast Iron Supports - Sword Knobs pots easily pan support - Wok burner - LED timer - Safety Shut Off - Standard and semi-flush - Cast iron supports - Easy Clean Grates - Hob2Hood connected built-in option - Black glass inlay - Wipe clean surface - Biomethane-ready - High efficiency burners

#### 75cm Gas on glass Hobs

#### 90cm Gas on glass Hobs

	000				
MODEL	<b>AEG</b> HKB75450NB	Bosch PPQ7A6B90	NEFF T27CS59S0	AEG HKB95450NB	NEFF T29TS79N0
Code	239016	302442	272922	239017	272921
Description	75cm Gas on Glass Hob	75cm - Series 6 Tempered glass, Gas Hob, Black	75cm 5 Burner Gas Hob	90cm Gas on Glass Hob	90cm N90 5 Burner Gas Hob
Zones	5	5	5	5	5
Electrical Connection	13	3	3	13	3
(amps)					
(amps) Flame Safety Device	✓	✓	✓	✓	✓
Flame Safety	H 40 x W 740 x 510mm Aperture: W 560 x D 480mm	H 58 x W 752 x D 520 mm Aperture: H 45 x W 560-562 x D 480-492 mm	H 58 x W 752 x D 520mm Aperture: W 560 x D 480-492mm	H 40 x W 880 x D 510mm Aperture: W 830 x D 480mm	H 59 x W 918 x D 546 Aperture: W 850 x D 490-520mm


#### 30cm Induction Hob 60cm Induction Hobs




#### 60cm Induction Hobs

MODEL	AEG IAX64411CB	AEG IKB64401FB	<b>AEG</b> IKX64301CB	Bosch PIX631HC1E	Bosch PUE611BB5B
Code	303190	223853	310727	302443	292123
Description	60cm SenseBoil Induction Hob	60cm 4 Zone Induction Hob	60cm Induction Hob - Black	60cm Series 6 Induction Hob Black	60cm Series 4 Induction Hob
Control	Direct Touch	Touch		Multitouch+	Touch
Zones	4	4	4	4	4
Electrical Connection (amps)	32	32	32	32	13
Size	H 44 x W 590 x D 520mm Aperture: W 560 x D 490mm	H 44 x W 590 x D 520mm Aperture: W 560 x D 490mm	W 590 x D 520mm	H 51 x W 592 x D 522 mm Aperture: H 51 x W 560-560 x D 490- 500 mm	H 51 x W 592 x D 522mm Aperture: H 51 x W 560 x D 490-500mm
Additional Features	- SenseBoil detects rising bubbles and automatically reduces zone to a low simmer - Touch slide controls - PowerBoost - Hob2Hood® connected	- Hob2Hood - DirectAccess heat controls - Child lock - Illuminated controls - Power boost function	- Hob2Hood	- Hob2Hood - Power boost function - Highly responsive sliding controls - Count up timer	- TouchSelect - PowerBoost: up to 50% more power for faster heating on your induction hob - QuickStart: start straight away and select the desired cooking level


#### 60cm Induction Hobs



#### 60cm Induction Hobs 80cm Induction Hobs



#### 80cm Induction Hobs



#### 80cm Induction Hobs

#### 90cm Induction Hobs



#### 90cm Induction Hobs Induction Hobs with Extractor

MODEL	<b>NEFF</b> T69FUV4L0	NEFF V56NBS1L0	Bosch PVS611B16E	AEG TCH74B01CB
Code	288658	302567	302565	303193
Description	N90 Flex Black Induction Hob - 90cm	N50 Induction hob with integrated ventilation system	Series 4 Induction hob with integrated ventilation system 60cm surface mount without frame	70cm Induction Hob with Recirculation Extractor
Control	TwistPad	Touch	TouchSelect	Direct Touch
Zones	5	4	4	4
Electrical Connection (amps)	32	32	32	32
Size	H 51 x W 918 x D 522mm Aperture: H 51 x W 880 x D 490-500mm	H 223 x W 592 x D 522 mm	H 223 x W 592 x D 522 mm	H 225 x W 700 x D 510mm Aperture: W 680 x D 490mm
Additional Features	- PowerTransfer - Home Connect with - Remote	- Touch Control  - 2 individual induction cooking zones or 1 large combined induction cooking zone  - High Extraction Rate  - Easy-clean filters, Easy to remove and dishwasher-safe  - 17 Power Levels  - Power Boost	- TouchSelect - CombiZone - PowerBoost: up to 50% more power for faster heating on your induction hob - Easy-clean filters, Easy to remove and dishwasher-safe - 17 Power Levels - Power Boost	- Fits in a 60cm cabinet - Link 2 zones with the Bridge function - Automatic extraction control - Long life carbon filter - Auto pot detection

MODEL	<b>NEFF</b> V68AUX4C0	AEG CCE84543FB	AEG CCE84779FBAEG	Bosch PVS811B16E
Code	302445	284571	267196	302566
Description	N90 Induction hob with integrated ventilation system	80cm Induction Hob with Recirculation Extractor	83cm Flexibridge Hob	Series 4 Induction hob with integrated ventilation system 80 cm surface mount without frame
Control	TwistPad Flex	Touch	Direct Touch	TouchSelect
Zones	2 flex induction cooking zones	4	4	2 CombiZones
Electrical Connection (amps)	32	32	32	32
Size	H 223 x W 834 xD 527 mm	H 212 x W 780 x D 520mm	H 212 x W 830 x D 515mm Aperture: W 780 x D 490mm	H 223 x W 802 x D 522 mm
Additional Features	- Twist Pad® - Intuitive Flex Zones - Automatic Air Sensor - Home Connect - Easy-clean filters, easy to remove and dishwasher-safe - 17 Power Levels, Power Boost	- Hob2Hood - Boost function - 2in1 Filter Included - Combine 2 cooking zones with the Bridge function	- Extraction: Recirculation - 2in1 Filter included - Filter clean indicator - Double Flexibridge left and Right - Powerboost - Connected to MY AEG App	- TouchSelect - CombiZone: More flexibility by combining two cooking zones - PowerBoost - Easy-clean filters - 17 Power Levels, Power Boost - Timer

#### 60cm Ceramic Hob

MODEL	AEG HRX64360C
Code	310726
Description	60cm Ceramic Hob - Black
Control	
Zones	4
Electrical Connection (amps)	16
Size	W 590 x D 520mm
Additional Features	- Adjustable timer



## Hoods

#### Island

Make your island the real focus of the kitchen by complementing it with an island hood, combining the practicality of a hood with the elegant design statement of a centrepiece light.



#### Designer

Streamlined and elegant, a designer hood will bring a bold and unique feel to your kitchen.

#### Chimney

From traditional to ultra-modern styles, these designs will create a stunning statement piece in your home.




#### 60cm Designer Hoods



#### 60cm Designer Hoods

#### 80cm Designer Hood



#### 80cm Designer Hoods

#### 90cm Designer Hoods

	NEFF	AEG	AEG.	AEG
MODEL	D85IFN1S0B	DVE5971HR	DVK6981HB	DVE5971HG
Code	302455	285161	231781	231791
Description	N50 Wall-Mounted Cooker Hood	Matt Black 90cm Designer Glass Screen Hood	90cm Designer Hood	90cm Designer Hood
Max. Extraction Rate	768 m³/h	700m³/h	720/750m³/h intensive	425/700m³/h intensive
Speed Settings	3-stages + intensive	3 + 2 Intensive	3 + 2 intensive	3 + 1 intensive
Noise Level (ducted/recirculated)	56/68 dB (A)	54/73 dB(A)	54/68 dB(A)	54/73 dB(A)
Electrical Connection (amps)	10	13	13	13
Size	H 753-996 x W 790 x D 433mm	H 380 x W 898 x D 418mm	H (1260-915) 380 x W 896 x D 456mm	H (1265-915) 380 x W 898 x D 418mm
Energy Rating	A+	А	A+	А
Additional Features	- Touch Control - LED White Colour Temperature Control - Efficient Drive Motor – Quiet and energy-efficient hood motor for a calmer kitchen	- Silencetech - Hob2Hood - LED lighting	- Charcoal and grease filter included - Breeze function - Silent tech - Hob2Hood	- Charcoal and grease filter included - Breeze function - Hob2Hood

#### 90cm Designer Hoods

#### 60cm Chimney Hoods



#### 60cm Chimney Hoods

	AEG.		25511 AFO	4911
MODEL	AEG DBX4651M	AEG DBX3650M	AEG DTB3653M	AEG DTB3654M
Code	303860	310731	310732	310733
Description	60cm Chimney Hood	60cm ExtractionTech Cooker Hood - Stainless Steel	60cm Cooker Hood - Stainless Steel	60cm ExtractionTech Cooker Hood - Stainless Steel
Max. Extraction Rate	600m³/h	600m³/h	500m <sup>3</sup> /h	600m³/h
Speed Settings	3	3	3	3
Noise Level (ducted/recirculated)	66/70 dB(A)	51/69 dB(A)	57/69 dB(A)	52/69 dB(A)
Electrical Connection (amps)	13	13	13	13
Size	H 1180-563 x W 598 x D 450mm	H 1180 x W 598 x D 450mm	H 1020 x W 600 x D 500mm	H 1020 x W 600 x D 500mm
Energy Rating	В	С	С	С
Additional Features	- Charcoal filter available as accessory (ECFB01) - Efficient, powerful motor - LED lighting			

#### 60cm Chimney Hoods

MODEL	Bosch DWB66BC60B	<b>NEFF</b> D65BMP5N0B	Samsung NK24C5703TM/UR
Code	302451	210023	285236
Description	60cm Series 2 Wall-Mounted Cooker Hood Black	N70 60cm Chimney Cooker Hood Stainless Steel	60cm Cooker Hood with Auto Connectivity
Max. Extraction Rate	621 m³/h	657m³/h	622m³/h
Speed Settings	3	3 + 2 intensive	4
Noise Level (ducted/recirculated)	69/74 dB	61/71 dB(A)	72/75 dB(A)
Electrical Connection (amps)	13	10	13
Size	H 635-935 x W 600 x D 53mm	H 614-954 x W 598 x D 500mm	H 706 x W 598 x D 505mm
Energy Rating	В	А	А
Additional Features	_	- High extraction rate - Efficient Drive Motor - Can be ducted or recirculating	- Power Ventilation System - Dishwashable Aluminium Filter - Auto connectivity wirelessly

#### 90cm Chimney Hoods



#### 90cm Chimney Hoods



Island Hoods

#### Downdraft Hoods


MODEL	NEFF 188WMM1S7B	NEFF 198WMM1S7B	<b>AEG</b> DDE5980G
Code	302456	302457	157646
Description	N90 Downdraft Hood 80cm	N90 Downdraft Hood 90cm	90cm Downdraft Cooker Hood
Max. Extraction Rate	775 m³/h	833 m³/h	350/700m³/h intensive
Speed Settings	3-stage + 2 intensive	3-stage + 2 intensive	3 + 2 Intensive
Noise Level (ducted/ recirculated)	62/70 dB	62/71 DB	40/54 dB(A)
Electrical Connection (amps)	32	32	10
Size	H 709-959 x W802 x D 140mm	H 709-959 x W 918 x D 140mm	H 407 x W 880 x D 95mm
Energy Rating	А	А	А
Additional Features	- Guided Air Technology – Equally powerful steam extraction all over the cooktop -Glass Panel with Illumination – 25 million colour options for inspiring illumination of your cooktop - Climate Control Sensor		- Breeze function - Silent tech - Charcoal and grease filter included

#### Ceiling Hoods

#### Canopy Hoods



#### Canopy Hoods



#### Canopy Hoods




#### Integrated Hoods

	AEG	AEG	AEG	AEG
MODEL	DPB3632S	GDP866PB	DPB3932S	GDP869PB
Code	206209	303147	206234	303148
Description	60cm Telescopic Cooker Hood	60cm Pull Out Hood	90cm Telescopic Cooker Hood	90cm Pull Out Hood
Max. Extraction Rate	370m³/h	400/650m <sup>3</sup> /h intensive	370m³/h	400/650m <sup>3</sup> /h intensive
Speed Settings	3	3 + 1 intensive	3	3 + 1 intensive
Noise Level (ducted/ recirculated)	68/69 dB(A)	55 dB(A)	68/69 dB(A)	55 dB(A)
Electrical Connection (amps)	10	-	10	-
Size	H 179-179 x W 598 x D 284mm	H 395 x W 598 x D 304mm	H 179 x W 900 x D 284mm	H 395 x W 898 x D 304mm
Energy Rating	С	А	С	А
Additional Features	- Discreet hood only visible when in use - Pull out smoothly to activate, push back into place when idle - Charcoal filter included	- Perfect Illumination lighting - SilenceTech - Breeze function - Hob2Hood®	Discreet hood only visible when in use     Pull out smoothly to activate, push back into place when idle     Charcoal filter included	- Perfect Illumination lighting - SilenceTech - Breeze function - Hob2Hood®

#### Integrated Hoods

MODEL	NEFF D46ED22N1B	AEG GDE686HM	AEG GDE689HM
Code	241268	303145	303146
Description	N50 60cm Telescopic Hood	60cm Integrated Hood	90cm Integrated Hood
Max. Extraction Rate	400 m³/h	445/775m³/h intensive	445/775m³/h intensive
Speed Settings	3 + 1 intensive	3 + 1 intensive	3 + 1 intensive
Noise Level (ducted/ recirculated)	62/69 dB(A)	57/60 dB(A)	57/60 dB(A)
Electrical Connection (amps)	10	13	13
Size	H 203 x W 598 x D 290mm	H 330 x W 600 x D 308mm	H 330 x W 900 x D 308mm
Energy Rating	А	А	А
Additional Features	- Automatic intensive revert (6mins)  - Automatic after running (10 minutes)  - 2 metal grease filter cassettes	- Hob2Hood® - LED strip lighting - Filter cleaning notification	- Hob2Hood® - LED strip lighting - Filter cleaning notification


#### Ducting Kits/ Recirculation charcoal filters





#### Ducting Kits/ Recirculation charcoal filters





# Why Samsung Thome Appliances

Advanced
Performance
Highly innovative technology

## AI & SmartThings

Seamless & effortless home experience

Flexible Design & Functions

Customisable features for evolving lifestyles

Durable & Energy Efficient Tech

Peace of mind, year after year

#### Dual Cook Flex™

Cook two different dishes at the same time. Perfect for the Sunday roast.

Save 25% on energy by using only the top half<sup>1</sup>.

Flexible door allows you to access the whole oven or just the top half without losing heat<sup>2</sup>.



1. 25.3% energy savings based on using only the top half of the oven. Internal testing on Series 5 NV7B5675LAK, upper vs. whole compartment for small cake baking at convection 165°C (IEC-60350).

#### **SmartThings**

With SmartThings³, you can control thousands of smart home products from leading brands with your voice or just a touch of the screen.



#### Al Wash

Al Wash adjusts the water and detergent and the soaking, rinsing and spinning times. By analysing the amount of detergent used in the last 10 cycles, it can reduce detergent use up to 15%4.



#### SpaceMax™

Now you can get the best of both worlds with SpaceMax<sup>™</sup>. Thin walls mean more space for food storage on the inside, while the outside size stays the same.



#### Air Fry

Air Fry allows you to cook healthy, extra crispy food by using hot air circulation instead of deep frying.



#### Al Energy Mode

Reduce your energy use by up to 10%<sup>5</sup> with Al Energy Mode<sup>6</sup>. In Custom Mode, if your estimated electricity bill exceeds your pre-set target it operates Al Energy Mode automatically.



#### **5 Year Warranty**

A lot can happen in 5 years<sup>7</sup> and your Samsung Home Appliance will be with you for the journey for that extra peace of mind.



- 3. SmartThings app required, available on Android & iOS. Internet connection & Samsung account required.
- 4. Compared to a regular Samsung auto dispenser, which is set to dispense the recommended amount of detergent. Based on the continuous analysis of the amount of detergent used in the last 10 cycles. Actual results may vary depending on individual use.
- 5. Test results based comparing the factory setting temperature when using AI Energy mode and without using AI Energy mode. Results may vary based on usage conditions.
- 6. Available via SmartThings app on Android and iOS. A Wi-Fi connection and a Samsung account are required.
- 7. By redemption within 90 days of purchase. Available on selected Samsung appliances.

<sup>2.</sup> Feature not as standard.

## Dishwashers

#### Slimline 45cm

If you need to save space in your kitchen, the slimline is perfect – and you won't lose any of the functionality or energy efficiency of a 60cm.





#### Standard 60cm

These dishwashers are ideal for a larger capacity.

They have flexible racking and a number of specialist programmes that deliver great results.

#### 45cm Dishwashers

MODEL	AEG FSE73507P	AEG FSX51407Z	Bosch SPV2HKX42G	NEFF S875HKX21G	Samsung DW50DG430B00EU
Code	231726	310736	302569	302573	302618
Description	45cm Slimline Dishwasher with cutlery drawer	45cm Slimline AirDry Intergrated Dishwasher - Stainless Steel	Series 2 45cm Fully-integrated dishwasher	N50 45cm Fully-Integrated Dishwasher Variable Hinge	Samsung Series 5 45cm Integrated Dishwasher with Auto Door
Programmes	7	5	5	7	6
Place Settings	10	9	10	10	9
Water Consumption	9.9L	9.9L	8.9L	8.9L	9L
Noise Level (dBA)	44	49	46	44	44
Energy Efficiency	D	F	E	Е	D
Size	H 818 x W 446 x D 550mm Aperture: H 880 x W 450 x D 550mm	H 818 x W 446 x D 550mm	H 815 x W 448 x D 550mm	H 815 x W 448 x D 550mm	H 815 x W 450 x 550mm
Additional Features	- Clean utensils of all shapes & Description of the customizable MaxiFlex drawer  - Beam on floor projects a red light onto the floor while the cycle is still in progress  - Even closely stacked or larger dishes receive deep cleaning with SatelliteClean®  - Tailor your dishwashing cycle effortlessly with QuickSelect  - QuickLift adjust the basket height even when fully loaded  - PerfectFit sliding hinge system	- AirDry - 30 minute cycle option	- ExtraDry: extra drying option for difficult-to-dry loads - Height Adjustable Top Basket: Offers extra space, especially for tall dishes - InfoLight: A red light on the floor indicates whether the dishwasher is switched on or off - Home Connect - Silence on demand: up to 30 min noise reduction at any time via the Home Connect App - 5 Year Warranty	- Vario Hinge - Flex II Baskets for slimline dishwashers: for convenient loading - Info Light: A light projected onto the floor shows you that the dishwasher is in operation - Home Connect: Add your dishwasher to your home network and enjoy the infinite possibilities of connected services - 5 Year Warranty	- Auto Open door - Express Wash (60 mins)

#### 45cm Dishwashers 60cm Dishwashers

#### AEG AEG AEG Matrix AEG MODEL FSK73917Z FSE74747P FSK83828P MDI4011 FSE84607P Code 205977 239024 267197 239022 275960 45cm Integrated 60cm Dishwasher 60cm Dishwasher 60cm Dishwasher 60cm Dishwasher Description Dishwasher 4 Programmes 14 13 15 Place Settings 10 14 11L 10.5L 10.5L 11L 11L Consumption Noise Level 49 44 44 44 44 (dBA) Energy D С С D Efficiency H 818 x W 596 x D 550mm H (min/max) 820/900 x Size H 820 x W 448 X D 550mm H 818 x W 596 x D 550mm H 818 x W 596 x D 550mm Aperture: W 600 x D 570mm H 880 x W 600 x D 550mm - Tailor cycle effortlessly Additional - Half load - SprayZone intensively - GlassCare system protects - ComfortLift for easy Features with QuickSelect cleans dishes within the fragile glassware loading and unloading - LED rinse aid indicator - GlassCare system securely dedicated zone - MaxiFlex drawer - QuickSelect offers optimal - LED salt indicator holds stem glasses - Deep cleaning with control over the dishwasher - Deep cleaning with SatelliteClean® SatelliteClean® - AirDry delivers up to 3x - Impeccable dishwashing - Tailor your cycle better drying performance - Tailor your cycle with SatelliteClean®. This when compared to closed- effortlessly with QuickSelect effortlessly with QuickSelect spray arm has three-times door systems better coverage than the - QuickLift adjust the basket - QuickLift adjust the basket standard - PerfectFit Sliding Hinge height even when fully height even when fully system loaded loaded - 3 x better drying, with - 3 x better drying, with AirDry AirDry PerfectFit Sliding Hinge - PerfectFit Sliding Hinge system system

#### 60cm Dishwashers

MODEL	AEG FSK32610Z	AEG FSX52927Z	AEG FSK76738P	Bosch SMH4HVX00G	Bosch SMV2HTX02G
Code	302701	302702	302700	302568	311646
Description	60cm AirDry Dishwasher	60cm AirDry Dishwasher	60cm QuickSelect Connected Dishwasher	Series 4 60cm Fully-Integrated Dishwasher Variable Hinge	Series 2 60cm Integrated Dishwasher
Programmes	5	5	7	6	5
Place Settings	13	14	14	14	13
Water Consumption	9.9L	10.5L	10.9L	9L	9L
Noise Level (dBA)	49	46	43	46	46
Energy Efficiency	Е	Е	А	D	Е
Size	H 818 x W 596 x D 550mm Aperture: H 820-900 x W 600 x D 550mm	H 818 x W 596 x D 550mm Aperture: H 820-900 x W 600 x D 550mm	H 818 x W 596 x D 550mm Aperture: H 820-900 x W 600 x D 550mm	H 815 x W 598 x D 550 mm	H 815 x W 598 x D 550mm
Additional Features	- 3x better drying performance with AirDry - Quick Cycle - PerfectFit Sliding Hinge system	- 3x better drying performance with AirDry -AutoSense sensor - Quick Cycle - PerfectFit Sliding Hinge system	- GlassCare with SoftGrips and SoftSpikes - MaxiFlex cutlery tray - QuickSelect controls with Ecometer and WiFI - SatelliteClean spray arm - PerfectFit Sliding Hinge system	- Vario Hinge. Leaving no gaps even in kitchens with low plinth heights and high built-in solutions.  - InfoLight: a red light on the floor indicates whether the dishwasher is switched on or off  - VarioFlex-baskets and VarioDrawer: enhanced flexibility options with more space on all levels  - Home Connect: home appliances with smart connectivity for an easier everyday life  - 5 Year Warranty	- Silence on demand: up to 30 min noise reduction at any time via the Home Connect App - InfoLight: a red light on the floor indicates whether the dishwasher is switched on or off - ExtraDry: extra drying option for difficult-to-dry loads - Home Connect: home appliances with smart connectivity for an easier everyday life - 5 Year Warranty



#### AEG ComfortLift Dishwashers

The ComfortLift feature allows you take the strain off your back. The bottom basket slides out and can be lifted with one click to a comfortable height to make loading and unloading easier.

#### 60cm Dishwashers



- 5 Year Warranty

- 5 Year Warranty






MODEL	Matrix MDI6011
	075050
Code	275959
Description	60cm Integrated Dishwasher
Programmes	4
Place Settings	12
Water Consumption	12L
Noise Level (dBA)	49
Energy Efficiency	Е
Size	H 820 x W 598 x D 550mm
Additional	- Half load
Features	- LED rinse aid indicator
	- LED salt indicator



- 5 Year Warranty



## Laundry

#### Integrated washing machines

We have a wide selection of integrated washing machines to suit your needs.





#### Washer dryers

These space-saving models are a standard built-in size, but they can still wash large loads and dry items up to 4kg.

#### Freestanding washing machines

Freestanding washing machines can give you design flexibility whilst increasing load capacity.



#### **Integrated Washing Machines**



#### Freestanding Washing Machines



#### **Integrated Washer Dryers**



#### Freestanding Washer Dryers



#### Tumble Dryers



#### Stacking Kits



51

## Take your kitchen to the next level

Find out more about some of the latest technology in our appliances to help make your life easier in the kitchen, providing great results and saving energy.



## Steam cooking

Adding steam creates a more intense heat and humidity to keep your food moist on the inside and crispy on the outside. Perfect for baking and roasts.

Available across AEG, Samsung and NEFF.

## Pyrolytic cleaning

Save yourself time with a self cleaning oven. Pyrolytic technology allows the oven to reach up to 500°C, turning dirt and grease to ash. This effortless cleaning is perfect for busy homes.

Available across AEG, Samsung, NEFF and Bosch.





## Sense Boil

No more boiling over saucepans. A sensor on the hob detects rising bubbles and automatically adjusts the temperature settings, reducing it to a controlled simmer.

SenseBoil is available on selected AEG hobs.

## Steam Clean

Be kinder to your clothes that don't need a full wash, instead give them a steam refresh. This refreshes odours and reduces wrinkles, including delicates, in just 25 minutes. It also uses just 2L of water, compared to some cycles that can use up to 150L.

Available on selected AEG.





## Fresher food

With precise temperature controls and two separate air flows being circulated around the fridge and freezer, your food can stay fresher for longer without drying out, helping to minimise your food waste.

Available across AEG and Samsung.

## Air dry

Let your dishwasher dry your dishes in the most natural and energy efficient way. During the final stage of the cycle the door automatically opens a small amount, letting the steam out and allowing for air to circulate so that everything dries perfectly.

Available across AEG, Samsung and NEFF.



## Cooling

Our wide range of cooling appliances includes different designs, benefits and features by market-leading brands Samsung, Bosch, NEFF, AEG, Electrolux and CDA.



#### Fridge Freezers

Choose a 50:50 or 70:30 split to suit your family's lifestyle requirements. If you have a large family or entertain regularly, there's also the option of one of our freestanding American fridge freezers.

#### Fridges

Our fridges can be integrated, which is ideal for smaller kitchens. These products have a variety of capacities to suit any kitchen size.





#### Freezers


We have a range of frost-free freezers, which will ensure that the appliances are as efficient as possible.


#### Wine coolers

Wine coolers are stylish and can be easily integrated under your work surface or within a kitchen island. Optimum storage ensures your wine tastes better for longer by protecting it from heat, light and humidity.




#### Integrated Fridge Freezers






#### Integrated Fridge Freezers




#### Integrated Fridges




#### Integrated Fridges



#### Integrated Freezers




#### **Integrated Freezers**




#### Built Under Freezer

#### Freestanding Fridge Freezers



#### Freestanding Fridge Freezers

Built Under Fridge












MODEL	Samsung RS67A8811S9/EU	Samsung RH69DG893ES9EU	Samsung RF59C701ES9/EU	Samsung RS68A884CB1/EU
Code	289729	302619	289732	272919
Description	American Style Fridge Freezer - Stainless Steel	American Style Fridge Freezer with Beverage Center™	Multi Door Fridge Freezer - Stainless Steel	RS8000 American Style Fridge Freezer - C-Grade Energy
Frost-Free	✓	✓	$\checkmark$	✓
Shelves/ Drawers	Fridge: 4/2 Freezer: 4/2	Fridge: 4/2 Freezer: 4/2	Fridge: 5/2 Freezer: 4/2	Fridge: 4/2 Freezer: 4/2
Capacity (litres)	634L	645L	649L	635L
Energy Efficiency	Е	E	E	С
Size	H 1780 x W 912 x D 716mm	H 1780 x W 912 x D 716mm	H 1779 x W 912 x D 723mm	H 1780 x W 912 x D 716mm
Additional Features	- Plumbed Water & Ice Dispenser - Twin Cooling + - SpaceMax™ - Smart Conversion™ - Power Cool/Freeze - 5 Year Warranty	- Plumbed Beverage Center™ & Dual Auto Ice Maker - Twin Cooling + - SpaceMaxTM - Smart ConversionTM Zone - Wi-Fi Embedded & SmartThings	- Plumbed Water & Ice Dispenser - All Around Cooling - SpaceMax™ - Power Cool/Freeze - Wi-Fi Embedded & SmartThings - 5 Year Warranty	- Plumbed Water & Ice Dispenser - Save 43% Energy vs F Grade - Twin Cooling + - SpaceMax™ - Power Cool/Freeze - 5 Year Warranty

- 5 Year Warranty

#### Freestanding Fridge Freezers





#### Wine Coolers



MODEL	CDA FWC604SS/3	CDA FWC604BL/3	CDA Nancy Cotton	CDA Nancy Dark Skies	CDA Nancy Tea Rose
Code	161385	178452	299893	299894	299895
Description	600mm Wine Cooler, Stainless Steel	600mm Wine Cooler, Black			
Storage capacity (no of 75cl bottles)	45	45	13 wine bottles, 8 small cans	13 wine bottles, 8 small cans	13 wine bottles, 8 small cans
Temperature range	5 - 20°C	5 - 20°C	5 - 20°C	5 - 20°C	5 - 20°C
Electronic temperature control	✓	✓	LED temperature display	LED temperature display	LED temperature display
Touch control	$\checkmark$	$\checkmark$			
Energy Efficiency	G	G	G	G	G
Noise (dBA)	40	40	39	39	39
Dimensions	H 820-890 x W 595 x D 570mm	H 820-890 x W 595 x D 570mm	H 860 x W 360 x D 410mm	H 860 x W 360 x D 410mm	H 860 x W 360 x D 410mm
Additional features	Includes: temperature alarm, humidity control, UV glass protection and LED interior lighting	Includes: temperature alarm, humidity control, UV glass protection and LED interior lighting	Includes: 4 Metal shelves, 2 Glass shelves, Drawer, 13 Wine bottle storage, 8 Small cans storage, Wireless phone charger, LED lighting	Includes: 4 Metal shelves, 2 Glass shelves, Drawer, 13 Wine bottle storage, 8 Small cans storage, Wireless phone charger, LED lighting	Includes: 4 Metal shelves, 2 Glass shelves, Drawer, 13 Wine bottle storage, 8 Small cans storage, Wireless phone charger, LED lighting





# Open to ANY KIND OF HEAT



#### We love these moments that make us realise we are at home

Our Cooktop-based Hood Control is one of these homely details that create real cooking comfort. Address different steam levels as well as your hood's light via your hob. This allows you to keep your focus on the hob while you control the hood right where the steam originates. Simply connect your oven to your registered Home Connect account.

#### Guided Air Technology

Equally powerful steam extraction all over the cooktop regardless of the pans or pots' location.

Models: I98WMM1S7B / 302456 I88WMM1S7B / 302457 Image for illustration purposes only



## RANGEMASTER

Rangemaster is Britain's best loved range cooker brand, synonymous with design, innovation, performance, quality and reliability - making it the design-conscious consumer's brand of choice.



## Why choose RANGEMASTER?

A community that loves to cook

When you choose Rangemaster, you'll discover a community of passionate people who love to cook! Sharing recipes and inspiring ideas. Rangemaster owners are dedicated to getting the best from their range cookers.

We know how important it is to have a range cooker you can rely on - so we test each and every part of our cookers until we're happy to put our name on them. After all, it's our quality we want you to trust. 1 Style and choice

We offer a wide range of styles, sizes and fuel types, making it easy to find the perfect Rangemaster for you. From classic to modern, 90cm to 110cm, and induction or dual fuel – we have all the right ingredients.

02 The right ingredients

Behind the beautiful exterior of every Rangemaster range cooker lies a heritage of innovation and development. Every detail is carefully designed to complement your lifestyle, with a variety of colours and styles you'll be proud to feature in your kitchen.

05 Built from experience

With nearly 200 years of manufacturing expertise, we take pride in our British heritage. Our range cookers sit at the heart of kitchens and communities nationwide and, just like generations of our customers, we've grown and evolved with the times.

## Specialist features

Whatever style of cooking you prefer, Rangemaster cookers offer a unique choice of features to make your life easier, creating perfect results every time\*.



INDUCTION HOB

Induction hobs remain a popular choice thanks to their energy efficiency, controllability and safety. Rangemaster's induction hob features low temperature settings which can be held for two hours perfect for keeping food warm. There's also a bridging zone with two large cooking areas that can be used independently or together for griddles, fish kettles or a collection of pans. Along with power boost, pan detection and boil dry protection, we've also developed an induction compatible griddle.



DELUXE FLEXI-GRILL

New and improved, the Deluxe Flexi-Grill offers 4 adjustable height settings for complete flexibility when grilling alongside being positioned on smooth-action telescopic runners making it easier and safer to check on food.



LARGE OVEN CAPACITY

With a main oven of 80L the Rangemaster oven leads the way for size and performance. A rated across the board and fast pre-heating make Rangemaster ovens the largest and most efficient available.



MULTI-ZONE

Choose between two ceramic 1.1kW cooking zones or slot a durable non-stick griddle plate over the top to provide a healthy cooking surface.



GRIDDL

Made from robust cast aluminium, the griddle plate sits snugly on top of the gas hob, when required. The flat plate is ideal for cooking bacon and French toast, while the grooved plate provides fat drainage, offering a healthier way to sear steaks, burgers and fish.



MULTI-RING BURNER

Create authentic Asian cuisine on our Multi-ring burner, which can hold a specially designed wok cradle.



MAGNETIC PLINTH

To ensure the perfect fit, the new selfadjusting magnetic plinth can align by <40mm to complement all cabinetry, plinth and work surface heights.



PROVING DRAWER

Our bread proving drawer is a unique feature to range cooking, enabling you to rest and rise your dough before baking.

\* Not all features are included on every model. Please refer to product specifications.



#### Rangemaster Range Cookers

#### Infusion













Infusion Classic



Rangemaster Range Cookers











rry	Black

			ı		
	Infus	ion 90	Infusion 110		
Fuel Type	Electric	Dual Fuel	Electric	Dual Fuel	
Hob	Induction	Gas	Induction	Gas	
Cast iron pan supports	-	✓	-	✓	
Number of hob zones/gas burners	5	5	5	6	
Multizone (2 ceramic zones and flat griddle)	-	-	-	-	
Wok cradle	-	✓	-	✓	
Cast aluminium griddle	-	✓	-	✓	
Teppanyaki griddle	-	-	-	-	
LPG conversion kits (hob)	✓	✓	✓	✓	
Traditional grill pan	✓	✓	✓	✓	
Glide out grill™	✓	✓	✓	✓	
Deluxe glide out grill	-	-	-	-	
Dual circuit variable grill	✓	-	-	-	
2/3/6 button timer/programmable feature	✓	-	-	-	
LH Oven Capacity	80	80	80	80	
RH Oven Capacity	67	67	80	80	
LH Oven Function	1	1	1	1	
RH Oven Function	1	1	1	1	
Handy rack	-	-	-	-	
Telescopic shelf	-	-	-	-	
Catalytic liners	-	-	-	-	
Enamelled liners	✓	✓	✓	✓	
4th cavity	-	-	✓	✓	
Energy rating	Α	Α	Α	Α	

		sion sic 90	Infusion Classic 110		
Fuel Type	Electric	Dual Fuel	Electric	Dual Fuel	
Hob	Induction	Gas	Induction	Gas	
Cast iron pan supports	-	✓	-	✓	
Number of hob zones/gas burners	5	5	5	6	
Multizone (2 ceramic zones and flat griddle)	-	-	-	-	
Wok cradle	-	✓	-	✓	
Cast aluminium griddle	-	✓	-	✓	
Teppanyaki griddle	-	-	-	-	
LPG conversion kits (hob)	✓	✓	✓	✓	
Traditional grill pan	✓	✓	✓	✓	
Glide out grill™	✓	✓	✓	✓	
Deluxe glide out grill	-	-	-	-	
Dual circuit variable grill	-	-	-	-	
2/3/6 button timer/programmable feature	-	-	-	-	
Single oven capacity	80	80	80	80	
Half oven capacity	67	67	80	80	
Single oven capacity	1	1	1	1	
Half oven capacity	1	1	1	1	
Handy rack	-	-	-	-	
Telescopic shelf	-	-	-	-	
Pyrolytic liners	-	-	-	-	
Enamelled liners	✓	✓	✓	✓	
3rd cavity	-	-	✓	✓	
Energy rating	Α	Α	Α	Α	

#### Rangemaster Range Cookers

#### Estel Deluxe















Edge Deluxe







	Estel D	eluxe 90	Estel Deluxe 100		Estel Deluxe 110	
Fuel Type	Electric	Dual Fuel /Gas	Electric	Dual Fuel	Electric	Dual Fuel
Hob	Induction	Gas	Induction	Gas	Induction	Gas
Cast iron pan supports	-	✓	-	✓	-	✓
Number of hob zones/gas burners	5	5	5	5	5	7
Multizone (2 ceramic zones and flat griddle)	-	-	-	-	-	-
Wok cradle	-	✓	-	✓	-	✓
Cast aluminium griddle	✓	✓	✓	✓	✓	✓
Teppanyaki griddle	-	-	-	-	-	-
LPG conversion kits (hob)	✓	✓	✓	✓	✓	✓
Traditional grill pan	✓	✓	✓	✓	✓	✓
Glide out grill™	✓	✓	✓	✓	✓	✓
Deluxe glide out grill	-	-	-	-	-	-
Dual circuit variable grill	-	-	-	-	-	-
2/3/6 button timer/programmable feature	-	-	-	-	-	-
LH Oven Capacity	80	80	80	80	80	80
RH Oven Capacity	67	67	82	82	80	80
LH Oven Function	1	1	1	1	1	1
RH Oven Function	1	1	1	1	1	1
Handy rack	✓	✓	✓	✓	✓	✓
Telescopic shelf	-	-	-	-	-	-
Catalytic liners	✓	✓	✓	✓	✓	✓
Enamelled liners	✓	✓	✓	✓	✓	✓
4th cavity	-	-	-	-	✓	✓
Energy rating	Α	Α	Α	Α	Α	Α

	Edge De	eluxe 90	Edge De	luxe 100	Edge De	luxe 110
Fuel Type	Electric	Dual Fuel	Electric	Dual Fuel	Electric	Dual Fuel
Hob	Induction	Gas	Induction	Gas	Induction	Gas
Cast iron pan supports	-	✓	-	✓	-	✓
Number of hob zones/gas burners	5	5	5	5	5	7
Multizone (2 ceramic zones and flat griddle)	-	-	-	-	-	-
Wok cradle	-	✓	-	✓	-	✓
Cast aluminium griddle	✓	✓	✓	✓	✓	✓
Teppanyaki griddle	-	-	-	-	-	-
LPG conversion kits (hob)	✓	✓	✓	✓	✓	✓
Traditional grill pan	✓	✓	✓	✓	✓	✓
Glide out grill™	✓	✓	✓	✓	✓	✓
Deluxe glide out grill	-	-	-	-	-	-
Dual circuit variable grill	-	-	-	-	-	-
2/3/6 button timer/programmable feature	-	-	-	-	-	-
LH Oven Capacity	80	80	80	80	80	80
RH Oven Capacity	67	67	82	82	80	80
LH Oven Function	1	1	1	1	1	1
RH Oven Function	1	1	1	1	1	1
Handy rack	-	-	-	-	-	-
Telescopic shelf	-	-	-	-	-	-
Catalytic liners	✓	✓	✓	✓	✓	✓
Enamelled liners	✓	✓	✓	✓	✓	✓
4th cavity	-	-	-	-	✓	✓
Energy rating	Α	Α	Α	Α	Α	Α

#### Rangemaster Hoods









Description	Hi-lite Hood 90cm	Hi-lite Hood 110cm	Classic Hood 90cm	Classic Hood 100cm
Family	Hi-Lite Hood	Hi-Lite Hood	Classic Hood with Rail	Classic Hood with Rail
Widths	900mm	1100mm	900mm	1000mm
Overall Height (Min - Max)	790mm - 1060mm	790mm - 1060mm	735mm - 1010mm	735mm - 1010mm
Number of Lamps	2 LED	3 LED	2 LED	2 LED
Lamp Power (Watts)	1	1	5	5
Control Type	Touch Control	Touch Control	Slider	Slider
Type of filter	Aluminium or Charcoal	Aluminium or Charcoal	Carbon	Carbon
No of Cassette Filters	3	4	3	3
Charcoal filter provided	Yes	Yes	Yes	Yes
No of Charcoal Filters	1	1	1	1
Maximum Noise Level dB(A)	67	67	72	72
Max Air Capacity m <sup>3</sup> /hr	610	610	480	480
Boost Setting	Boost	Boost	No Boost	No Boost
Air Capacity m³/hr	685	685	-	_
Boost Noise Level dB(A)	70	70	-	_









		The state of the s	THE STATE OF THE S	THE STATE OF THE S
Description	Classic Hood 110cm	Rangemaster Hood 90cm	Rangemaster Hood 100cm	Rangemaster Hood 110cm
Family	Classic Hood with Rail	Canopy Hood	Canopy Hood	Canopy Hood
Widths	1100mm	900mm	1000mm	1100mm
Overall Height (Min - Max)	735mm - 1010mm	735mm - 1010mm	735mm - 1010mm	735mm - 1010mm
Number of Lamps	2 LED	2 LED	2 LED	2 LED
Lamp Power (Watts)	5	1	1	1
Control Type	Slider	Slider	Slider	Slider
Type of filter	Carbon	Aluminium or Charcoal	Aluminium or Charcoal	Aluminium or Charcoal
No of Cassette Filters	3	3	3	4
Charcoal filter provided	Yes	Yes	Yes	Yes
No of Charcoal Filters	1	2	2	2
Maximum Noise Level dB(A)	72	66	66	66
Max Air Capacity m <sup>3</sup> /hr	480	470	470	470
Boost Setting	No Boost	No Boost	No Boost	No Boost
Air Capacity m <sup>3</sup> /hr	_	_	_	_
Boost Noise Level dB(A)	_	_	_	_

#### Rangemaster Hoods









Description	Toledo Hood 90cm	Toledo Hood 100cm	Toledo Hood 110cm	Opal Hood 60cm
Code	145458	219781	145459	117346
Family	Toledo Hood	Toledo Hood	Toledo Hood	Opal Hood
Widths	900mm	1000mm	1100mm	600mm
Overall Height (Min - Max)	788mm - 993mm	788mm - 993mm	788mm - 993mm	835mm - 1020mm
Number of Lamps	2 LED	2 LED	2 LED	2 LED
Lamp Power (Watts)	1	1	1	1
Control Type	Push Button	Push Button	Push Button	Touch Control
Type of filter	Aluminium or Charcoal	Aluminium or Charcoal	Aluminium or Charcoal	Aluminium or Charcoal
No of Cassette Filters	3	3	3	3
Charcoal filter provided	Yes	Yes	Yes	Yes
No of Charcoal Filters	2	2	2	2
Maximum Noise Level dB(A)	67	67	67	67
Max Air Capacity m³/hr	600	600	600	605
Boost Setting	Boost	Boost	Boost	Boost
Air Capacity m³/hr	670	670	670	690
Boost Noise Level dB(A)	70	70	70	70







			Line
Description	Opal Hood 90cm	Opal Hood 100cm	Elite Hood 110cm
Code	117347 117348	117344 117345	144479
Family	Opal Hood	Opal Hood	Elite Hood
Widths	900mm	1000mm	1100mm
Overall Height (Min - Max)	835mm - 1020mm	835mm - 1020mm	810mm - 1100mm
Number of Lamps	2 LED	2 LED	2 LED
Lamp Power (Watts)	1	1	1
Control Type	Touch Control	Touch Control	Push Button
Type of filter	Aluminium or Charcoal	Aluminium or Charcoal	Aluminium or Charcoal
No of Cassette Filters	3	3	4
Charcoal filter provided	Yes	Yes	Yes
No of Charcoal Filters	2	2	2
Maximum Noise Level dB(A)	67	67	67
Max Air Capacity m³/hr	605	605	610
Boost Setting	Boost	Boost	Boost
Air Capacity m³/hr	690	690	685
Boost Noise Level dB(A)	70	70	70

#### Unlock a Wickes kitchen

Check out our easy to follow recipes that showcase some of the best AEG appliances and kitchen features, helping to take your cooking to the next level.



Scan this QR for a quick link or visit wickes. co.uk/unlock-a-wickes-kitchen















Each Leisure range cooker is prepared with methodical care, seasoned with thoughtfully selected, refined technologies and garnished with both rustic and modern designs.









	Cookmaster	Anthracite: 311181	Anthracite: 311182		Anthracite: 311183	Anthracite: 311180
	Cookmaster	Black: 119661	Black: 119657	Black: 119664		
etails	Cooker Fuel	Electric	Dual Fuel	Gas	Electric	Dual Fuel
	Pan support type	Ceramic glass	Cast Iron	Cast Iron	Ceramic glass	Cast Iron
ob Features	Ignition	-	Mains push button	Mains push button	-	Mains push button
ırners/	No. Of Burners/Heating zones	5	5	5	5	7
eating zones	Wok burner	-	✓	✓	-	✓
mer	Туре	Programmable LED Timer and clock	Programmable LED Timer and clock	LED Timer and clock	Programmable LED Timer and clock	Programmable LED Tin
	Function	Grill	Grill	Grill	Grill	Grill
p Left Cavity	Telescopic runner system	✓	✓	✓	-	✓
	Oven type	Fan	Fan	Conventional	Fan	Fan
	Volume (litre)	63L	63L	63L	63L	63L
	Energy Rating	A	A	A+	A	A
ottom Left avity	Oven temp range	80-240°C	80-240°C	Gas mark 1 - 9	80-240°C	80-240°C
ivity	Removable inner door glass	√	√ ×	√ ×	√ ×	√
	Catalytic liners on side walls	✓	✓	✓	✓	✓
	Telescopic runner system	✓	✓	✓	Shelf pos 2	Shelf pos 2
	Oven type	Fan	Fan	Fan	Conventional	Conventional
	Volume (litre)	79L	79L	79L	65L	65L
p Right	Energy Rating	Α	Α	Α	A	Α
evity	Oven temp range	80-240°C	80-240°C	80-240°C	80-240°C	80-240°C
	Removable inner door glass	✓	✓	✓	✓	✓
	Catalytic liners on side walls	✓	✓	✓	✓	✓
ottom Right avity	Function	n/a	n/a	n/a	Storage	Storage
	Number of shelves	6	6	6	5	5
cessories cluded	Grill Pan set	✓	✓	✓	✓	✓
	Grill Pan handle	✓	✓	✓	✓	✓
	Net Weight (kg)	87.2	90.1	92.4	91.2	99.6
mensions & eights	Gross Weight (kg)	97	100	102	102.2	108.4
rreignita	W x H X D (mm)	900 x 900 x 600	900 x 900 x 600	900 x 900 x 600	1000 x 900 x 600	1000 x 900 x 600
	Adjustable feet for levelling	✓	✓	✓	✓	✓
	Minimum Fuse Protection	40A	32A	13A	40A	32A
stallation	LPG conversion kit available	n/a	✓	-	-	✓
	Flame Safety Device (FSD) (Gas + DF only)	n/a	✓	✓	-	✓
nergy rating		A/A	A/A	A+/A	A/A	A/A

#### Leisure Range Cookers











	•
Stainless	В
Steel	

		Stainless Steel: 119655	Stainless Steel: 119653	Stainless Steel: 285043	Stainless Steel: 117354	Stainless Steel: 285042
	Cooker Fuel	Electric	Dual Fuel	Electric	Dual Fuel	Electric
Details	Colours	Stainless Steel, Black	Stainless Steel, Black	Stainless Steel	Stainless Steel, Black	Stainless Steel
	Dedicated hob top griddle	-	✓	-	✓	-
Hob Features	Pan support type	Ceramic Glass	Cast Iron	Ceramic Glass	Cast Iron	Ceramic Glass
	Ignition	-	Automatic		Automatic	
Burners/	No. Of Burners/Heating zones	5	5	5	5+1	5
Heating zones	Wok burner	-	✓	-	✓	-
Timer	Туре	Programmable LED Timer and clock	Programmable LED Time and clock			
	Туре	Conventional Oven + Grill	Conventional Oven + Grill	Grill	Grill	Grill
T 1 00 0	Removable Door Glass	✓	✓	✓	✓	✓
Top Left Cavity	Telescopic runner system	✓	✓	-	✓	-
	Energy Rating	A	A	A	A	Α
	Oven type	Fan	Fan	Fan	Fan	Fan
	Volume (litre)	63L	63L	63L	63L	63L
	Energy Rating	A	A	Α	A	Α
Bottom Left Cavity	Oven temp range	80-240°C	80-240°C	80-240°C	80-240°C	80-240°C
Cavity	Removable inner door glass	✓	✓	✓	✓	✓
	Catalytic liners on side walls	✓	✓	✓	✓	✓
	Telescopic runner system	✓	✓	Shelf pos 2	Shelf pos 2	Shelf pos 2
	Oven type	Fan	Fan	n/a	Conventional with slow cook	Conventional with slow cook
Top Right	Volume (litre)	79L	79L	n/a	33L	33L
Cavity	Energy Rating	A	Α	n/a	Α	Α
	Oven temp range	80-240°C	80-240°C	n/a	50-240°C	50-240°C
	Removable inner door glass	✓	✓	n/a	✓	✓
	Oven type	n/a	n/a	Fan	Conventional	Conventional
	Volume (litre)	n/a	n/a	79L	65L	65L
Bottom Right	Energy Rating	n/a	n/a	Α	Α	Α
Cavity	Oven temp range	n/a	n/a	80-240°C	80-240°C	80-240°C
	Removable inner door glass	n/a	n/a	✓	✓	✓
	Catalytic liners on side walls	n/a	n/a	n/a	✓	✓
	Number of shelves	6	6	5	6	6
Accessories included	Grill Pan set	✓	✓	✓	✓	✓
	Grill Pan handle	✓	✓	✓	✓	✓
	Net Weight (kg)	90.9	99.6	87.0	99.6	98.9
Dimensions & Weights	Gross Weight (kg)	103	108.4	102.4	108.4	109
a rreigitto	W x H X D (mm)	900 x 900 x 600	900 x 900 x 600	1000 x 900 x 600	1000 x 900 x 600	1000 x 900 x 600
l	Adjustable feet for levelling	✓	✓	✓	✓	✓
Installation	LPG conversion kit available	n/a	✓	n/a	✓	n/a
Energy rating		A/A/A	A/A/A	A/A/A	A/A/A	A/A/A

#### Leisure Hoods

Model	H92PX	H92PK	H102PX	H102PK
Code	104080	104081	104078	104079
Hood Style	Chimney Hood	Chimney Hood	Chimney Hood	Chimney Hood
Recirculation Filter Included	Yes	Yes	Yes	Yes
Control	Simple Push Button Controls			
Dishwasher Safe Grease Filter	Yes	Yes	Yes	Yes
Number of Grease Filters	3	3	3	3
Number of Speeds	3	3	3	3
Illumination	2 x 1.5W LED Lights			
Extraction Capacity (m³/h)	190-325-590	190-325-590	190-325-590	190-325-590
Total Power Consumption (W)	216	216	216	216
Noise Level (dBA)	47-63-70	47-63-70	47-63-70	47-63-70
Overall Energy Efficiency Class	С	С	С	С
Fluid Dynamics (Motor) Efficiency Class	D	D	D	D
Lighting (Lamp) Efficiency Class	А	А	А	А
Grease Filtering Efficiency Class	С	С	С	С
Average Energy Consumption of the Hood per Year	94.3	94.3	94.3	94.3
Width (cm)	90	90	100	100
Colour	Stainless Steel	Black	Stainless Steel	Black

Notes	Notes


## Energy efficiency rating for appliances

#### What's Changed?

- With a high demand for energy efficient appliances, brands began breaking through the previously set standards finding more ways for products to improve efficiency. In 2010, the grading system expanded, introducing ratings of A+, A++ and even A+++.
- These new ratings blurred the lines between gradings and made it harder for buyers to assess an appliances' true energy efficiency.
- Today's scale has been reverted to a simpler system, with appliances awarded a rating between A and G.
- This means some products that previously rated highly, falling within the A+ categories, have shifted down the scale. This does not mean they have decreased in efficiency.
- This new, simpler scale makes it easier for buyers to detect energy efficiency. It also encourages brands to produce products that are even more energy efficient. You can now find the latest energy rating labels on all new appliances and bulbs.

#### How to recognise a rescaled product





#### What do we mean by energy efficient?

If an appliance is deemed energy efficient, it operates effectively using less energy. An energy-efficient appliance saves you money and helps you live sustainably.


The formula to calculate energy efficiency considers how much power an appliance uses and produces. This means we look for the product that uses the least energy to provide the right amount of power.

#### Which product categories are changing?


Fridges/Freezers, Washing Machines, Washer-Dryers, Dishwashers and Wine Coolers are now on the new rating system.

Changes to further product categories will occur in 2026, this will include Tumble Dryers, Range Cookers, Ovens and Hoods.


#### Fridges/Freezers




#### **Washing Machines**




#### Washer-Dryers




#### **Dishwashers**



#### **Wine Coolers**





For more ideas, inspiration and to stay up to date on our latest kitchen offers, follow us on Pinterest, Instagram, Facebook and TikTok and sign up to our emails at wickes.co.uk









#### Visit wickes.co.uk or call 0330 123 4123

Wickes Building Supplies Limited, Vision House, 19 Colonial Way, Watford, WD24 4JL.

Wickes take every care to ensure that the product design, descriptions, specifications and techniques of constructing our products are accurate at the date of printing. We constantly strive to improve our products and this may result from time to time in changes to our ranges. Please check that design, descriptions, specifications and techniques of construction described in this brochure are still valid at the time of purchase. Colours in this Brochure are as accurate as the print process will allow. ® Wickes Building Supplies Limited 2024. All rights reserved. No part of this publication may be produced or transmitted in any form or by any means electronic, mechanical, photocopying, recordings or otherwise or stored in any retrieval system of any nature without the written permission of the copyright holder and the publisher.

