

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

EVO-STIK LEAD AND GUTTER SIL SLNT GREY Supercedes Date: 20-Sep-2017 Revision Date 03-Oct-2017 Version 1.01

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product NameEVO-STIK LEAD AND GUTTER SIL SLNT GREYPure substance/mixtureMixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Sealant.
Uses advised against	Not to be used in production of toys or childcare articles

1.3. Details of the supplier of the safety data sheet

Company Name Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

#### E-mail address

SDS.box-EU@bostik.com

#### 1.4. Emergency telephone number

United Kingdom	+44 (1785) 272650
Ireland	+353 (1) 8624900 (Monday- Friday 9am-5pm)

## Section 2: HAZARD IDENTIFICATION

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

#### 2.2. Label Elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Signal Word No signal word

#### Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand P102 - Keep out of reach of children

#### 2.3. Other Hazards

**General Hazards** No information available.

## EVO-STIK LEAD AND GUTTER SIL SLNT GREY

Supercedes Date: 20-Sep-2017

#### PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical Name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	934-956-3		5 - <10	Asp. Tox. 1 (H304)		01-2119827000-58 -XXXX
Silsesquioxanes, 3-aminopropyl methyl, ethoxy terminated	-	128446-60-6	1 - <5	Flam. Liq. 3 (H226) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)		No data available
Zinc pyrithione	236-671-3	13463-41-7	0.01 - <0.1	Eye Dam. 1 (H318) Acute Tox. 3 (H301) Acute Tox. 3 (H331) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)		01-2119511196-46 -XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classifed, however, the substance is listed in section 3 as it has an OEL.

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## Section 4: FIRST AID MEASURES

## 4.1. Description of first aid measures

Inhalation	Remove to fresh air.	
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.	
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.	
Ingestion	Clean mouth with water and drink afterwards plenty of water.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms	None known.	
4.3. Indication of any immediate medical attention and special treatment needed		
Note to doctors	Treat symptomatically.	

#### EVO-STIK LEAD AND GUTTER SIL SLNT GREY Supercedes Date: 20-Sep-2017

### Section 5: FIRE-FIGHTING MEASURES

#### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable Extinguishing Media No information available

#### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapours.

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

## Section 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### **Personal Precautions**

Ensure adequate ventilation, especially in confined areas.

#### For emergency responders

Use personal protection recommended in Section 8.

#### 6.2. Environmental precautions

See Section 12 for additional Ecological Information.

### 6.3. Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

```
Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION Section 13: DISPOSAL CONSIDERATIONS
```

### Section 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

## Advice on safe handling

Ensure adequate ventilation, especially in confined areas.

#### **General Hygiene Considerations**

Handle in accordance with good industrial hygiene and safety practice.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### **Storage Conditions**

Keep container tightly closed in a dry and well-ventilated place.

#### 7.3. Specific end use(s)

#### **OTHER INFORMATION**

United Kingdom, Ireland - BE

EVO-STIK LEAD AND GUTTER SIL SLNT GREY Supercedes Date: 20-Sep-2017 Revision Date 03-Oct-2017 Version 1.01

Recommendation(s). Observe technical data sheet.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available. (PNEC)

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

Personal Protective EquipmentEye/Face ProtectionTight sealing safety goggles.Skin and Body ProtectionSuitable protective clothing.

Environmental Exposure Controls No information available.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Physical State Appearance Colour Odour Odour Threshold	Liquid Paste Grey No information available No information available	
Property_	Values	Remarks • Method
pH	No information available	
Melting point / freezing point	No information available	
Boiling Point	No information available	
Flash Point	No information available	
Evaporation Rate	No information available	
Flammability (solid, gas)	No information available	Not applicable for liquids
Flammability Limit in Air		
Upper Flammability Limit	No information available	
Lower Flammability Limit	No information available	
Vapour Pressure	No information available	
Vapour Density	No information available	
Relative Density	No information available	
Water Solubility	No information available	
Solubility in Other Solvents	No information available	
Partition Coefficient	No information available	
Autoignition Temperature	No information available	
Decomposition Temperature	No information available	
Explosive Properties	No information available	
Explosive Limits	No information available	
Upper	No information available	
Lower	No information available	
Oxidising Properties	No information available	
Kinematic Viscosity	No information available	
Dynamic Viscosity	No information available	
9.2. Other information		
Softening Point	No information available	
Molecular Weight	No information available	

United Kingdom, Ireland - BE

EVO-STIK LEAD AND GUTTER SIL SLNT GREY Supercedes Date: 20-Sep-2017

Solvent content (%) Solid content (%) Density Bulk Density VOC content (%) No information available No information available No data available No data available

## Section 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

None under normal use conditions.

#### 10.2. Chemical stability

Stable under normal conditions.

Explosion Data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

### 10.3. Possibility of hazardous reactions

#### **Possibility of Hazardous Reactions** None under normal processing.

#### 10.4. Conditions to avoid

Heat, flames and sparks.

#### 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

None under normal use conditions.

### Section 11: TOXICOLOGY INFORMATION

### 11.1. Information on toxicological effects

#### Information on likely routes of exposure

#### **Product Information**

No information or data specific to the product on this toxicological (health) effect is available.

Inhalation	No data available.
Eye contact	No data available.
Skin Contact	No data available.
Ingestion	No data available.
Sensitisation	No data available.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin Corrosion/Irritation	Not applicable.
Serious eye damage/eye irritation	Not applicable.
Sensitisation	Not applicable.

EVO-STIK LEAD AND GUTTER SIL SLNT GREY Supercedes Date: 20-Sep-2017

Germ Cell Mutagenicity	Not applicable.	
Carcinogenicity	Not applicable.	
Reproductive Toxicity	No information available.	
STOT - Single Exposure	No information available.	
STOT - Repeated Exposure	No information available.	
Aspiration hazard	No information available.	

Numerical measures of toxicity

### **Acute Toxicity**

## The following values are calculated based on chapter 3.1 of the GHS documentATEmix (oral)63,656.00 mg/kg

ATEMIX (oral)	63,656.00 mg/kg
ATEmix (dermal)	17,222.00 mg/kg

#### **Component Information**

#### **Toxicity Data**

Data obtained on the component(s) include

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <	LD50 > 5000 mg/kg (rat) OECD 401	LD50 > 3160 mg/kg (rabbit) OECD 402	LC50 Inhalation(4h) >5266 MG/M3 Rat
0.03% aromatics 			

## Section 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

Ecotoxicity

No information available

#### **Component Information**

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea	M-Factor
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics 	EL50 (72h) >10,000 mg/L (Skeletonema costatum) ISO 10253	LL50 (96h) > 1028 mg/L (Scophthalmus maximus) OECD 203	LL50 (48h)> 3193 mg/l (Acartia tonsa)	
Zinc pyrithione 13463-41-7	-	-	EC50 (48h) =0.038 mg/L Crustaceans (Ilyocypris dentifera)	100

## 12.2. Persistence and degradability

No information available.

### 12.3. Bioaccumulative potential

No information available.

#### **Partition coefficient**

No information available

## EVO-STIK LEAD AND GUTTER SIL SLNT GREY

Supercedes Date: 20-Sep-2017

12.4. Mobility in soil

Mobility in soil

No information available.

## 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

### 12.6. Other adverse effects

No information available

**Endocrine Disruptor Information** 

## Section 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

. . . .

Waste from Residues/UnusedDisposal should be in accordance with applicable regional, national and local laws and<br/>regulations.

**Contaminated Packaging** Improper disposal or reuse of this container may be dangerous and illegal.

## Section 14: TRANSPORTATION INFORMATION

ADR		
14.1 UN/ID no	Not regulated	
14.2 Proper Shipping Name	Not regulated	
14.3 Hazard Class	Not regulated	
14.4 Packing Group	Not regulated	
14.5 Environmental Hazard	Not applicable	
14.6 Special Provisions	None	
IMDG		
14.1 UN/ID no	Not regulated	
14.2 Proper Shipping Name	Not regulated	
14.3 Hazard Class	Not regulated	
14.4 Packing Group	Not regulated	
14.5 Marine Pollutant	Np	
14.6 Special Provisions	None	
14.7 Transport in bulk according	to Annex II of MARPOL 73/78 and the IBC Code	No information available
RID		
14.1 UN/ID no	Not regulated	
14.2 Proper Shipping Name	Not regulated	
14.3 Hazard Class	Not regulated	
14.4 Packing Group	Not regulated	
14.5 Environmental Hazard	Not applicable	
14.6 Special Provisions	None	
•		
ICAO (air)		
14.1 UN/ID no	Not regulated	
14.2 Proper Shipping Name	Not regulated	
14.3 Hazard Class	Not regulated	
14.4 Packing Group	Not regulated	
14.5 Environmental Hazard	Not applicable	
14.6 Special Provisions	None	

EVO-STIK LEAD AND GUTTER SIL SLNT GREY Supercedes Date: 20-Sep-2017 Revision Date 03-Oct-2017 Version 1.01

ΙΑΤΑ	
14.1 UN/ID no	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental Hazard	Not applicable
14.6 Special Provisions	None

## Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

## EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical Name	CAS No	Restrictions on use
Diisononyl phthalate	28553-12-0	52[a].

52. Not to be used in toys or childcare articles above 0.1% which can be placed in the mouth by children.

#### EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants

Not applicable

#### 15.2. Chemical safety assessment

None

### Section 16: OTHER INFORMATION

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H318 - Causes serious eye damage

H301 - Toxic if swallowed H331 - Toxic if inhaled

## EVO-STIK LEAD AND GUTTER SIL SLNT GREY

Supercedes Date: 20-Sep-2017

H400 - Very toxic to aquatic lifeH410 - Very toxic to aquatic life with long lasting effectsH304 - May be fatal if swallowed and enters airways

### Legend

SVHC: Substances of Very High Concern for Authorisation:

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWATWA (time-weighted average)STELCeilingMaximum limit value\*PBTPersistent, Bioaccumulative, and Toxic (PBT) ChemicalsSTOT (RE):Specific target organ toxicity - Repeated exposureSTOT (SE):Specific target organ toxicity - Single exposureEWC:European Waste Catalogue

STEL (Short Term Exposure Limit) Skin designation

#### Key literature references and sources for data

Classification and labeling data calculated from data received from raw material suppliers

Prepared By	Product Safety & Regulatory Affairs
Revision Date	03-Oct-2017
Indication of changes	
Revision Note	Not applicable.
Training Advice	No information available
Additional information	No information available

### This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **End of Safety Data Sheet**