

SAFETY DATA SHEET WOOD ADHESIVE INTERIOR

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

PRODUCT NAME	WOOD ADHESIVE INTERIOR
PRODUCT NO.	715011, 715035, 715097, 715110, 715189, 715219, 715301, 715417, 715578, 715615, 715813, 715912, 716018, 716032, 716049
SUPPLIER	BOSTIK LIMITED
	COMMON ROAD
	STAFFORD
	STAFFORDSHIRE ST16 3EH
	+44 1785 255141
	+44 1785 272650

2 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
N-BUTYL ESTER OF GLYCOLLIC ACID		7397-62-8	1-5%	Xi;R41.

The Full Text for all R-Phrases are Displayed in Section 16

3 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

4 FIRST-AID MEASURES

INHALATION

Remove victim immediately from source of exposure. Move the exposed person to fresh air at once. Get medical attention.

INGESTION

DO NOT induce vomiting. Get medical attention immediately.

SKIN CONTACT

Wash off promptly and flush contaminated skin with water. Promptly remove clothing if soaked through and flush skin with water. Wash skin with soap and water. Get medical attention if irritation persists after washing.

EYE CONTACT

Rinse the eye with water immediately. Continue to rinse for at least 15 minutes and get medical attention.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials. SPECIFIC HAZARDS Fire or high temperatures create: Toxic gases/vapours/fumes of Carbon dioxide (CO2). Carbon monoxide (CO). PROTECTIVE MEASURES IN FIRE Wear self contained breathing apparatus

6 ACCIDENTAL RELEASE MEASURES

ENVIRONMENTAL PRECAUTIONS Prevent entry into drains and water courses. SPILL CLEAN UP METHODS Avoid contact with skin or inhalation of spillage, dust or vapour. Wear necessary protective equipment.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS Avoid spilling, skin and eye contact. STORAGE PRECAUTIONS Store in tightly closed original container in a cool, dry well-ventilated place. Keep in original container.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

WOOD ADHESIVE INTERIOR





ENGINEERING MEASURES

All handling to take place in well-ventilated area.

HAND PROTECTION

Use suitable protective gloves if risk of skin contact. Use thin cotton gloves inside the rubber gloves if allergy risk.

EYE PROTECTION

If risk of splashing, wear safety goggles or face shield.

HYGIENE MEASURES

Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke. Wash at the end of each work shift and before eating, smoking and using the toilet. Use appropriate skin cream to prevent drying of skin. DO NOT SMOKE IN WORK AREA!

APPEARANCE	Liquid
COLOUR	White
SOLUBILITY	Miscible with water.
RELATIVE DENSITY	1.1 @ 25 °c

10 STABILITY AND REACTIVITY

STABILITY Stable under normal temperature conditions. CONDITIONS TO AVOID Avoid freezing conditions. MATERIALS TO AVOID No incompatible groups noted. HAZARDOUS DECOMPOSITION PRODUCTS Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).

11 TOXICOLOGICAL INFORMATION

INGESTION May cause discomfort if swallowed. SKIN CONTACT May cause skin irritation/eczema EYE CONTACT Contact with the eyes may cause physical damage

12 ECOLOGICAL INFORMATION

ECOTOXICITY

Not regarded as dangerous for the environment. However, contamination of the aquatic or terrestrial environments should be avoided

13 DISPOSAL CONSIDERATIONS

GENERAL INFORMATION

This material is not classified as special waste as defined by Special Waste Regulations 1996.

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements. Recover and reclaim or recycle, if practical.

14 TRANSPORT INFORMATION					
GENERAL	The product is no ADR/RID).	The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).			
	No transport warr	No transport warning sign required.			
ADR LABEL NO.	0	MARINE POLLUTANT	No.		
15 REGULATORY IN	FORMATION				

RISK PHRASES

REVISION DATE: Feb 2005

WOOD ADHESIVE INTERIOR

SAFETY PHRASES		
	S2	Keep out of the reach of children
	S36/37/39	Wear suitable protective clothing, gloves and eye/face protection.
	P13	Safety data sheet available for professional user on request.
16 OTHER INFORMATION	N	
GENERAL INFORMATION		
This product should be used as di	rected by Bostik Ltd.	For further information consult the product data sheet or contact Technical Services.
INFORMATION SOURCES		
This safety data sheet was compil	ed using current safe	ety information supplied by distributor of raw materials.
REVISION COMMENTS		
, ,	•	and users are cautioned to ensure that it is current. Destroy all previous data sheets
and if in doubt contact Bostik Limit	ted.	
ISSUED BY Approved EC		
REVISION DATE	Feb 2005	
REV. NO./REPL. SDS GENERAT		
DATE	Feb 2003	
RISK PHRASES IN FULL		

R41

Risk of serious damage to eyes.