

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

WICKES MULTI PURPOSE FLOORING ADHESIVE

Supercedes Date: 08-Nov-2019

Revision date 10-Nov-2020 Revision Number 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier	
Product Name Pure substance/mixture	WICKES MULTI PURPOSE FLOORING ADHESIVE Mixture
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Recommended use Uses advised against	Adhesive. None known
1.3. Details of the supplier of the sa	afety data sheet
Company Name Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36	

E-mail address

SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom Ireland +44 (1785) 272650 +353 (1) 8624900 (Monday- Friday 9am-5pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin sensitisation

Category 1 - (H317)

2.2. Label Elements

Contains: 2-methyl-2H-isothiazol-3-one [MIT], 1,2-benzisothiazol-3(2H)-one [BIT]



Signal word Warning

Hazard statements H317 - May cause an allergic skin reaction.

Precautionary statements

P101 - If medical advice is needed, have product container or label at hand.

WICKES MULTI PURPOSE FLOORING ADHESIVE

Supercedes Date: 08-Nov-2019

Revision date 10-Nov-2020 Revision Number 3

P102 - Keep out of reach of children.

P261 - Avoid breathing vapours.

P280 - Wear protective gloves and eye/face protection.

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap.

P501 - Dispose of contents/ container to an approved waste disposal plant.

2.3. Other Hazards

No information available

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No.	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]		REACH Registration Number
1,2-benzisothiazol-3(2H) -one [BIT]	220-120-9	2634-33-5	0.0015 - <0.01	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Acute Tox. 2 (H330) Aquatic Chronic 2 (H411) (M Factor Acute =1)	Skin Sens. 1 :: C>=0.05%	01-2120761540- 60-XXXX
2-methyl-2H-isothiazol-3 -one [MIT]	220-239-6	2682-20-4	0.0015 - <0.01	/	Skin Sens. 1 :: C>=0.0015%	01-2120764690- 50-xxxx

WICKES MULTI PURPOSE FLOORING ADHESIVE Supercedes Date: 08-Nov-2019

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures 4.1. Description of first aid measures **General advice** Show this safety data sheet to the doctor in attendance. Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention. Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor. Wash with soap and water. May cause an allergic skin reaction. In the case of skin Skin contact irritation or allergic reactions see a doctor. Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never Ingestion give anything by mouth to an unconscious person. 4.2. Most important symptoms and effects, both acute and delayed Symptoms Itching. Rashes. Hives. 4.3. Indication of any immediate medical attention and special treatment needed Note to doctors May cause sensitisation in susceptible persons. Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Full water jet. Do not scatter spilled material with high pressure water streams. Unsuitable extinguishing media 5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the Product is or contains a sensitiser. May cause sensitisation by skin contact. **chemical**

Hazardous combustion products Carbon dioxide (CO2).

5.3. Advice for firefighters

Special protective equipment for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away

WICKES MULTI PURPOSE FLOORING ADHESIVE

Supercedes Date: 08-Nov-2019

	from and upwind of spill/leak.	
Other information	Ventilate the area. Prevent further leakage or spillage if safe to do so.	
For emergency responders	Use personal protection recommended in Section 8.	
6.2. Environmental precautions		
Environmental precautions	Do not flush into surface water or sanitary sewer system. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.	
6.3. Methods and material for conta	ainment and cleaning up	
Methods for containment	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.	
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.	
6.4. Reference to other sections		
Reference to other sections	See section 8 for more information. See section 13 for more information.	

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Take off all contaminated clothing and wash it before reuse.
7.2. Conditions for safe storage, inc	cluding any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.
7.3. Specific end use(s)	
Specific Use(s) Adhesive.	
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.
Other information	Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Ireland	United Kingdom
Limestone	-	TWA: 10 mg/m ³	TWA: 10 mg/m ³
1317-65-3		TWA: 4 mg/m ³	TWA: 4 mg/m ³
		STEL: 30 mg/m ³	STEL: 30 mg/m ³
		STEL: 12 mg/m ³	STEL: 12 mg/m ³

WICKES MULTI PURPOSE FLOORING ADHESIVE

Supercedes Date: 08-Nov-2019

Revision date 10-Nov-2020 Revision Number 3

Potassium hydroxide	-	STEL: 2 mg/m ³	STEL: 2 mg/m ³
1310-58-3			

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)			
1,2-benzisothiazol-3(2H)-one [BIT	1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	6.81 mg/m³	
worker Long term Systemic health effects	Dermal	0.966 mg/kg bw/d	

Derived No Effect Level (DNEL)			
1,2-benzisothiazol-3(2H)-one [I	BIT] (2634-33-5)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Inhalation	1.2 mg/m ³	
Consumer Long term Systemic health effects	Dermal	0.345 mg/kg bw/d	

Predicted No Effect Concentration No information available. (PNEC)

Predicted No Effect Concentration (PNEC)		
1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)		
Environmental compartment	Predicted No Effect Concentration (PNEC)	
Freshwater	4.03 μg/l	
Marine water	0.403 µg/l	
Sewage treatment plant	1.03 mg/l	
Freshwater sediment	49.9 µg/l	
Marine sediment	4.99 μg/l	
Soil	3 mg/kg dry weight	

8.2. Exposure controls

Engineering controls	Ensure adequate ventilation, especially in confined areas.
Personal Protective Equipment Eye/face protection	t Wear safety glasses with side shields (or goggles). Avoid contact with eyes. Eye protection must conform to standard EN 166.
Hand protection	Wear protective gloves. Gloves must conform to standard EN 374. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves.
Skin and body protection Respiratory protection	Wear protective gloves and protective clothing. Avoid contact with skin, eyes or clothing. During spraying wear suitable respiratory equipment.
-	

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

WICKES MULTI PURPOSE FLOORING ADHESIVE Supercedes Date: 08-Nov-2019

Revision date 10-Nov-2020 Revision Number 3

Physical state	Liquid	
Appearance	Paste	
Colour	Brown	
Odour	Organic	
Odour threshold	No information available	
Property	Values	Remarks • Method
рН	8 10	
Melting point / freezing point	No data available	
Boiling point / boiling range	100	
Flash point	> 80	
Evaporation rate	No data available	
Flammability (solid, gas)	Not applicable for liquids .	
Flammability Limit in Air		
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Vapour pressure	No data available	
Relative vapour density	No data available	
Relative density	1.27	
Water solubility	Miscible in water	
Solubility(ies)	No data available	
Partition coefficient	No data available	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
Kinematic viscosity	No data available	
Dynamic viscosity	89000 mPa s	@ 23 °C
Explosive properties	No data available	
Oxidising properties	No data available	
9.2. Other information		
Solid content (%)	No information available	
VOC Content (%)	< 5 g/L	Directive 2004/42/EC on the limitation of
		emissions of volatile organic compounds
Density	No information available	

SECTION 10: Stability and reactivity

10.1. Reactivity		
Reactivity	No information available.	
10.2. Chemical stability		
Stability	Stable under normal conditions.	
Explosion data Sensitivity to mechanical impact Sensitivity to static discharge	None.	
10.3. Possibility of hazardous reactions		
Possibility of hazardous reactions	None under normal processing.	
10.4. Conditions to avoid		
Conditions to avoid	None known based on information supplied.	

WICKES MULTI PURPOSE FLOORING ADHESIVE

Supercedes Date: 08-Nov-2019

Revision date 10-Nov-2020 Revision Number 3

10.5. Incompatible materials		
Incompatible materials	None known based on information supplied.	
10.6. Hazardous decompositio	n products	
Hazardous decomposition products	Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.	
SECTION 11: Toxicologic	cal information	
11.1. Information on toxicological effects		
Information on likely routes of exposure		
Product Information		
Inhalation	Based on available data, the classification criteria are not met.	
Eye contact	Based on available data, the classification criteria are not met.	

- Skin contact May cause sensitisation by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components).
- Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

Itching. Rashes. Hives.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS documentATEmix (dermal)38,626.00 mg/kg

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
1,2-benzisothiazol-3(2H)-one [BIT] 2634-33-5	=670 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus)	
2-methyl-2H-isothiazol-3-one [MIT] 2682-20-4	LD50 =285 mg/Kg (Rattus)	LD50 >242 mg/Kg (Rattus)	=0.11 mg/L (Rattus) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation May cause sensitisation by skin contact.

Component Information 2-methyl-2H-isothiazol-3-one [MIT] (2682-20-4)

WICKES MULTI PURPOSE FLOORING ADHESIVE

Supercedes Date: 08-Nov-2019

Revision date 10-Nov-2020 Revision Number 3

Method	Species	Exposure route	Results
OECD Test No. 406: Skin Sensitisation	Guinea pig	Dermal	Sensitizing
Germ cell mutagenicity	Based on available data, the	e classification criteria are not r	net.
Carcinogenicity	Based on available data, the	classification criteria are not r	net.
Reproductive toxicity	Based on available data, the	classification criteria are not r	net.
STOT - single exposure	Based on available data, the	classification criteria are not r	net.
STOT - repeated exposure	Based on available data, the	classification criteria are not r	net.
Aspiration hazard	Based on available data, the	classification criteria are not r	net.

SECTION 12: Ecological information

.

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
1,2-benzisothiazol-3(2 H)-one [BIT] 2634-33-5	EC50 3Hr 13mg/l (activated sludge) (OECD 209)	LC50 (96hr) 2.15 mg/l Cyprinodon variegatus EPA 540/9-85-006	-	EC50(48hr) 2.94 mg/l (Daphnia Magna) OECD 202	1	1
2-methyl-2H-isothiazol- 3-one [MIT] 2682-20-4	EC50 (72hr) 0.157 mg/l (Pseudokirchner iella subcapitata) (OECD 201)	EC50 (96hr) 5.71 mg/l (Oncorhynchus mykiss) OECD 203	-	EC50 (48hr) 1.68 mg/l (Daphnia) (OECD 202)	10	1

12.2. Persistence and degradability

Persistence and degradability No

No information available.

Component Information			
2-methyl-2H-isothiazol-3-one [MIT] (2682-20-4)			
Method	Exposure time	Value	Results
OECD Test No. 308: Aerobic and Anaerobic Transformation in Aquatic Sediment Systems		Half-life	1.28-2.1 days
OECD Test No. 309: Aerobic Mineralization in Surface Water - Simulation Biodegradation Test		biodegradation Half-life	Readily biodegradable 4.1 days

12.3. Bioaccumulative potential

Bioaccumulation

There is no data for this product.

WICKES MULTI PURPOSE FLOORING ADHESIVE

Supercedes Date: 08-Nov-2019

Component Information

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
1,2-benzisothiazol-3(2H)-one [BIT] 2634-33-5	0.7	6.95
2-methyl-2H-isothiazol-3-one [MIT] 2682-20-4	-0.32	3.16

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB. .

Chemical name	PBT and vPvB assessment
1,2-benzisothiazol-3(2H)-one [BIT] 2634-33-5	The substance is not PBT / vPvB
2-methyl-2H-isothiazol-3-one [MIT] 2682-20-4	The substance is not PBT / vPvB

12.6. Other adverse effects

Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.
Contaminated packaging	Do not reuse empty containers. Handle contaminated packages in the same way as the product itself.
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Land transport (ADR/RID)	
14.1 UN number or ID number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	None
-	
IMDG	
IMDG_ 14.1 UN number or ID number	Not regulated
	Not regulated Not regulated
14.1 UN number or ID number	Ų
14.1 UN number or ID number14.2 Proper Shipping Name14.3 Transport hazard class(es)14.4 Packing group	Not regulated
14.1 UN number or ID number14.2 Proper Shipping Name14.3 Transport hazard class(es)	Not regulated Not regulated
14.1 UN number or ID number14.2 Proper Shipping Name14.3 Transport hazard class(es)14.4 Packing group	Not regulated Not regulated Not regulated

WICKES MULTI PURPOSE FLOORING ADHESIVE Supercedes Date: 08-Nov-2019

Revision date 10-Nov-2020 Revision Number 3

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

Air transport (ICAO-TI / IATA-DGR	<u>.</u>
14.1 UN number or ID number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

WICKES MULTI PURPOSE FLOORING ADHESIVE

Supercedes Date: 08-Nov-2019

Full text of H-Statements referred to under section 3

- H301 Toxic if swallowed
- H302 Harmful if swallowed
- H311 Toxic in contact with skin
- H314 Causes severe skin burns and eye damage
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H330 Fatal if inhaled
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects
- H411 Toxic to aquatic life with long lasting effects

Legend

TWĂ	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Ceiling Limit Value
*	Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
EWC	European Waste Catalogue

Key literature references and sources for data No information available

Prepared By	Product Safety & Regulatory Affairs
Revision date	10-Nov-2020
Indication of changes	
Revision note	Not applicable.
Training Advice	No information available
Further information	No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet