

<b>Heading</b>	<b>Subheading</b>	<b>CK100C210</b>
Cooker type	Cooker Fuel	Electric
Cooker type	Cooker Type	Cookmaster
Cooker type	Style	Traditional
Hob Features	Fuel	Electric
Hob Features	Dedicated hob top griddle	n/a
Hob Features	Type	Ceramic glass
Hob Features	Glass lid with auto shut off valve	n/a
Hob Features	Pan support type	n/a
Hob Features	Ignition	n/a
Hob Features	Controls	On main panel
Hob Features	Hob on indicator+Residual heat indicator	Yes
Hob Features	Seperate warming/cooking zone	0.8 kW warming zone
Top Left Cavity	Energy Rating	n/a
Top Left Cavity	Oven	No
Top Left Cavity	Oven type	n/a
Top Left Cavity	Oven temp range	n/a
Top Left Cavity	Grill	Yes
Top Left Cavity	Grill Type	Full width
Top Left Cavity	Fully Variable Grill	Yes
Top Left Cavity	Top element Power (kW)	n/a
Top Left Cavity	Grill Power (kW)	2 kW
Top Left Cavity	Bottom element Power (kW)	n/a
Top Left Cavity	Tilted Grill	No
Top Left Cavity	Open or Closed Door Grilling	Open
Top Left Cavity	Door Opening	Drop down
Top Left Cavity	Door Type	Full metal front
Top Left Cavity	Removable Door Glass	Yes
Top Left Cavity	Number of glass panes in door	2
Top Left Cavity	CleanZone Nano Cleaning Technology for ir	No
Top Left Cavity	Handle Type	Full metal
Top Left Cavity	Interior Light	No
Top Left Cavity	Type of Interior Light	n/a
Top Left Cavity	Easy to Clean Enamel Colour	Yes
Top Left Cavity	Internal dimensions (H x W x D) (mm)	178 x 370 x 448
Top Left Cavity	Enamel Colour	Black
Top Left Cavity	Catalytic liners on side walls	No
Top Left Cavity	Catalytic liners on back wall	No
Top Left Cavity	Removable metal shelf runners	Yes
Top Left Cavity	Telescopic runner system	No
Top Left Cavity	Shelf stoppers	Yes
Top Left Cavity	Shelf Positions	2
Top Left Cavity	Energy Consumption (kWh)	n/a
Bottom Left Cavity	Volume (litre)	63L
Bottom Left Cavity	Energy Rating	A
Bottom Left Cavity	Oven	Yes
Bottom Left Cavity	Oven type	Fan

Bottom Left Cavity	Oven temp range	80 - 240 Deg C
Bottom Left Cavity	Fan oven element (kW)	1.8 kW
Bottom Left Cavity	Conventional oven element (kW)	n/a
Bottom Left Cavity	Grill	No
Bottom Left Cavity	Grill Type	n/a
Bottom Left Cavity	Fully Variable Grill	n/a
Bottom Left Cavity	Internal dimensions (H x W x D) (mm)	368 x 370 x 448
Bottom Left Cavity	Grill Power (kW)	n/a
Bottom Left Cavity	Tilted Grill	n/a
Bottom Left Cavity	Open or Closed Door Grilling	n/a
Bottom Left Cavity	Turnspit	No
Bottom Left Cavity	Pizza Pan	No
Bottom Left Cavity	MeatProbe	No
Bottom Left Cavity	Lava Stone	No
Bottom Left Cavity	Glass Tray	No
Bottom Left Cavity	Door Type	Glass with metal border
Bottom Left Cavity	Door Opening	Side (left)
Bottom Left Cavity	Removable inner door glass	Yes
Bottom Left Cavity	Number of glass panes in door	2
Bottom Left Cavity	CleanZone Nano Cleaning Technology for in	No
Bottom Left Cavity	Handle Type	Full metal
Bottom Left Cavity	Interior Light	Yes
Bottom Left Cavity	Type of Interior Light	Circular
Bottom Left Cavity	Easy to Clean Enamel Colour	Yes
Bottom Left Cavity	Enamel Colour	Black
Bottom Left Cavity	Catalytic liners on side walls	Yes
Bottom Left Cavity	Catalytic liners on back wall	No
Bottom Left Cavity	Removable metal shelf runners	Yes
Bottom Left Cavity	Telescopic runner system	Shelf pos 2
Bottom Left Cavity	Shelf stoppers	Yes
Bottom Left Cavity	Shelf Positions	5
Bottom Left Cavity	Energy Consumption (kWh)	0.83
Top Right Cavity	Volume (litre)	65L
Top Right Cavity	Energy Rating	A
Top Right Cavity	Oven	Yes
Top Right Cavity	Oven type	Conventional
Top Right Cavity	Oven temp range	80 - 240 Deg C
Top Right Cavity	Fan oven element (kW)	n/a
Top Right Cavity	Grill	No
Top Right Cavity	Grill Type	n/a
Top Right Cavity	Fully Variable Grill	n/a
Top Right Cavity	Internal dimensions (H x W x D) (mm)	349 x 370 x 448
Top Right Cavity	Grill Power (kW)	n/a
Top Right Cavity	Tilted Grill	n/a
Top Right Cavity	Open or Closed Door Grilling	n/a
Top Right Cavity	Turnspit	No

Top Right Cavity	Pizza Pan	No
Top Right Cavity	MeatProbe	No
Top Right Cavity	Lava Stone	No
Top Right Cavity	Glass Tray	No
Top Right Cavity	Door Type	Glass with metal border
Top Right Cavity	Door Opening	Drop down
Top Right Cavity	Conventional oven element (kW)	n/a
Top Right Cavity	Removable inner door glass	Yes
Top Right Cavity	Number of glass panes in door	2
Top Right Cavity	CleanZone Nano Cleaning Technology for in	No
Top Right Cavity	Handle Type	n/a
Top Right Cavity	Interior Light	Yes
Top Right Cavity	Type of Interior Light	Circular
Top Right Cavity	Easy to Clean Enamel Colour	Yes
Top Right Cavity	Enamel Colour	Black
Top Right Cavity	Catalytic liners on side walls	Yes
Top Right Cavity	Catalytic liners on back wall	No
Top Right Cavity	Removable metal shelf runners	Yes
Top Right Cavity	Telescopic runner system	No
Top Right Cavity	Shelf stoppers	Yes
Top Right Cavity	Shelf Positions	5
Top Right Cavity	Energy Consumption (kWh)	0.88
Controls	Control Panel	Full metal
Controls	Control Knobs	Chrome finished rotary control
Bottom Right Cavity	Volume (litre)	n/a
Bottom Right Cavity	Energy Rating	n/a
Bottom Right Cavity	Oven	n/a
Bottom Right Cavity	Oven type	n/a
Bottom Right Cavity	Oven temp range	n/a
Bottom Right Cavity	Fan oven element (kW)	n/a
Bottom Right Cavity	Grill	n/a
Bottom Right Cavity	Grill Type	n/a
Bottom Right Cavity	Fully Variable Grill	n/a
Bottom Right Cavity	Grill Power (kW)	n/a
Bottom Right Cavity	Tilted Grill	n/a
Bottom Right Cavity	Open or Closed Door Grilling	n/a
Bottom Right Cavity	Turnspit	n/a
Bottom Right Cavity	Pizza Pan	n/a
Bottom Right Cavity	MeatProbe	n/a
Bottom Right Cavity	Lava Stone	n/a
Bottom Right Cavity	Glass Tray	n/a
Bottom Right Cavity	Door Type	n/a
Bottom Right Cavity	Door Opening	n/a
Bottom Right Cavity	Removable inner door glass	n/a
Bottom Right Cavity	Number of glass panes in door	n/a
Bottom Right Cavity	CleanZone Nano Cleaning Technology for in	n/a

Bottom Right Cavity	Handle Type	n/a
Bottom Right Cavity	Interior Light	n/a
Bottom Right Cavity	Type of Interior Light	n/a
Bottom Right Cavity	Easy to Clean Enamel Colour	n/a
Bottom Right Cavity	Enamel Colour	n/a
Bottom Right Cavity	Catalytic liners on side walls	n/a
Bottom Right Cavity	Catalytic liners on back wall	n/a
Bottom Right Cavity	Removable metal shelf runners	n/a
Bottom Right Cavity	Telescopic runner system	n/a
Bottom Right Cavity	Shelf stoppers	n/a
Bottom Right Cavity	Shelf Positions	n/a
Bottom Right Cavity	Function	Storage
Bottom Right Cavity	Internal dimensions	n/a
Bottom Right Cavity	Conventional oven element (kW)	n/a
Bottom Right Cavity	Energy Consumption (kWh)	n/a
Timer	Type	LED Timer
Timer	Function	Timer and clock
Burners/Heating zones	Wok burner	No
Burners/Heating zones	No. Of Burners/Heating zones	5
Burners/Heating zones	Front left (kW)	1.7
Burners/Heating zones	Front right (kW)	1.2
Burners/Heating zones	Rear left (kW)	1.2
Burners/Heating zones	Rear right (kW)	1.7
Burners/Heating zones	Middle (kW)	2.2
Oven Functions	Grill Cooking	Yes
Oven Functions	Gas Cooking	n/a
Oven Functions	Slow cooking	No
Oven Functions	Static Cooking	Yes
Oven Functions	Fan Cooking	Yes
Oven Functions	Static Cooking+Fan (Fan Assist)	No
Oven Functions	Fan Defrost	No
Oven Functions	Half Grill Cooking	No
Oven Functions	Grill Cooking+Fan	No
Oven Functions	3D Cooking	No
Oven Functions	Bottom + Fan Cooking (Pizza)	No
Oven Functions	Eco-Fan	No
Oven Functions	Warm Keeping	No
Oven Functions	Bottom Heater	No
Oven Functions	Steam Assisted Cooking	No
Oven Functions	Steam Shine Cleaning	No
Oven Functions	Microwave Cooking	No
Oven Functions	Microwave + Grill Cooking	No
Oven Functions	Microwave+ Combi Cooking	No
Other features	Cooling fan	Yes
Other features	Air cooled doors	No
Accessories included	Hob top Griddle	No

Accessories included	Number of shelves	5
Accessories included	Grill Pan set	Yes
Accessories included	Grill Pan handle	Yes
Dimensions & Weights	Net Weight (kg)	86.8 kg
Dimensions & Weights	Gross Weight (kg)	97 kg
Dimensions & Weights	Product Height (mm)	900
Dimensions & Weights	Product width (mm)	1000
Dimensions & Weights	Product depth (mm)	600
Dimensions & Weights	Carton height (mm)	1070
Dimensions & Weights	Carton width (mm)	1060
Dimensions & Weights	Carton depth (mm)	700
Installation	Adjustable feet for leveling	Yes
Installation	EN60335-2-6 approved	Yes
Installation	Minimum Fuse Protection	40 a
Installation	Recommended for hardwiring	Yes
Consumption Values & Other Technic CE Approved		Yes
Consumption Values & Other Technic PREN30 Approval		n/a
Consumption Values & Other Technic LPG conversion kit available		n/a
Consumption Values & Other Technic Flame Safety Device (FSD) (Gas + DF only)		n/a
Loading, Stacking & Logistics	40" HI-CUBE FCL - Number of Pieces	68
Loading, Stacking & Logistics	40" HI-CUBE FCL - Style	n/a
Loading, Stacking & Logistics	40" HI-CUBE FCL - Max Stack Height (pieces)	n/a
Loading, Stacking & Logistics	Standard FCL - Number of Pieces	68
Loading, Stacking & Logistics	Standard FCL - Style	n/a
Loading, Stacking & Logistics	Standard FCL - Max Stack Height (pieces)	n/a
Colour	Stainless steel	Yes
Colour	Silver	Yes
Colour	Black	Yes
Colour	Cream	Yes
Colour	Blue	No
Filter Tool	Fitting	100cm
Filter Tool	Type	Cookmaster
Filter Tool	Main Cavity Energy Rating	A
Filter Tool	Width	100cm
Filter Tool	Fuel	Electric
Filter Tool	Range	Cookmaster
Filter Tool	Category	Range Cookers
Filter Tool	Black	Yes
Filter Tool	Style	Classic
Filter Tool	Cream	Yes
Filter Tool	Stainless steel	Yes
Filter Tool	Silver	Yes
Packaging waste info	Metal (gr)	15
Packaging waste info	Paper (gr)	1794
Packaging waste info	Wood (gr)	7146
Packaging waste info	Plastic (gr)	1277

Packaging waste info

Total (gr)

|

10232