

0 601 9D0 200 – GSS 18V-10

Material number	0 601 9D0 200	0 601 9D0 202	0 601 9D0 270
EAN	3165140813280	3165140871662	3165140822138
1 x sanding sheet C470, Best for Wood + Paint, 120 available separately as set of 10: 2 608 607 232		✓	✓
1 x sanding sheet C470, Best for Wood + Paint, 120 available separately as set of 10: 2 608 607 458	✓	✓	✓
1 x sanding sheet C470, Best for Wood + Paint, 120 available separately as set of 10: 2 608 608 Z96		✓	✓
2 x battery GBA 18V 5.0Ah 1 600 A00 2U5			✓
Base plate, 113 x 101 mm (2 608 601 446) with sanding plate 2 608 601 443	✓	✓	✓
Base plate, 80 x 130 mm (2 608 601 447) with sanding plate 2 608 601 444		✓	✓
Cardboard box	✓		
Delta base plate, 100 x 150 mm (2 608 601 448) with sanding plate 2 608 601 445		✓	✓
Hole punch 2 608 190 059	✓	✓	✓
L-BOXX 136 1 600 A00 1RR		✓	✓
L-BOXX inlay		✓	✓
Microfilter box	✓	✓	✓
Quick charger AL 1860 CV 2 607 225 324			✓
Sanding paper G120	✓		
Screwdriver		✓	✓
Packaging dimensions (width x length x height)	177 x 223 x 143 mm	360 x 440 x 155 mm	360 x 440 x 155 mm
Battery voltage	18.0 V	18.0 V	18.0 V
Weight incl. battery	1,7 kg	1,7 kg	1,7 kg
Battery capacity			5,0 Ah





Technical data

Technical data


Battery voltage	18 V
No-load orbital stroke rate	11.000 – 22.000 opm
Orbit diameter	1,6 mm

Sanding surface

Sanding plate, width	113 mm
Sanding plate, length	101 mm
Sanding surface	114 cm ²
Sanding sheet for clamping, width	115 mm
Sanding sheet for clamping, length	140 mm
Sanding sheet with hook-and-loop fastening, width	115 mm
Sanding sheet with hook-and-loop fastening, length	107 mm

Noise/vibration information

Vibration emission value ah	7,5 m/s ²
Sound pressure level	76 dB(A)
Sound power level	80 dB(A)
Uncertainty K	3 dB



Sales information

Positioning

- Bosch's first one-hand cordless orbital sander

User benefit

- The compact cordless orbital sander – suitable for any corner
- Flexible to use in any situation due to 18 V battery
- Bosch microfilter system for efficient dust extraction

