

Gorilla Glue Clear

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Gorilla Glue Clear
CAS No. Not applicable.
EC No. Not applicable.
REACH Registration No. Not known.

Unique Formula Identifier (UFI) 3CP5-G0EE-Q003-3PST

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Adhesives.
Uses Advised Against Not known.

1.3 Details of the supplier of the safety data sheet

Manufacturer

Company Identification Gorilla Glue Europe Ltd
Address of Manufacturer 26 Eaton Avenue
Matrix Park

Buckshaw Village Chorley Lancashire

Postal code PR7 7NA Telephone 01257 241 319

E-mail eucustomercare@gorillaglue.com

Office hours 08:30 - 17:00

Supplier
Company Identification GG Brands Netherlands B.V.

Address of Supplier Lichttoren 32 5611 BJ Eindhoven

Telephone +31 85 064 4029

E-mail eucustomercare@gorillaglue.com

Office hours 08:30 - 17:00

1.4 Emergency telephone number

Supplier Contact Stuart Shotton Emergency Phone No. Stuart Shotton +44 (0)843 507 1200

Northern Ireland: NHS Direct Emergency Phone No. +44 111 (24 hours)

Republic of Ireland: NPIC Ireland

Emergency Phone No. +353 (0) 1 809 2166 (8am - 10pm)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP) Skin Sens. 1B :May cause an allergic skin reaction.

Eye Irrit. 2: Causes serious eye irritation.

Aquatic Chronic 3: Harmful to aquatic life with long lasting effects.

2.2 Label elements

According to Regulation (EC) No. 1272/2008 (CLP)

Product Name Gorilla Glue Clear

Hazard Pictogram(s)

(!)

GHS07 Warning

Signal Word(s) Warning

Hazard Statement(s)
H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H412: Harmful to aquatic life with long lasting effects.

Precautionary Statement(s) P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

GORILLA

Date of Issue: 10-01-2022 Date of Revision: 12-06-2023

Gorilla Glue Clear

P261: Avoid breathing vapours.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P501: Dispose of contents in accordance with local, state or national legislation.

2.3 Other hazards

None known

2.4 Additional Information

For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
N-(3-(trimethoxysilyl)propyl) ethylenediamine	1760-24-3	217-164-6 01-2119970215-39- XXXX	<3	Skin Sens. 1B H317 Eye Dam. 1 H318 STOT SE 3 H335	GHS05 GHS07
Bis(1,2,2,6,6-pentamethyl-4- piperidyl) sebacate	41556-26-7	255-437-1	<1	Skin Sens. 1 H317 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS07 GHS09
Trimethoxyvinylsilane	2768-02-7	220-449-8	<1	Skin Sens. 1B H317	GHS07
Methyl 1,2,2,6,6-pentamethyl-4- piperidyl sebacate	82919-37-7	280-060-4	<0.5	Skin Sens. 1 H317	GHS07

1,8-diazabicyclo5.4.0undec-7- ene	6674-22-2	229-713-7 01-2119977097-24- XXXX	<0.1	Acute Tox. 3 H301 Skin Corr. 1B H314 Eye Dam. 1 H318	GHS06 GHS05
Citric acid	77-92-9	201-069-1 01-2119457026-42- XXXX	<0.003	Eye Irrit. 2 H319 STOT SE 3 H335	GHS07
Propan-2-ol	67-63-0	200-661-7 01-2119457558-25- XXXX	<0.003	Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336	GHS02 GHS07

HAZARDOUS INGREDIENT(S)	CAS No.	Specific Concentration Limit	M-factor	ATE
1,8-diazabicyclo5.4.0undec-7-ene	6674-22-2			Acute Tox. 3 (H301): 100.000

Contains no non-classified vPvB substances.

Contains no non-classified substances with a Union workplace exposure limit.

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation If breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing.

Skin Contact Wash with plenty of water. If skin irritation or rash occurs: Get medical

advice/attention.

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Ingestion Wash out mouth with water. **4.2 Most important symptoms and effects, both acute and delayed**

May cause an allergic skin reaction. Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media As appropriate for surrounding fire.

Unsuitable extinguishing media None.

5.2 Special hazards arising from the substance or mixture

May decompose in a fire giving off toxic fumes.

5.3 Advice for firefighters

Page: 2 - 7 Revision: 6 - Replaces: 5



Gorilla Glue Clear

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Dike fire control water for later disposal.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid breathing vapours. Wear suitable protective clothing, gloves and eye/face protection. Contaminated work clothing should not be allowed out of the workplace. Wash hands and exposed skin thoroughly after handling.

6.2 Environmental precautions

Avoid release to the environment.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a

container for disposal.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

If medical advice is needed, have product container or label at hand. Keep out of reach of children. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing vapours. Avoid contact with skin and eyes. Take off contaminated clothing and wash it before reuse. Wash hands and exposed skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Keep container in a well-ventilated place.

Storage temperature Ambient.

Storage life Stable under normal conditions. Incompatible materials Strong oxidising agents.

7.3 Specific end use(s)

Adhesives.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
Propan-2-ol	67-63-0	400	999	500	1250	

Source: UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020), United Kingdom

8.2 Exposure controls

purposes should be present.

8.2.2. Personal protection equipment

Eye Protection Wear eye protection with side protection (EN166).

Skin protection Wear protective clothing and gloves: Impervious gloves (EN 374).

Breakthrough time of the glove material: refer to the information provided by the

gloves' producer.

Page: 3 - 7 Revision: 6 - Replaces: 5

Gorilla Glue Clear

Wear suitable respiratory protective equipment if exposure to levels above the Respiratory protection

occupational exposure limit is likely.

Thermal hazards

Not applicable.

8.2.3. Environmental Exposure Controls Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state Liquid. Colour Colourless. Odour Odourless. Melting point/freezing point Not known. Boiling point or initial boiling point and Not known.

boiling range

Flammability Not known. Lower and upper explosion limit Not known. Flash Point 82°C [Closed cup] Auto-ignition temperature Not known. Decomposition Temperature (°C) Not known. рΗ Not known. Kinematic Viscosity Not known.

Solubility Solubility (Water): Not known. Solubility (Other): Not known.

Partition coefficient: n-octanol/water (log Not known.

value)

Vapour pressure Not known.

Density and/or relative density Relative density: 1.099

Relative vapour density Not known. Particle characteristics Not known.

9.2 Other information

None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Stable under normal conditions.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

Heat and direct sunlight.

10.5 Incompatible materials

Strong oxidising agents.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity - Ingestion Low oral toxicity. Acute toxicity - Skin Contact Acute toxicity - Inhalation Low acute toxicity. Low acute toxicity. Skin corrosion/irritation Non-irritant.

Serious eye damage/irritation Causes serious eye irritation. No data. Skin sensitization data May cause an allergic skin reaction. No data.

Respiratory sensitization data Not classified.

There is no evidence of mutagenic potential. Germ cell mutagenicity Carcinogenicity No evidence of carcinogenic effects. Reproductive toxicity No evidence of reproductive effects.

> Page: 4 - 7 Revision: 6 - Replaces: 5

GORILLA

Date of Issue: 10-01-2022 Date of Revision: 12-06-2023

Gorilla Glue Clear

Lactation Not classified.

STOT - single exposure None anticipated.

STOT - repeated exposure None anticipated.

Aspiration hazard Not classified.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

None known.

11.2.2 Other information

Not known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Toxicity - Aquatic invertebrates No data.

Toxicity - Fish No data.

Toxicity - Algae No data.

Toxicity - Sediment Compartment Not classified.

Toxicity - Terrestrial Compartment Not classified.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Not classified as PBT or vPvB.

12.6 Endocrine disrupting properties

None known.

12.7 Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose at suitable refuse site.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

14.1 UN number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Not known

14.7 Maritime transport in bulk according to IMO instruments

Not known

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very

Not listed

High Concern for Authorisation

REACH: ANNEX XIV list of substances Not listed

Page: 5 - 7 Revision: 6 - Replaces: 5

GORILLA

Date of Issue: 10-01-2022 Date of Revision: 12-06-2023

Gorilla Glue Clear

subject to authorisation

REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Community Rolling Action Plan (CoRAP) Regulation (EC) N° 850/2004 of the European Parliament and of the Council on persistent organic pollutants Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals

National regulations Other

15.2 Chemical Safety Assessment

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3), Trimethoxyvinylsilane (2768-02-7), Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate (41556-26-7), 1,8-diazabicyclo5.4.0undec-7-ene (6674-22-2), Citric acid (77-92-9), Propan-2-ol (67-63-0)

Trimethoxyvinylsilane (2768-02-7)

Not listed

Not listed

Not listed

Not known.

A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

1. 3. 8. 15

LEGEND

Hazard Pictogram(s)

Hazard classification

Hazard Statement(s)

Precautionary Statement(s)



3HS07

GHS02: GHS: Flame GHS05: GHS: Corrosion

GHS06: GHS: Skull and crossbones

GHS09: GHS: Environment

Flam. Liq. 2 : Flammable liquid, Category 2 Acute Tox. 3 : Acute toxicity, Category 3

Skin Corr. 1B: Skin corrosion/irritation, Category 1B
Skin Sens. 1: Skin sensitization, Category 1
Skin Sens. 1B: Skin sensitization, Category 1B
Eye Dam. 1: Serious eye damage/irritation, Category 1
Eye Irrit. 2: Serious eye damage/irritation, Category 2

STOT SE 3: Specific target organ toxicity — single exposure, Category 3 Aquatic Acute 1: Hazardous to the aquatic environment, Acute, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment, Chronic, Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment, Chronic, Category 3

H225: Highly flammable liquid and vapour.

H301: Toxic if swallowed.

H314: Causes severe skin burns and eye damage.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage. H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

H336: May cause drowsiness or dizziness.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects. H412: Harmful to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.
P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P261: Avoid breathing vapours.

P264: Wash hands and exposed skin thoroughly after handling.

P272: Contaminated work clothing should not be allowed out of the workplace.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Page: 6 - 7 Revision: 6 - Replaces: 5



Gorilla Glue Clear

Remove contact lenses, if present and easy to do. Continue rinsing.

P321: Specific treatment (see Medical Advice on this label).

P333+P313: If skin irritation or rash occurs: Get medical advice/attention. P337+P313: If eye irritation persists: Get medical advice/attention. P362+P364: Take off contaminated clothing and wash it before reuse.

P501: Dispose of contents in accordance with local, state or national legislation.

CAS: Chemical Abstracts Service

CLP: Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substances and mixtures EC : European Community LTEL : Long term exposure limit

PBT: Persistent, Bioaccumulative and Toxic

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL : Short term exposure limit STOT : Specific Target Organ Toxicity

vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for Regulation (EC) No. 1272/2008 (CLP) data used to compile the SDS $\,$

Disclaimers

Acronyms

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Gorilla Glue Europe Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Gorilla Glue Europe Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Page: 7 - 7 Revision: 6 - Replaces: 5