## product information sheet

Trade Mark	AEG	
Model	DVE5671HG 942051426	
Annual Energy Consumption (kWh/year)	52.5	
Energy Efficiency class	A	
Fluid Dynamic Efficiency	31.4	
Fluid Dynamic Efficiency class	A	
Lighting Efficiency (lux/W)	36.8115942028985	
Lighting Efficiency class	A	
Grease Filtering Efficiency	65.1	
Grease Filtering Efficiency class	D	
Air flow at minimum and maximum speed in normal use (m3/h)	270/400	
Air flow at intensive or boost setting (m3/h)	700	
Airborne acoustical A-weighted sound power emissions at minimum and maximum speed in normal use (dB(A))	42/54	
Airborne acoustical A-weighted sound power emissions at intensive or boost setting (dB(A))	64	
Power consumption in standby mode (W)	0	
Power consumption in off mode (W)	0.49	

## Product information according to Commission regulation (EU) No 66/2014

	DVE5671HG	
	942051426	
AEChood	52.5	kwh/a
f	0.9	
FDEhood	31.4	
EEIhood	53.3	
QBEP	363.9	m3/h
Рвер	449	Ра
Qmax	700,0	m3/h
y Wbep	144.4	W
WL	6.9	W
Emiddle	254	lux
e Ps	0	W
Po	0.49	W
Lwa	54	dB
	f FDEhood EEIhood QBEP PBEP Qmax WBEP WL Emiddle Ps Po	AEChood 52.5   f 0.9   FDEhood 31.4   EEIhood 53.3   QBEP 363.9   PBEP 449   Qmax 700,0   y WBEP 144.4   WL 6.9   Emiddle 254   e Ps 0   Po 0.49

EN 60704-2-13 - Household and similar electrical appliances – Test code for the determination of airborne acoustical noise – Part 2-13: Particular requirements for range hoods

EN 50564 - Electrical and electronic household and office equipment. Measurement of low power consumption

Suggestions for a correct use in order to reduce the environmental impact:

• Switch ON the hood at minimum speed when you start cooking and kept it running for few minutes after cooking is fi nished.

• Increase the speed only in case of large amount of smoke and vapour and use boost speed(s) only in extreme situations.

• Replace the charcoal filter(s) when necessary to maintain a good odour reduction effi ciency.

• Clean the grease filter(s) when necessary to maintain a good grease filter efficiency.

• Use the maximum diameter of the ducting system indicated in this manual to optimize effi ciency and minimize noise.