

Benchmark**BMG425**

NITRILE, POWDER-FREE, SINGLE USE PROTECTION

Lightweight, powder-free, single-use gloves with textured fingertips. Provides a very good alternative to Vinyl gloves.

FEATURES

- › 100% premium quality nitrile, thickness 0.06mm
- › Textured finish on the fingertips to enhance grip
- › Lightweight and comfortable with a 'second skin' feel
- › Powder-free, non-sterile
- › Lightweight and comfortable with a 'second skin' feel
- › Category I
- › Latex free
- › Beaded cuff



SUITABLE FOR

Typical Industries

- Electronics
- Manufacturing
- Pharmaceutical
- Repair and Finishing

Suitable Applications

- Handling Oily Components
- Laboratory Analysis
- Light Assembly
- Paint Spraying

CERTIFICATION

CAT I

EN ISO 374 **PENDING**

See overleaf for explanation

Benchmark**BMG425****PRODUCT INFORMATION**

MATERIALS	LINER:	Nitrile
	COATING:	N/A
COLOUR	Blue	
LENGTH (mm)	240 mm	
CUFF STYLE	Beaded	

RECOMMENDATIONS FOR USE

- **USE:** Single use glove. Not suitable for thermal, electrical, heavy chemical protection. Do not use near moving machines if there is a risk of entanglement
- **STORAGE:** Store in dry conditions in the original packaging and away from direct sunlight
- **CLEANING:** To clean, wipe with a damp cloth. Note: The performance characteristics of worn and laundered gloves may differ from the results shown. Inspect the gloves to ensure no damage is present.
- **LIFETIME:** Service life depends on the glove application and therefore cannot be specified. It is the responsibility of user to ensure the glove is suitable for its intended use

ORDERING DETAILS

SIZE	CODE	PACKAGING
7½-8/M	BMG00425DD	100 singles per box
8½-9/L	BMG00425DF	10 boxes per case
9½-10/XL	BMG00427DH	

CERTIFICATION LEGENDS**RESISTANCE TO CHEMICAL PERMEATION - EN ISO 374:2016**

CODE	CHEMICAL	CODE	CHEMICAL
A	Methanol	J	n-Heptane
B	Acetone	K	Sodium hydroxide 40%
C	Acetonitrile	L	Sulphuric acid 96%
D	Dichloromethane	M	65% Nitric acid
E	Carbon Disulfide	N	99% Acetic acid
F	Toluene	O	25% Ammonium hydroxide
G	Diethylamine	P	30% Hydrogen peroxide
H	Tetrahydrofuran	S	40% Hydrofluoric acid
I	Ethyl acetate	T	37% Formaldehyde

TYPE OF GLOVES	BREAKTHROUGH TIME
A	≥30 min for at least 6 chemicals
B	≥30 min for at least 3 chemicals
C	≥10 min for at least 1 chemical

**PROTECTION AGAINST MICRO-ORGANISMS EN 374-5**

VIRUS = Glove has passed ISO 16604: 2004 (method B)

EUROPEwww.globus.co.uk**E:** sales@globus.co.uk**T:** +44 (0)161 877 4747**F:** +44 (0)161 877 4746**MIDDLE EAST AND AFRICA**www.globusgroup.com/gcc**E:** gcc@globusgroup.com**T:** +971 4 882 9962**F:** +971 4 882 9963

Globus (Shetland) Ltd, T2 Trafford Point, Twining Road, Trafford Park, Manchester, M17 1SH, UNITED KINGDOM
 Globus EMEA FZE, Jafza One, Tower A, Office 2201, Jebel Ali, PO Box 61195, Dubai, UNITED ARAB EMIRATES

©2020 Globus (Shetland) Ltd | BMK-DATA-BMG425_0720_1