### KilrockPRO Mould & Algae Remover

KILROCK	
It's the one that works.	

Date: Mar 2021

Date: Mar 2021	Version 1.0
SECTION 1: Identification	on of the substance/mixture and of the company/undertaking
1.1 Product identifier	
Trade name	: KilrockPRO Mould & Algae Remover
1.2 Relevant identified use	es of the substance or mixture and uses advised against
1.3 Details of the supplier	of the safety data sheet
Company	: Kilrock Products Ltd Units
	1b/2b Alma Road Industrial Estate
	Chesham
	Buckinghamshire
	HP5 3HB United Kingdom

T +44 (0)1494 793900

E-mail address sales@kilrock.co.uk

### 1.4 Emergency telephone number

Telephone

Emergency telephone number : +44 (0)1494 793900 (office hours only)

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Type of product	:	Mixture
-----------------	---	---------

### Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Sub-category 1B	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Acute aquatic toxicity, Category 1	H400: Very toxic to aquatic life.
Chronic aquatic toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects.

### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)





## KilrockPRO Mould & Algae Remover

Date: Mar 2021		Vei	rsion 1.0
Hazard statements	:	H314 H410	Causes severe skin burns and eye damage. Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	P303 + P361 + P3 with water. P304 + P340 + P3	If medical advice is needed, have product container or label at hand. Keep out of reach of children. Wear protective gloves/ protective clothing/ eye protection/ face protection. 331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. 353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin 310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. 338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove
		<b>Disposal:</b> P501	contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Dispose of contents/container in accordance with local regulation.

Hazardous components which must be listed on the label:

270-325-2 Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides

### 2.3 Other hazards

•

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Not applicable

### 3.2 Mixtures

#### Hazardous components

Chemical name CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
Quaternary ammonium compounds, benzyl-C12-16- alkyldimethyl, chlorides 68424-85-1 270-325-2 01-2119965180-41-XXXX	Acute Tox.4; H302 Skin Corr.1B; H314 Eye Dam.1; H318 Aquatic Acute1; H400 Aquatic Chronic1; H410	>= 10 - < 20

For the full text of the H-Statements mentioned in this Section, see Section 16.

KILROCK

### KilrockPRO Mould & Algae Remover

Date: Mar 2021 Version 1.0 **SECTION 4: First aid measures** 4.1 Description of first aid measures : Move out of dangerous area. General advice Consult a physician. Show this safety data sheet to the doctor in attendance. If inhaled : Move to fresh air. Consult a physician after significant exposure. : Take off contaminated clothing and shoes immediately. In case of skin contact Wash off with soap and plenty of water. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. : Small amounts splashed into eyes can cause irreversible tis-In case of eye contact sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing. If swallowed : Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. 4.2 Most important symptoms and effects, both acute and delayed Symptoms : Dermatitis See Section 11 for more detailed information on health effects and symptoms. Risks : Health injuries may be delayed. corrosive effects Causes serious eye damage. Causes severe burns. 4.3 Indication of any immediate medical attention and special treatment needed Treatment : Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media	: In case of fire, use water/water spray/water jet/carbon diox-
	ide/sand/foam/alcohol resistant foam/chemical powder for
	extinction.



### KilrockPRO Mould & Algae Remover

Date: Mar 2021	Version 1.0
5.2 Special hazards arising from	the substance or mixture
Specific hazards during fire- fighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: No hazardous combustion products are known
5.3 Advice for firefighters	
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus.
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions	
Environmental precautions	: Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and materials for cor	ntainment and cleaning up
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



# KilrockPRO Mould & Algae Remover

Date: Mar 2021	Version 1.0
Advice on protection against fire and explosion	: Normal measures for preventive fire protection.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage, i	including any incompatibilities
Requirements for storage areas and containers	: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accordance with local regulations.
Other data	: No decomposition if stored and applied as directed.
7.3 Specific end use(s)	
Specific use(s)	: Consult most current local Product Data Sheet prior to any use.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

Personal protective equipment		
Eye protection	: Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water Wear eye/face protection.	
Hand protection	: Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.	
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (0,4 mm), Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.	
Skin and body protection	: Protective clothing (e.g. Safety shoes acc. to EN ISO 20345,	

# KILROCK It's the one that works.

# KilrockPRO Mould & Algae Remover

Date: Mar 2021	Version 1.0
	long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
Respiratory protection	: No special measures required.
Environmental exposure	controls
General advice	: Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

# **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	colourless
Odour	:	characteristic
Odour Threshold	:	No data available
Flash point	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Lower explosion limit (Vol-%)	:	No data available
Upper explosion limit (Vol-%)	:	No data available
Flammability	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available
рН	:	No data available
Melting point/range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Vapour pressure	:	0,01 hPa
Density	:	ca.1 g/cm3 at 20 °C
Water solubility	:	soluble



### KilrockPRO Mould & Algae Remover

Date: Mar 2021	Version 1.0	
Partition coefficient: n- octanol/water	: No data available	
Viscosity, dynamic	: No data available	
Viscosity, kinematic	: >7 mm2/s at 40 °C	
Relative vapour density	: No data available	
Evaporation rate	: No data available	
9.2 Other information		

No data available

### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

	Hazardous reactions	: Stable under recommended storage conditions.
10.4	Conditions to avoid	
	Conditions to avoid	: No data available
10.5	Incompatible materials	

# Materials to avoid : No data available

### 10.6 Hazardous decomposition products

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Acute toxicity

Not classified based on available information.

#### Skin corrosion/irritation

Causes severe burns.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



### KilrockPRO Mould & Algae Remover

#### Date: Mar 2021

Version 1.0

Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

### **Reproductive toxicity**

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### Components:

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides :

M-Factor (Acute aquatic toxicity)	10
M-Factor (Chronic aquatic toxicity)	1

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

#### Product:

Additional ecological	: An environmental hazard cannot be excluded in the event of
information	unprofessional handling or disposal.
	Very toxic to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# KilrockPRO Mould & Algae Remover

Date: Mar 2021

Version 1.0

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Product	<ul> <li>The generation of waste should be avoided or minimized wherever possible.</li> <li>Empty containers or liners may retain some product residues.</li> <li>This material and its container must be disposed of in a safe way.</li> <li>Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.</li> <li>Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.</li> <li>Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.</li> </ul>
Contaminated packaging	: 15 01 10* packaging containing residues of or contaminated by dangerous substances

## **SECTION 14: Transport information**

ADR	
14.1 UN number	: 1760
14.2 UN proper shipping name	: CORROSIVE LIQUID, N.O.S.
	(Quaternary ammonium compounds, benzyl-C12-16- alkyldimethyl, chlorides)
14.3 Transport Hazard class(es)	: 8
14.4 Packing Group	: III
Classification Code	: C9
Labels	: 8
Tunnel restriction code	: (E)
14.5 Environmental Hazards	: Yes
IATA	. 4700
14.1 UN number	: 1760
	: Corrosive liquid, n.o.s.
14.1 UN number	
14.1 UN number 14.2 UN proper shipping name	: Corrosive liquid, n.o.s. (Quaternary ammonium compounds, benzyl-C12-16-
14.1 UN number 14.2 UN proper shipping name 14.3 Transport Hazard class(es)	<ul> <li>Corrosive liquid, n.o.s. (Quaternary ammonium compounds, benzyl-C12-16- alkyldimethyl, chlorides)</li> <li>8</li> </ul>
<ul> <li>14.1 UN number</li> <li>14.2 UN proper shipping name</li> <li>14.3 Transport Hazard class(es)</li> <li>14.4 Packing Group</li> </ul>	<ul> <li>Corrosive liquid, n.o.s. (Quaternary ammonium compounds, benzyl-C12-16- alkyldimethyl, chlorides)</li> <li>8</li> <li>III</li> </ul>
<ul> <li>14.1 UN number</li> <li>14.2 UN proper shipping name</li> <li>14.3 Transport Hazard class(es)</li> <li>14.4 Packing Group</li> <li>Labels</li> </ul>	<ul> <li>Corrosive liquid, n.o.s. (Quaternary ammonium compounds, benzyl-C12-16- alkyldimethyl, chlorides)</li> <li>8</li> </ul>
14.1 UN number 14.2 UN proper shipping name 14.3 Transport Hazard class(es) 14.4 Packing Group	<ul> <li>Corrosive liquid, n.o.s. (Quaternary ammonium compounds, benzyl-C12-16- alkyldimethyl, chlorides)</li> <li>8</li> <li>III</li> </ul>



# KilrockPRO Mould & Algae Remover

**KILROCK** It's the one that works.

ate: Mar 2021	Versio	on 1.0
IMDG		
14.1 UN number	: 1760	
14.2 UN proper shipping name	: Corrosive liquid, n.o. (Quaternary ammor chlorides)	s. nium compounds, benzyl-C12-16-alkyldimethyl
14.3 Transport Hazard class(es)	:8	
14.4 Packing Group	: 111	
Labels	: 8	
EmS Number 1	: F-A	
EmS Number 2	: S-B	
14.5 Marine Pollutant	: yes Quaternary ammon chlorides	ium compounds, benzyl-C12-16-alkyldimethyl,
<b>14.6 Special precautions for user</b> No data available		
14.7 Transport in bulk according t Not applicable		and the IBC Code
Not applicable	nation	and the IBC Code
Not applicable	nation ntal regulations/legisla anufacture, placing on langerous substances,	ation specific for the substance or mixture
Not applicable SECTION 15: Regulatory inform 5.1 Safety, health and environmer Prohibition/Restriction REACH - Restrictions on the m the market and use of certain d	nation ntal regulations/legisla anufacture, placing on langerous substances, < XVII) stances of Very High	ation specific for the substance or mixture
Not applicable SECTION 15: Regulatory inform 5.1 Safety, health and environmer Prohibition/Restriction REACH - Restrictions on the m the market and use of certain d preparations and articles (Annex REACH - Candidate List of Subs	nation ntal regulations/legisla anufacture, placing on langerous substances, < XVII) stances of Very High e 59).	ation specific for the substance or mixture : Not applicable : None of the components are listed (=> 0.1 %).
Not applicable <b>SECTION 15: Regulatory inform</b> <b>5.1 Safety, health and environmer</b> <b>Prohibition/Restriction</b> REACH - Restrictions on the m the market and use of certain d preparations and articles (Annex REACH - Candidate List of Subs Concern for Authorisation (Article	nation ntal regulations/legisla anufacture, placing on langerous substances, < XVII) stances of Very High e 59).	ation specific for the substance or mixture : Not applicable : None of the components are listed (=> 0.1 %).



### KilrockPRO Mould & Algae Remover

Date: Mar 2021

Version 1.0

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
E1	ENVIRONMENTAL HAZARDS	100 t	200 t
VOC-CH (VOCV)	no VOC duties		
VOC-EU (solvent)	Not applicable		

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environmental regulation / legislation specific for the substance or mixture:

Environmental Protection Act 1990 & Subsidiary Regulations Health and Safety at Work Act 1974 & Subsidiary Regulations Control of Substances Hazardous to Health Regulations (COSHH)

May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

#### **SECTION 16: Other information**

Full text of H-Statem	ents
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
Full text of other abb	previations
Acute Tox.	Acute toxicity
Aquatic Acute	Acute aquatic toxicity
Aquatic Chronic	Chronic aquatic toxicity
Eye Dam.	Serious eye damage
Skin Corr.	Skin corrosion
ADR	Accord européen relatif au transport international des marchandises
	Dangereuses par Route
CAS	Chemical Abstracts Service
DNEL	Derived no-effect level
EC50	Half maximal effective concentration
GHS	Globally Harmonized System
IATA	International Air Transport Association
IMDG	International Maritime Code for Dangerous Goods
LD50	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	Median lethal concentration (concentrations of the chemical in air that
	kills 50% of the test animals during the observation period)
MARPOL	International Convention for the Prevention of Pollution from Ships,
	1973 as modified by the Protocol of 1978
OEL	Occupational Exposure Limit
PBT	Persistent, bioaccumulative and toxic
PNEC	Predicted no effect concentration



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### KilrockPRO Mould & Algae Remover

Date: Mar 2021		Version 1.0
REACH	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency	
SVHC	Substances of Very Hig	gh Concern
vPvB	Very persistent and very bioaccumulative	
Classification of the	mixture:	Classification procedure:
Skin Corr. 1B	H314	Calculation method
Eye Dam. 1	H318	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 2	H411	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

