

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878. Issue date: 02/08/2024 Version: 1.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture

Product name : HG stain remover extra strong

Product code : 144 ART
Type of product : Detergent
Product group : Trade product

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use

Use of the substance/mixture : Pre-treatment stain removers

1.2.2. Uses advised against

Restrictions on use : All other uses not recommended above

# 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

HG International B.V.
P.J. Oudweg 41
NL- 1314 CJ Almere
The Netherlands
T +31 (0)36 54 94 700
safety@hg.eu - www.hg.eu

### 1.4. Emergency telephone number

Emergency number : +31 (0)36 54 94 777

Only for medical personnel

Mon-Fri 09:00 AM - 05:00 PM (CEST)

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

### Classification according to GB CLP (SI 2019:720 as amended)

Serious eye damage/eye irritation, Category 2 H319

Full text of H- and EUH-statements: see section 16

### Adverse physicochemical, human health and environmental effects

Causes serious eye irritation.

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

# 2.2. Label elements

### Labelling according to GB CLP (SI 2019:720 as amended)

Hazard pictograms (GB CLP)



GHS07

Signal word (GB CLP) : Warning

Hazard statements (GB CLP) : H319 - Causes serious eye irritation.

Precautionary statements (GB CLP) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P264 - Wash hands thoroughly after handling.

P280 - Wear eye protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical attention.

Child-resistant fastening : Not applicable Tactile warning : Not applicable

### 2.3. Other hazards

Component		
Substance(s) not meeting the PBT criteria of UK REACH regulation, in accordance with Annex XIII	Sodium etasulphate (126-92-1), hydrogen peroxide solution % (7722-84-1), acetic acid % (64-19-7)(1)	
Substance(s) not meeting the vPvB criteria of UK REACH regulation, in accordance with Annex XIII	Sodium etasulphate (126-92-1), hydrogen peroxide solution % (7722-84-1), acetic acid % (64-19-7)(1)	
Component		
Substance(s) not included in the list established in accordance with Article 59(1) of UK REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in GB BPR and GB PPP	Sodium etasulphate(126-92-1), hydrogen peroxide solution %(7722-84-1), acetic acid %(64-19-7)(¹)	

# **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

Not applicable

## 3.2. Mixtures

Name	Product identifier	%	Labelling according to GB CLP (SI 2019:720 as amended)
Sodium etasulphate	CAS-No.: 126-92-1 EC-No.: 204-812-8 REACH-no: 01-2119971586- 23	≥1-<2	Skin Irrit. 2, H315 Eye Dam. 1, H318
hydrogen peroxide solution % (Note B)	CAS-No.: 7722-84-1 EC-No.: 231-765-0 UK Index-No.: 008-003-00-9 REACH-no: 01-2119485845- 22	≥1-<2	Ox. Liq. 1, H271 Acute Tox. 4 (Oral), H302 (ATE=693.7 mg/kg bodyweight) Acute Tox. 4 (Inhalation), H332 (ATE=11 mg/l/4h) Skin Corr. 1A, H314

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Name	Product identifier		Labelling according to GB CLP (SI 2019:720 as amended)
acetic acid %	CAS-No.: 64-19-7 EC-No.: 200-580-7 REACH-no: 01-2119475328- 30	≥ 0.001 – < 0.01	Flam. Liq. 3, H226 Skin Corr. 1A, H314

Specific concentration limits:				
Name	Product identifier	Specific concentration limits (%)		
hydrogen peroxide solution %	CAS-No.: 7722-84-1 EC-No.: 231-765-0 UK Index-No.: 008-003-00-9 REACH-no: 01-2119485845- 22	$(5 \le C < 8)$ Eye Irrit. 2; H319 $(8 \le C < 50)$ Eye Dam. 1; H318 $(35 \le C < 50)$ Skin Irrit. 2; H315 $(35 \le C \le 100)$ STOT SE 3; H335 $(50 \le C < 70)$ Ox. Liq. 2; H272 $(50 \le C < 70)$ Skin Corr. 1B; H314 $(70 \le C \le 100)$ Ox. Liq. 1; H271 $(70 \le C \le 100)$ Skin Corr. 1A; H314		

Note B:

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Full text of H- and EUH-statements: see section 16

### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

# 5.2. Special hazards arising from the substance or mixture

Explosion hazard : Intense heat may cause container to burst.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

## 5.3. Advice for firefighters

Precautionary measures fire : Runoff from fire control or dilution water may cause pollution.

02/08/2024 (Issue date) GB - en 3/14

### Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Firefighting instructions

: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained  $\label{eq:contained} % \begin{center} \begin{center}$ 

breathing apparatus. Complete protective clothing.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Do not handle until all safety precautions have been read and understood. Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.

### 6.1.1. For non-emergency personnel

Protective equipment

: Wear recommended personal protective equipment.

**Emergency procedures** 

: Ventilate spillage area. Evacuate unnecessary personnel. Do not touch or walk on the spilled product. Do not breathe mist, vapours. Avoid contact with skin and eyes.

### 6.1.2. For emergency responders

Protective equipment

**Emergency procedures** 

: Do not attempt to take action without suitable protective equipment. For further information  $\ \ \, = \ \, (1-1)^{-1} \, (1-1)^{-1$ 

refer to section 8: "Exposure controls/personal protection".

: Evacuate unnecessary personnel. Stop leak if safe to do so.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment

: Stop leak if safe to do so. Move containers from spill area. Dilute spills with water and mop up. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for cleaning up

: Take up liquid spill into absorbent material.

Other information

: Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of contaminated materials refer to section 13: "Disposal considerations".

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Additional hazards when processed

Precautions for safe handling

: Not expected to present a significant hazard under anticipated conditions of normal use.

: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear

personal protective equipment.

Hygiene measures

Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Keep in a cool, well-ventilated place away from heat.

Storage conditions

: Store in a well-ventilated place. Keep container tightly closed. Store in dry, cool, well-ventilated area. Protect from sunlight.

Storage temperature : > 0 - < 30 °C

Heat and ignition sources

Keep away from heat and direct sunlight.

Information on mixed storage Special rules on packaging : Attention! Do not use together with other products. May release dangerous gases (chlorine).

unright to avoid les

: Keep only in original container. Opened containers must be carefully closed and kept

upright to avoid leakage.

Packaging materials : Store always product in container of same material as original container.

## 7.3. Specific end use(s)

### No additional information available

02/08/2024 (Issue date) GB - en 4/14

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

hydrogen peroxide solution % (7722-84-1)		
United Kingdom - Occupational Exposure Limits		
Local name	Hydrogen peroxide	
WEL TWA (OEL TWA)	1.4 mg/m³	
	1 ppm	
WEL STEL (OEL STEL)	2.8 mg/m³	
	2 ppm	
Regulatory reference EH40/2005 (Fourth edition, 2020). HSE		
acetic acid % (64-19-7)		
United Kingdom - Occupational Exposure Limits		
Local name	Acetic acid	
WEL TWA (OEL TWA)	25 mg/m³	
	10 ppm	
WEL STEL (OEL STEL)	50 mg/m³	
	20 ppm	

# 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

## 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

# 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

### Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

### Personal protective equipment:

Safety glasses. Gloves.

Personal protective equipment symbol(s):









### 8.2.2.1. Eye and face protection

### Eye protection:

Safety glasses

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses with side shields	Normal use conditions		EN 166

### 8.2.2.2. Skin protection

### Skin and body protection:

Wear suitable protective clothing

Skin and body protection		
Туре	Standard	
Long sleeved protective clothing		
Chemical resistant safety shoes	EN ISO 20345	

### Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Butyl rubber	6 (> 480 minutes)	0.5		EN ISO 374
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.35		EN ISO 374

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

No respiratory protection needed under normal use conditions

## 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

### **Environmental exposure controls:**

Avoid release to the environment.

### Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Colourless. Odour : Characteristic. Odour threshold : Not available рΗ : 5.5 – 6 Melting point : Not available : Not available Freezing point : Not available Boiling point Flash point : Not available **Explosive limits** : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Relative vapour density at 20°C : Not available Relative density : 1.0095 : Not available Density : Not available Solubility Partition coefficient n-octanol/water (Log Kow) : Not available : Not available Auto-ignition temperature

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Decomposition temperature : Not available Viscosity, kinematic : Not available Explosive properties : Not available

### 9.2. Other information

Particle characteristics : Not applicable

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Sodium etasulphate (126-92-1)

рΗ

Acute toxicity (oral) : Not classified (Conclusive but not sufficient for classification)
Acute toxicity (dermal) : Not classified (Conclusive but not sufficient for classification)
Acute toxicity (inhalation) : Not classified (Conclusive but not sufficient for classification)

	,			
Sodium etasulphate (126-92-1)				
LD50 oral rat	4000 mg/kg Source: NLM			
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)			
LD50 dermal rabbit	6540 mg/kg Source: NLM			
hydrogen peroxide solution % (7722-84-1)				
LD50 oral rat	693.7 mg/kg Source: ECHA			
acetic acid % (64-19-7)				
LD50 oral rat	3310 mg/kg bodyweight Animal: rat, Remarks on results: other:			
LD50 oral	4960 mg/kg bodyweight Animal: mouse, Remarks on results: other:			
Skin corrosion/irritation :	Not classified (Conclusive but not sufficient for classification) pH: 5.5 – 6			

10.5 - 11.5

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Serious eye damage/irritation : Causes serious eye irritation.

		рн: 5.5 – 6	
Sodium etasulphate (126-92-1)			
рН		10.5 – 11.5	
Respiratory or skin sensitisation	:	Not classified (Conclusive but not sufficient for classification)	
Germ cell mutagenicity	:	Not classified (Conclusive but not sufficient for classification)	
Carcinogenicity	:	Not classified (Conclusive but not sufficient for classification)	
hydrogen peroxide solution % (7722-84-1)			
IARC group		3 - Not classifiable	
Reproductive toxicity	:	Not classified (Conclusive but not sufficient for classification)	

Reproductive toxicity	:	Not classified (Conclusive but not sufficient for classification)
STOT-single exposure	:	Not classified (Conclusive but not sufficient for classification)
STOT-repeated exposure	:	Not classified (Conclusive but not sufficient for classification)

Sodium etasulphate (126-92-1)			
LOAEL (oral, rat, 90 days)  1016 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dos Day Oral Toxicity Study in Rodents)			
NOAEL (oral, rat, 90 days)	488 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)		
acetic acid % (64-19-7)			
NOAEL (oral, rat, 90 days)	z, 90 days) 290 mg/kg bodyweight Animal: rat, Animal sex: male		
Aspiration hazard	: Not classified (Conclusive but not sufficient for classification)		

riopiration nazara .	The diagonica (Contractive but not cumotent for diagonication)	
acetic acid % (64-19-7)		
Viscosity, kinematic	1015.385 mm²/s	

# 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

No additional information available

### 11.2.2. Other information

No additional information available

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse
	effects in the environment.

Hazardous to the aquatic environment, short–term : Not classified (Conclusive but not sufficient for classification) (acute)

Hazardous to the aquatic environment, long-term : Not classified (Conclusive but not sufficient for classification) (chronic)

(GITOTIC)		
Sodium etasulphate (126-92-1)		
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
EC50 - Crustacea [1] 483 mg/l Test organisms (species): Daphnia magna		
EC50 72h - Algae [1]	> 511 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
LOEC (chronic)	6.86 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC (chronic)	1.4 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic fish	≥ 1357 mg/l Test organisms (species): Pimephales promelas Duration: '42 d'	

02/08/2024 (Issue date) GB - en 8/14

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

hydrogen peroxide solution % (7722-84-1)			
C50 - Fish [1] 16.4 mg/l			
EC50 - Other aquatic organisms [1]	7.7 mg/l waterflea		
EC50 72h - Algae [1]	1.38 mg/l Source: ECHA		
acetic acid % (64-19-7)			
LC50 - Fish [1]	> 1000 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)		
LC50 - Fish [2]	> 300.82 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)		
EC50 - Crustacea [1] > 1000 mg/l Test organisms (species): Daphnia magna			
EC50 - Crustacea [2]	> 300.82 mg/l Test organisms (species): Daphnia magna		
EC50 72h - Algae [1]	> 1000 mg/l Test organisms (species): Skeletonema costatum		
EC50 72h - Algae [2]	> 300.82 mg/l Test organisms (species): Skeletonema costatum		

### 12.2. Persistence and degradability

HG stain remover extra strong			
Persistence and degradability  The surfactant(s) contained in this preparation complies(comply) with the bit criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to assertion are held at the disposal of the competent authorities of the Membratile be made available to them, at their direct request or at the request of a manufacturer.			
Sodium etasulphate (126-92-1)			
Persistence and degradability Rapidly degradable			
hydrogen peroxide solution % (7722-84-1)			
Persistence and degradability Rapidly degradable			
acetic acid % (64-19-7)			
Persistence and degradability Rapidly degradable			

# 12.3. Bioaccumulative potential

HG stain remover extra strong		
Bioaccumulative potential	No bioaccumulation expected.	
Sodium etasulphate (126-92-1)		
Partition coefficient n-octanol/water (Log Pow) -0.35		
hydrogen peroxide solution % (7722-84-1)		
Partition coefficient n-octanol/water (Log Pow) -1.6		
acetic acid % (64-19-7)		
Partition coefficient n-octanol/water (Log Pow) -0.2		

# 12.4. Mobility in soil

HG stain remover extra strong	
Ecology - soil	Expected to be highly mobile in soil.

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

### 12.5. Results of PBT and vPvB assessment

Component	
Sodium etasulphate (126-92-1)	This product does not contain substances at ≥0.1% that meet the PBT criteria of UK REACH regulation, annex XIII  This product does not contain substances at ≥0.1% that meet the vPvB criteria of UK REACH regulation, annex XIII
hydrogen peroxide solution % (7722-84-1)	This product does not contain substances at ≥0.1% that meet the PBT criteria of UK REACH regulation, annex XIII This product does not contain substances at ≥0.1% that meet the vPvB criteria of UK REACH regulation, annex XIII
acetic acid % (64-19-7)	This product does not contain substances at ≥0.1% that meet the PBT criteria of UK REACH regulation, annex XIII This product does not contain substances at ≥0.1% that meet the vPvB criteria of UK REACH regulation, annex XIII

### 12.6. Other adverse effects

Adverse effects on the environment caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Regional waste regulation

Waste treatment methods

Additional information

**HP** Code

Ecological waste information

Sewage disposal recommendations

Product/Packaging disposal recommendations

: Dispose of in accordance with relevant local regulations.

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

: Disposal must be done according to official regulations.

: Empty containers retain product residue and can be hazardous. Do not dispose of the packaging without first carrying out the necessary cleaning. Empty containers should be taken for recycling, recovery or waste in accordance with local regulation. Do not pierce or burn, even after use. Disposal must be done according to official regulations.

: Do not re-use empty containers.

: Recycling is preferred to disposal or incineration.

:  $\mbox{HP4}$  - "Irritant – skin irritation and eye damage:" waste which on application can cause skin

irritation or damage to the eye.

# SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID		
14.1. UN number	14.1. UN number					
Not regulated for transport						
14.2. UN proper shipping name						
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
Transport document description						
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.3. Transport hazard class(es)						
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

ADR	IMDG	IATA	ADN	RID	
14.4. Packing group					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
14.5. Environmental hazards					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
No supplementary information available					

### 14.6. Special precautions for user

### **Overland transport**

Not regulated

### Transport by sea

Not regulated

#### Air transport

Not regulated

#### Inland waterway transport

Not regulated

#### Rail transport

Not regulated

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

#### **UK REACH Annex XVII (Restriction List)**

This product contains no substance(s) listed on UK REACH Annex XVII (Restriction List) equal to or above the level of SDS disclosure

### **UK REACH Annex XIV (Authorisation List)**

This product contains no substance(s) listed on UK REACH Annex XIV (Authorisation List) equal to or above the 0.1% level of disclosure

### **UK REACH Candidate List (SVHC)**

Contains no substance(s) listed on the UK REACH Candidate List

## **Detergent Regulation (648/2004)**

## **GB PIC regulation (Prior Informed Conset)**

This product contains no substance(s) listed on the GB PIC List equal to or above the level of SDS disclosure

#### **POP Regulation (Persistent Organic Pollutants)**

This product contains no substance(s) listed on the GB POP List equal to or above the level of SDS disclosure

## Ozone Regulation (S.I. No. 168 of 2015)

This product contains no substance(s) listed on the GB Ozone Depletion List equal to or above the level of SDS disclosure

### **Control of Poisons and Explosives Precursors Act**

This product contains no substance(s) listed as a reportable poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains no substance(s) listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains no substance(s) listed as a reportable explosive precursor on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

This product contains substance(s) listed on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure: Hydrogen peroxide - 7722-84-1 (12 % w/w)

### **Drug Precursors Regulation (273/2004)**

This product contains no substance(s) listed on the GB Drug Precursors List equal to or above the level of SDS disclosure

#### 15.1.2. Other Information

### 15.2. Chemical safety assessment

No additional information available

# **SECTION 16: Other information**

### Indication of changes (UK):

UFI : Unique Formula Identifier.

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Abbreviations and acronyms:		
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disruptor	

Training advice

Other information

- : Normal use of this product shall imply use in accordance with the instructions on the packaging. Ensure personnel is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency.
- : DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H271	May cause fire or explosion; strong oxidiser.	
H272	May intensify fire; oxidiser.	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H412	Harmful to aquatic life with long lasting effects.	
Ox. Liq. 1	Oxidising Liquids, Category 1	
Ox. Liq. 2	Oxidising Liquids, Category 2	
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Full text of H- and EUH-statements:	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.