

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878. Issue date: 12/07/2024 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product form	: Mixture
Product name	: HG carpet cleaner
Product code	: 151 ART
Type of product	: Detergent
Product group	: Trade product
Other means of identification	: HG product 95

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category Use of the substance/mixture : Consumer use: Cleaning products for carpet/upholstery

1.2.2. Uses advised against

Restrictions on use

: All other uses not recommended above

1.3. Details of the supplier of the safety data sheet

Manufacturer HG International B.V. P.J. Oudweg 41 NL– 1314 CJ Almere The Netherlands T +31 (0)36 54 94 700 safety@hg.eu - www.hg.eu

1.4. Emergency telephone number

Emergency number

: +31 (0)36 54 94 777 Only for medical personnel Mon-Fri 09:00 AM - 05:00 PM (CEST)

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to GB CLP (SI 2019:720 as amended)

Serious eye damage/eye irritation, Category 1 Full text of H- and EUH-statements: see section 16 H318

Adverse physicochemical, human health and environmental effects

Causes serious eye damage.

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

2.2. Label elements Labelling according to GB CLP (SI 2019:720 as amended) Hazard pictograms (GB CLP) GHS05 Signal word (GB CLP) : Danger Contains : Sodium etasulphate Hazard statements (GB CLP) : H318 - Causes serious eye damage. Precautionary statements (GB CLP) : P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P280 - Wear eye protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. EUH-statements (GB CLP) : EUH208 - Contains METHYLISOTHIAZOLINONE. May produce an allergic reaction. Child-resistant fastening : Not applicable : Not applicable Tactile warning 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with UK REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of UK REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in GB BPR and GB PPP at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Labelling according to GB CLP (SI 2019:720 as amended)
Sodium etasulphate	CAS-No.: 126-92-1 EC-No.: 204-812-8 REACH-no: 01-2119971586- 23	≥2-<5	Skin Irrit. 2, H315 Eye Dam. 1, H318
Sodium xylenesulphonate	CAS-No.: 1300-72-7 EC-No.: 215-090-9 REACH-no: 01-2119513350- 56	≥1-<2	Skin Irrit. 2, H315
Styrene	CAS-No.: 100-42-5 EC-No.: 202-851-5 REACH-no: 01-2119457861- 32	< 0.1	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 (ATE=11.8 mg/l/4h) Acute Tox. 4 (Inhalation:vapour), H332 (ATE=11.8 mg/l/4h) Skin Irrit. 2, H315 Eye Irrit. 2, H319 Repr. 2, H361d STOT RE 1, H372

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Name	Product identifier	%	Labelling according to GB CLP (SI 2019:720 as amended)
2-methylisothiazol-3(2H)-one	CAS-No.: 2682-20-4 EC-No.: 220-239-6 UK Index-No.: 613-326-00-9 REACH-no: 01-2120764690- 50	≥ 0.001 – < 0.01	Acute Tox. 2 (Inhalation), H330 (ATE=0.05 mg/l/4h) Acute Tox. 3 (Oral), H301 (ATE=100 mg/kg bodyweight) Acute Tox. 3 (Dermal), H311 (ATE=300 mg/kg bodyweight) Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH071

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
2-methylisothiazol-3(2H)-one	CAS-No.: 2682-20-4 EC-No.: 220-239-6 UK Index-No.: 613-326-00-9 REACH-no: 01-2120764690- 50	(0.0015 ≤ C ≤ 100) Skin Sens. 1A, H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and e	ffects, both acute and delayed
Symptoms/effects after eye contact	: Serious damage to eyes.
4.2 Indiaction of any immediate mod	ical attention and encoded treatment needed

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.Do not use a heavy water stream.
5.2. Special hazards arising from the subst	tance or mixture
Explosion hazard Hazardous decomposition products in case of fire	Intense heat may cause container to burst.Carbon dioxide. Carbon monoxide. Sulphur oxides. Metallic oxides.
5.3. Advice for firefighters	
Precautionary measures fire	: Runoff from fire control or dilution water may cause pollution.

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. Control run-off water by containing
Protection during firefighting	and keeping it out of sewers and watercourses.Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measu	ires	
6.1. Personal precautions, protective equipment and emergency procedures		
General measures	: Do not handle until all safety precautions have been read and understood. Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.	
6.1.1. For non-emergency personnel		
Protective equipment	: Wear recommended personal protective equipment.	
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Do not touch or walk on the spilled product. Do not breathe mist, vapours. Avoid contact with skin and eyes.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for containment and cleaning up		

For containment	 Stop leak if safe to do so. Move containers from spill area. Dilute spills with water and mop up. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4 Reference to other sections	

For further information refer to section 8: "Exposure controls/personal protection". For disposal of contaminated materials refer to section 13 : "Disposal considerations".

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed Precautions for safe handling	 Not expected to present a significant hazard under anticipated conditions of normal use. Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
Handling temperature	: > 0 - < 30
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includin	g any incompatibilities
Technical measures	: Keep in a cool, well-ventilated place away from heat.
Storage conditions	: Store in dry, cool, well-ventilated area. Protect from sunlight.
Storage temperature	: > 0 - < 30 °C
Heat and ignition sources	: Keep away from heat and direct sunlight.
Storage area	: keep in frostfree area.
Special rules on packaging	 Keep only in original container. Opened containers must be carefully closed and kept upright to avoid leakage.
Packaging materials	: Store always product in container of same material as original container.

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Styrene (100-42-5)	
United Kingdom - Occupational Exposure Limits	
Local name	Styrene
WEL TWA (OEL TWA)	430 mg/m ³
	100 ppm
WEL STEL (OEL STEL)	1080 mg/m ³
	250 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment - Report preview:

Safety glasses. Gloves. Protective clothing.





8.2.2.1. Eye and face protection

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses	Normal use conditions	With side shields	EN 166

8.2.2.2. Skin protection

Skin and body protection - Report preview:

In case of possible repeated skin contact wear protective clothing

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Skin and body protection	
Туре	Standard
Long sleeved protective clothing	
Chemical resistant safety shoes	EN ISO 20345

Hand protection - Report preview:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.35		EN ISO 374
Disposable gloves	Butyl rubber	6 (> 480 minutes)	0.5		EN ISO 374

8.2.2.3. Respiratory protection

No additional information available

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and che	9.1. Information on basic physical and chemical properties		
Physical state	: Liquid		
Colour	: Colourless.		
Odour	: Characteristic.		
Odour threshold	: Not available		
Melting point	: 0 °C		
Freezing point	: Not available		
Boiling point	: 100 °C		
Flammability	: Non flammable.		
Explosive limits	: Not available		
Flash point	: Not available		
Auto-ignition temperature	: Not available		
Decomposition temperature	: Not available		
рН	: 9.2		
Viscosity, kinematic	: Not available		
Solubility	: In water, material soluble.		
Partition coefficient n-octanol/water (Log Kow)	: Not available		
Vapour pressure	: Not available		
Vapour pressure at 50°C	: Not available		
Density	: Not available		
Relative density	: 1.03		
Relative vapour density at 20°C	: Not available		
Particle characteristics	: Not applicable		
Styrene (100-42-5)			
Boiling point	145 °C Atm. press.: 1013 hPa		
Flash point	31 °C Atm. press.: 1013 hPa		

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Styrene (100-42-5)	
Auto-ignition temperature	32 °C
Vapour pressure	667 Pa 25°C

Sodium etasulphate (126-92-1)	
Boiling point	≈ 191 °C Atm. press.: 1012 mBar Decomposition: 'yes' Decomp. temp.: 191 °C
Auto-ignition temperature	400 °C Source: ECHA
Vapour pressure	≤ 1.2 Pa Temp.: 20 °C Remarks on result: 'other:'

Sodium xylenesulphonate (1300-72-7)	
Boiling point	> 250 °C
Vapour pressure	18 mm Hg

2-methylisothiazol-3(2H)-one (2682-20-4)	
Boiling point	> 130 °C Atm. press.: 16 hPa Decomposition: 'yes' Decomp. temp.: 130 °C
Flash point	64.3 °C

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information	n
11.1. Information on toxicological effects	
Acute toxicity (oral) Acute toxicity (dermal)	Not classified (Conclusive but not sufficient for classification)Not classified (Conclusive but not sufficient for classification)

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Styrene (100-42-5) LD50 oral rat 5000 m LD50 oral > 6000 LD50 dermal rat > 2000 Toxicity > 2000 LC50 Inhalation - Rat (Vapours) 11.8 mg ATE GB CLP (oral) 5000 m ATE GB CLP (gases) 4500 pg ATE GB CLP (qases) 4500 pg ATE GB CLP (dust, mist) 1.5 mgg Sodium etasulphate (126-92-1) 1.5 mgg LD50 oral rat 4000 m LD50 dermal rat 2000 m Sodium etasulphate (126-92-1) 1.5 mgg LD50 dermal rat 5000 m LD50 dermal rat 4000 m ATE GB CLP (oral) 4000 m ATE GB CLP (dermal) 6540 m Sodium xylenesulphonate (1300-72-7) 1.000 m LD50 oral rat > 5000 LD50 oral rat > 7000	// Source: ECHA g/kg bodyweight mv/4h //4h /4h g/kg Source: NLM mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal
LD50 oral rat 5000 m LD50 oral > 6000 LD50 dermal rat > 2000 Toxicity LC50 Inhalation - Rat (Vapours) 11.8 mg ATE GB CLP (oral) 5000 m ATE GB CLP (gases) 4500 p ATE GB CLP (gases) 4500 p ATE GB CLP (vapours) 11.8 mg ATE GB CLP (dust, mist) 1.5 mg/ Sodium etasulphate (126-92-1) 1.5 mg/ LD50 oral rat 4000 m LD50 dermal rat > 2000 Toxicity 1.5 mg/ Sodium etasulphate (126-92-1) 1.5 mg/ LD50 dermal rat > 2000 Toxicity 1.5 mg/ LD50 dermal rat > 2000 Toxicity 1.5 mg/ LD50 dermal rat > 2000 Toxicity 6540 m ATE GB CLP (oral) 4000 m ATE GB CLP (dermal) 6540 m ATE GB CLP (dermal) 5000 LD50 oral rat > 5000 LD50 oral rat > 2000 LD50 oral rat > 2000 LD50 oral rat > 2000 LD50 oral ra	ng/kg bodyweight Animal: hamster, Syrian, Animal sex: male ng/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal // Source: ECHA g/kg bodyweight mv/4h //4h //4h g/kg Source: NLM ng/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal g/kg Source: NLM
LD50 oral > 6000 LD50 dermal rat > 2000 Toxicity LC50 Inhalation - Rat (Vapours) 11.8 mg ATE GB CLP (oral) 5000 m ATE GB CLP (oral) 5000 m ATE GB CLP (gases) 4500 p ATE GB CLP (vapours) 11.8 mg ATE GB CLP (dust, mist) 1.5 mg/ Sodium etasulphate (126-92-1) 15 mg/ LD50 oral rat 4000 m LD50 dermal rat > 2000 Toxicity 15 mg/ LD50 dermal rat > 2000 Toxicity 5500 m ATE GB CLP (oral) 4000 m ATE GB CLP (oral) 4000 m ATE GB CLP (oral) 4000 m ATE GB CLP (oral) 6540 m ATE GB CLP (dermal) 6540 m Sodium xylenesulphonate (1300-72-7) 1000 LD50 oral rat > 5000 LD50 oral rat > 2000 2-methylisothiazol-3(2H)-one (2682-20-4) 2000 LD50 dermal rabbit 66 – 100 LD50 dermal rabbit 242 mg	ng/kg bodyweight Animal: hamster, Syrian, Animal sex: male ng/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal // Source: ECHA g/kg bodyweight mv/4h //4h //4h g/kg Source: NLM ng/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal g/kg Source: NLM
LD50 dermal rat> 2000 ToxicityLC50 Inhalation - Rat (Vapours)11.8 mgATE GB CLP (oral)5000 mATE GB CLP (gases)4500 pgATE GB CLP (vapours)11.8 mgATE GB CLP (dust, mist)1.5 mgSodium etasulphate (126-92-1)1.5 mgLD50 oral rat4000 mLD50 dermal rat52000 mATE GB CLP (oral)6540 mATE GB CLP (oral)4000 mLD50 dermal rabbit6540 mATE GB CLP (oral)6540 mATE GB CLP (dermal)55000 mD50 oral rat> 2000 mLD50 oral rat> 2000 m <td>ng/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal // Source: ECHA g/kg bodyweight mv/4h //4h g/kg Source: NLM ng/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal g/kg Source: NLM</br></td>	ng/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal // Source: ECHA g/kg bodyweight
Image: Constraint of the second sec	// Source: ECHA g/kg bodyweight mv/4h ///4h g/kg Source: NLM mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal g/kg Source: NLM
ATE GB CLP (oral) 5000 m ATE GB CLP (gases) 4500 p ATE GB CLP (vapours) 11.8 mg ATE GB CLP (dust, mist) 1.5 mg/ Sodium etasulphate (126-92-1) 1000 m LD50 oral rat 4000 m LD50 dermal rat 2000 Toxicity 5540 m ATE GB CLP (oral) 6540 m ATE GB CLP (oral) 4000 m ATE GB CLP (oral) 6540 m ATE GB CLP (oral) 6540 m ATE GB CLP (oral) 5000 D50 oral rat > 5000 LD50 oral rat > 2000 Sodium xylenesulphonate (1300-72-7) 100 LD50 oral rat > 2000 LD50 oral rat 242 mg	g/kg bodyweight mv/4h //4h //4h g/kg Source: NLM mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal
ATE GB CLP (gases) 4500 pg ATE GB CLP (vapours) 11.8 mg ATE GB CLP (dust, mist) 1.5 mg/ Sodium etasulphate (126-92-1) 4000 m LD50 oral rat 4000 m LD50 dermal rat 2000 Toxicity 5000 m LD50 dermal rabbit 6540 m ATE GB CLP (oral) 4000 m ATE GB CLP (dermal) 6540 m Sodium xylenesulphonate (1300-72-7) 5000 LD50 oral rat > 5000 LD50 oral rat > 2000 Sodium xylenesulphonate (1300-72-7) 5000 LD50 oral rat > 2000 LD50 dermal rabbit 242 mg	mv/4h //4h //4h g/kg Source: NLM mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal g/kg Source: NLM
ATE GB CLP (vapours) 11.8 mg ATE GB CLP (dust, mist) 1.5 mg/ Sodium etasulphate (126-92-1) 1.5 mg/ LD50 oral rat 4000 m LD50 dermal rat 2000 Toxicity 2000 LD50 dermal rat 6540 m ATE GB CLP (oral) 4000 m ATE GB CLP (oral) 4000 m ATE GB CLP (dermal) 6540 m Sodium xylenesulphonate (1300-72-7) 5000 LD50 oral rat > 5000 LD50 oral rat > 2000	///4h /4h g/kg Source: NLM mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal
ATE GB CLP (dust, mist) 1.5 mg/ Sodium etasulphate (126-92-1) 1.5 mg/ LD50 oral rat 4000 m LD50 dermal rat > 2000 Toxicity > 2000 LD50 dermal rat > 2000 Toxicity LD50 dermal rabbit 6540 m ATE GB CLP (oral) 4000 m ATE GB CLP (dermal) 6540 m Sodium xylenesulphonate (1300-72-7) LD50 oral rat > 5000 LD50 oral rat > 2000	/4h g/kg Source: NLM ng/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal g/kg Source: NLM
Sodium etasulphate (126-92-1) LD50 oral rat 4000 m LD50 dermal rat > 2000 Toxicity > 2000 LD50 dermal rat > 2000 ATE GB CLP (oral) 4000 m ATE GB CLP (dermal) 6540 m Sodium xylenesulphonate (1300-72-7) 6540 m LD50 oral rat > 5000 LD50 oral rat > 2000	g/kg Source: NLM ng/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal g/kg Source: NLM
LD50 oral rat 4000 m LD50 dermal rat > 2000 Toxicity 5000 m LD50 dermal rabbit 6540 m ATE GB CLP (oral) 4000 m ATE GB CLP (dermal) 6540 m Sodium xylenesulphonate (1300-72-7) 6540 m LD50 oral rat > 5000 LD50 oral rat > 2000 LD50 dermal > 2000 2-methylisothiazol-3(2H)-one (2682-20-4) 242 mg LD50 dermal rabbit 242 mg	ng/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal g/kg Source: NLM
LD50 dermal rat > 2000 LD50 dermal rabbit 6540 m ATE GB CLP (oral) 4000 m ATE GB CLP (dermal) 6540 m Sodium xylenesulphonate (1300-72-7) 6540 m LD50 oral rat > 5000 LD50 oral rat > 2000 LD50 oral rat > 2000 2-methylisothiazol-3(2H)-one (2682-20-4) 242 mg LD50 dermal rabbit 242 mg	ng/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal g/kg Source: NLM
Toxicity LD50 dermal rabbit 6540 m ATE GB CLP (oral) 4000 m ATE GB CLP (dermal) 6540 m Sodium xylenesulphonate (1300-72-7) 6540 m LD50 oral rat > 5000 LD50 oral rat > 5000 LD50 oral at > 2000 2-methylisothiazol-3(2H)-one (2682-20-4) 66 - 10 LD50 oral rat 66 - 10 LD50 dermal rabbit 242 mg	g/kg Source: NLM
ATE GB CLP (oral) 4000 m ATE GB CLP (dermal) 6540 m Sodium xylenesulphonate (1300-72-7) 5000 LD50 oral rat > 5000 LD50 oral rat > 7000 LD50 dermal > 2000 2-methylisothiazol-3(2H)-one (2682-20-4) 66 - 10 LD50 dermal rabbit 242 mg	
ATE GB CLP (dermal) 6540 m Sodium xylenesulphonate (1300-72-7) 5000 LD50 oral rat > 5000 LD50 oral > 7000 LD50 dermal > 2000 2-methylisothiazol-3(2H)-one (2682-20-4) 66 - 10 LD50 dermal rabbit 242 mg	y/kg bodyweight
Sodium xylenesulphonate (1300-72-7) LD50 oral rat > 5000 LD50 oral > 7000 LD50 dermal > 2000 2-methylisothiazol-3(2H)-one (2682-20-4) LD50 oral rat 66 - 10 LD50 dermal rabbit 242 mg	
LD50 oral rat > 5000 LD50 oral > 7000 LD50 dermal > 2000 2-methylisothiazol-3(2H)-one (2682-20-4) > LD50 oral rat 66 – 10 LD50 dermal rabbit 242 mg	g/kg bodyweight
LD50 oral > 7000 LD50 dermal > 2000 2-methylisothiazol-3(2H)-one (2682-20-4) 2 LD50 oral rat 66 - 10 LD50 dermal rabbit 242 mg	
LD50 dermal > 2000 2-methylisothiazol-3(2H)-one (2682-20-4) LD50 oral rat 66 - 10 LD50 dermal rabbit 242 mg	ng/kg Source: SIDS
2-methylisothiazol-3(2H)-one (2682-20-4) LD50 oral rat 66 – 10 LD50 dermal rabbit 242 mg	ng/kg bodyweight
LD50 oral rat 66 – 10 LD50 dermal rabbit 242 mg	ng/kg bodyweight
LD50 dermal rabbit 242 mg	
	5 mg/kg
LC50 Inhalation - Rat (Dust/Mist) 0.33 mg	kg
	Л
ATE GB CLP (oral) 100 mg	kg bodyweight
ATE GB CLP (dermal) 300 mg	kg bodyweight
ATE GB CLP (gases) 100 pp	ıv/4h
ATE GB CLP (vapours) 0.5 mg/	/4h
ATE GB CLP (dust, mist) 0.05 mg	/l/4h
Skin corrosion/irritation : Not clas pH: 9.2	ified (Conclusive but not sufficient for classification)
Sodium etasulphate (126-92-1)	
рН 10.5 – 1	1.5
2-methylisothiazol-3(2H)-one (2682-20-4)	
Serious eye damage/irritation : Causes pH: 9.2	np.: 25 °C Concentration: 50 g/L
Sodium etasulphate (126-92-1)	np.: 25 °C Concentration: 50 g/L serious eye damage.
рН 10.5 – 1	

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

рН	2.58 Temp.: 25 °C Concentration: 50 g/L
Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	 Not classified (Conclusive but not sufficient for classification) Not classified (Conclusive but not sufficient for classification) Not classified (Conclusive but not sufficient for classification)
Styrene (100-42-5)	
IARC group	2B - Possibly carcinogenic to humans
Reproductive toxicity STOT-single exposure STOT-repeated exposure	 Not classified (Conclusive but not sufficient for classification) Not classified (Conclusive but not sufficient for classification) Not classified (Conclusive but not sufficient for classification)
Styrene (100-42-5)	
LOAEL (oral, rat, 90 days)	2000 mg/kg bodyweight Animal: rat
LOAEC (inhalation, rat, vapour, 90 days)	0.21 mg/l air Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat
NOAEL (subchronic, oral, animal/male, 90 days)	10 mg/kg bodyweight Animal: mouse, Animal sex: male
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Sodium etasulphate (126-92-1)	
LOAEL (oral, rat, 90 days)	1016 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)
NOAEL (oral, rat, 90 days)	488 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)
2-methylisothiazol-3(2H)-one (2682-20-4)	
LOAEL (oral, rat, 90 days)	71.2 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- Day Oral Toxicity Study in Rodents), Guideline: other:
Aspiration hazard	: Not classified (Conclusive but not sufficient for classification)
Styrene (100-42-5)	
Viscosity, kinematic	0.77 mm ² /s Temp.: 'other:' Parameter: 'kinematic viscosity (in mm ² /s)'
11.2. Information on other hazards	
11.2.1. Endocrine disrupting properties	
Adverse health effects caused by endocrine disrupting properties	: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out it

11.2.2. Other information

No additional information available

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified (Conclusive but not sufficient for classification)
Hazardous to the aquatic environment, long-term (chronic)	: Not classified (Conclusive but not sufficient for classification)

Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at a concentration equal to or greater than 0,1 %

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Styrene (100-42-5)	
LC50 - Fish [1]	10 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	4.7 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	4.9 mg/l Test organisms (species): Raphidocelis subcapitata (previous names:
	Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [1]	6.3 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
LOEC (chronic)	2.06 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	1.01 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
Sodium etasulphate (126-92-1)	
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	483 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	 > 511 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
LOEC (chronic)	6.86 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	1.4 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	≥ 1357 mg/l Test organisms (species): Pimephales promelas Duration: '42 d'
Sodium xylenesulphonate (1300-72-7)	
LC50 - Fish [1]	656000 mg/l Source: ECOSAR
EC50 - Other aquatic organisms [1]	> 1020 mg/l waterflea
EC50 96h - Algae [1]	270000 mg/l Source: ECOSAR
2-methylisothiazol-3(2H)-one (2682-20-4	4)
LC50 - Fish [1]	4.77 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	1.6 mg/l Test organisms (species): Daphnia magna

12.2. Persistence and degradability

HG carpet cleaner		
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.	
Styrene (100-42-5)		
ersistence and degradability Rapidly degradable		
Sodium etasulphate (126-92-1)		
Persistence and degradability Rapidly degradable		
Sodium xylenesulphonate (1300-72-7)		
Persistence and degradability Rapidly degradable		
2-methylisothiazol-3(2H)-one (2682-20-4)		
Persistence and degradability Rapidly degradable		

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

12.3. Bioaccumulative potential		
HG carpet cleaner		
Bioaccumulative potential No bioaccumulation expected.		
Styrene (100-42-5)		
Partition coefficient n-octanol/water (Log Pow)	3.02	
Sodium etasulphate (126-92-1)		
Partition coefficient n-octanol/water (Log Pow)	-0.35	
Sodium xylenesulphonate (1300-72-7)		
Partition coefficient n-octanol/water (Log Pow) -3.12		
2-methylisothiazol-3(2H)-one (2682-20-4)		
Partition coefficient n-octanol/water (Log Pow) -0.49		
12.4. Mobility in soil		
HG carpet cleaner		
Ecology - soil	Expected to be highly mobile in soil.	
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Other adverse effects		
Adverse effects on the environment caused by endocrine disrupting properties	The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.	

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Regional waste regulation Waste treatment methods	 Dispose of in accordance with relevant local regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations Product/Packaging disposal recommendations	 Disposal must be done according to official regulations. Do not flush down sewers. Empty containers retain product residue and can be hazardous. Do not dispose of the packaging without first carrying out the necessary cleaning. Empty containers should be taken for recycling, recovery or waste in accordance with local regulation. Disposal must be done according to official regulations.
Additional information Ecological information	Do not re-use empty containers.Recycling is preferred to disposal or incineration.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number				1
Not regulated for transport				
14.2. UN proper shippin	g name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
Transport document descr	iption			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard o	lass(es)			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental haz	ards			•
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary informatio	n available	1		

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea Not regulated

Air transport Not regulated

Inland waterway transport Not regulated

Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Detergent Regulation (648/2004)

Labelling of contents	
Component	%
anionic surfactants	≥5-<15%
METHYLISOTHIAZOLINONE	
BENZISOTHIAZOLINONE	

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. United Kingdom

UK REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

UK REACH Candidate List (SVHC)

Contains no substance(s) listed on the UK REACH Candidate List

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Abbreviations and acronyms:	
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

maining advice

Other information

Normal use of this product shall imply use in accordance with the instructions on the packaging. Ensure personnel is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency.
 DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:	
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
EUH208	Contains 2-methylisothiazol-3(2H)-one (2682-20-4) (00180). May produce an allergic reaction.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H301	Toxic if swallowed.

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Full text of H- and EUH-statements:	
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1A	Skin sensitisation, category 1A

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.