



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

**EVO-STIK WHITE FOR LIFE ADHESIVE/GROUT**  
Supersedes Date: 04-Aug-2021

Revision date 08-Sep-2021  
Revision Number 2

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product Name** EVO-STIK WHITE FOR LIFE ADHESIVE/GROUT  
**Pure substance/mixture** Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** Adhesive.  
**Uses advised against** None known

### 1.3. Details of the supplier of the safety data sheet

#### Company Name

Bostik Limited  
Common Rd  
ST16 3EH  
Stafford UK  
Tel: +44 (1785) 27 26 25  
Fax: +44 (1785) 25 72 36

**E-mail address** SDS.box-EU@bostik.com

### 1.4. Emergency telephone number

**United Kingdom** +44 (1785) 272650  
**Ireland** +353 (1) 8624900 (Monday- Friday 9am-5pm)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

<b>Skin sensitisation</b>	Category 1A - (H317)
<b>Chronic aquatic toxicity</b>	Category 3 - (H412)

### 2.2. Label elements

Contains 2-octyl-2H-isothiazol-3-one [OIT], 2-methyl-2H-isothiazol-3-one [MIT]



#### Signal word

Warning

#### Hazard statements

H317 - May cause an allergic skin reaction.  
H412 - Harmful to aquatic life with long lasting effects.

#### Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand  
P102 - Keep out of reach of children  
P261 - Avoid breathing vapours

# SAFETY DATA SHEET

EVO-STIK WHITE FOR LIFE ADHESIVE/GROUT  
 Supersedes Date: 04-Aug-2021

Revision date 08-Sep-2021  
 Revision Number 2

P273 - Avoid release to the environment  
 P280 - Wear protective gloves and eye/face protection  
 P302 + P352 - IF ON SKIN: Wash with plenty of water and soap  
 P501 - Dispose of contents/ container to an approved waste disposal plant

## 2.3. Other hazards

May be harmful in contact with skin. Toxic to aquatic life. Harmful to aquatic life.

## PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable

### 3.2 Mixtures

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Quartz	238-878-4	14808-60-7	0.1 - <1	^		[4]
3-Iodo-2-propynyl butylcarbamate [IPBC]	259-627-5	55406-53-6	0.01 - <0.05	STOT RE 1 (H372) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Acute Tox. 4 (H302) Acute Tox. 3 (H331) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (M Factor Acute = 10) (M Factor Chronic = 1)		-
2-octyl-2H-isothiazol-3-one [OIT]	247-761-7	26530-20-1	0.01 - <0.05	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Skin Corr. 1B (H314) Eye Dam 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) M Factor Acute	Skin Sens. 1A :: C>=0.0015%	-

# SAFETY DATA SHEET

EVO-STIK WHITE FOR LIFE ADHESIVE/GROUT  
 Supersedes Date: 04-Aug-2021

Revision date 08-Sep-2021  
 Revision Number 2

				=100 M Factor Chronic = 100		
Zinc pyrithione	236-671-3	13463-41-7	0.0015 - <0.01	STOT RE 1 (H372) Eye Dam. 1 (H318) Repr. 1B (H360D) Acute Tox. 2 (H330) Acute Tox. 3 (H301) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (M Factor Acute = 1000) (M Factor Chronic = 10)		01-2119511196- 46-XXXX
2-methyl-2H-isothiazol-3-one [MIT]	220-239-6	2682-20-4	0.0015 - <0.01	Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) M Factor Acute =10 M Factor Chronic = 1	Skin Sens. 1 :: C>=0.0015%	01-2120764690- 50-xxxx

NOTE [4] - This substance is exempted from registration according to the provisions of Article 2(7)(a) and Annex IV of REACH

## Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>General advice</b>	Show this safety data sheet to the doctor in attendance.
<b>Inhalation</b>	Remove to fresh air. IF exposed or concerned: Get medical advice/attention.
<b>Eye contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.

# SAFETY DATA SHEET

EVO-STIK WHITE FOR LIFE ADHESIVE/GROUT  
Supercedes Date: 04-Aug-2021

Revision date 08-Sep-2021  
Revision Number 2

<b>Skin contact</b>	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a doctor.
<b>Ingestion</b>	Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person.

## **4.2. Most important symptoms and effects, both acute and delayed**

**Symptoms** Itching. Rashes. Hives.

## **4.3. Indication of any immediate medical attention and special treatment needed**

**Note to doctors** May cause sensitisation in susceptible persons. Treat symptomatically.

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

**Suitable Extinguishing Media** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media** No information available.

### **5.2. Special hazards arising from the substance or mixture**

**Specific hazards arising from the chemical** Product is or contains a sensitiser. May cause sensitisation by skin contact.

**Hazardous combustion products** Carbon dioxide (CO<sub>2</sub>).

### **5.3. Advice for firefighters**

**Special protective equipment and precautions for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

**For emergency responders** Use personal protection recommended in Section 8.

### **6.2. Environmental precautions**

**Environmental precautions** See Section 12 for additional Ecological Information.

### **6.3. Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Take up mechanically, placing in appropriate containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

### **6.4. Reference to other sections**

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## **SECTION 7: Handling and storage**

# SAFETY DATA SHEET

EVO-STIK WHITE FOR LIFE ADHESIVE/GROUT  
Supersedes Date: 04-Aug-2021

Revision date 08-Sep-2021  
Revision Number 2

## 7.1. Precautions for safe handling

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice.

## 7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.

## 7.3. Specific end use(s)

**Specific use(s)**  
Adhesive.

**Risk Management Methods (RMM)** The information required is contained in this Safety Data Sheet.

**Other information** Observe technical data sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure Limits

Chemical name	European Union	United Kingdom
Quartz 14808-60-7	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>

**Derived No Effect Level (DNEL)** No information available

Derived No Effect Level (DNEL)			
Quartz (14808-60-7)			
3-Iodo-2-propynyl butylcarbamate [IPBC] (55406-53-6)			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	0.023 mg/m <sup>3</sup>	
worker Short term Systemic health effects	Inhalation	1.16 mg/m <sup>3</sup>	
worker Long term Systemic health effects	Dermal	2 mg/kg bw/d	

**Predicted No Effect Concentration (PNEC)** No information available.

Predicted No Effect Concentration (PNEC)	
3-Iodo-2-propynyl butylcarbamate [IPBC] (55406-53-6)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.001 mg/l
Sewage treatment plant	0.44 mg/l
Freshwater sediment	0.017 mg/kg dry weight

# SAFETY DATA SHEET

EVO-STIK WHITE FOR LIFE ADHESIVE/GROUT  
Supersedes Date: 04-Aug-2021

Revision date 08-Sep-2021  
Revision Number 2

Marine sediment	0.002 mg/kg dry weight
Soil	0.005 mg/kg dry weight

## 8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

### Personal protective equipment

**Eye/face protection** Tight sealing safety goggles.

**Hand protection** Wear protective gloves. Gloves must conform to standard EN 374. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves depends on the material and the thickness as well as the temperature. Gloves should be replaced regularly and if there is any sign of damage to the glove material.

**Skin and body protection** Suitable protective clothing.

**Environmental exposure controls** No information available.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**Physical state** Liquid  
**Appearance** Paste  
**Colour** No information available  
**Odour** Characteristic  
**Odour threshold** No information available

Property	Values	Remarks • Method
<b>pH</b>	No data available	
<b>pH (as aqueous solution)</b>	No data available	
<b>Melting point / freezing point</b>	No data available	
<b>Initial boiling point and boiling range</b>	No data available	
<b>Flash point</b>	No data available	
<b>Evaporation rate</b>	No data available	
<b>Flammability</b>	Not applicable for liquids .	
<b>Flammability Limit in Air</b>		
<b>Upper flammability or explosive limits</b>	No data available	
<b>Lower flammability or explosive limits</b>	No data available	
<b>Vapour pressure</b>	No data available	
<b>Relative vapour density</b>	No data available	
<b>Relative density</b>	No data available	
<b>Water solubility</b>	No data available	
<b>Solubility(ies)</b>	No data available	
<b>Partition coefficient</b>	No data available	
<b>Autoignition temperature</b>	No data available	
<b>Decomposition temperature</b>	No data available	
<b>Kinematic viscosity</b>	No data available	
<b>Dynamic viscosity</b>	No data available	
<b>Explosive properties</b>	No data available	
<b>Oxidising properties</b>	No data available	

### 9.2. Other information

**Solid content (%)** No information available  
**VOC Content (%)**  
**Density** No data available

# SAFETY DATA SHEET

EVO-STIK WHITE FOR LIFE ADHESIVE/GROUT  
Supersedes Date: 04-Aug-2021

Revision date 08-Sep-2021  
Revision Number 2

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity No information available.

### 10.2. Chemical stability

Stability Stable under normal conditions.

### Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

### 10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

### 10.5. Incompatible materials

Incompatible materials None known based on information supplied.

### 10.6. Hazardous decomposition products

Hazardous decomposition products None under normal use conditions. Stable under recommended storage conditions.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Information on likely routes of exposure

#### Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact May cause sensitisation by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). May be harmful in contact with skin.

Ingestion Based on available data, the classification criteria are not met.

#### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives.

#### Numerical measures of toxicity

#### Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (dermal) 2,674.50 mg/kg

# SAFETY DATA SHEET

EVO-STIK WHITE FOR LIFE ADHESIVE/GROUT  
Supersedes Date: 04-Aug-2021

Revision date 08-Sep-2021  
Revision Number 2

## Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz 14808-60-7	>2000 mg/kg (Rattus)		
3-Iodo-2-propynyl butylcarbamate [IPBC] 55406-53-6	LD50 =1056 mg/Kg (Rattus) (OECD 401)	LD50 >2000 mg/Kg (Rattus)	=0.67 mg/L (Rattus) 4 h
2-octyl-2H-isothiazol-3-one [OIT] 26530-20-1	=125 mg/kg (Rattus)	= 690 mg/kg (Oryctolagus cuniculus)	
Zinc pyrithione 13463-41-7	=177 mg/kg (Rattus)	>2000 mg/kg (Oryctolagus cuniculus) (EPA OPP 81-2)	4h = 1.03 mg/L (Rattus) 4 h
2-methyl-2H-isothiazol-3-one [MIT] 2682-20-4	LD50 =285 mg/Kg (Rattus)	LD50 >242 mg/Kg (Rattus)	=0.11 mg/L (Rattus) 4 h

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Serious eye damage/eye irritation** Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation** May cause sensitisation by skin contact.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Chemical name	European Union
Zinc pyrithione 13463-41-7	Repr. 1B

**STOT - single exposure** Based on available data, the classification criteria are not met.

**STOT - repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.



# SAFETY DATA SHEET

EVO-STIK WHITE FOR LIFE ADHESIVE/GROUT  
 Supersedes Date: 04-Aug-2021

Revision date 08-Sep-2021  
 Revision Number 2

## 11.2.2. Other information

Other adverse effects No information available.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecotoxicity Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
3-Iodo-2-propynyl butylcarbamate [IPBC] 55406-53-6	EC50 (72 hrs) 0.022 mg/l Scenedesmus subspicatus	LC50 96 h 0.049 - 0.079 mg/L (Oncorhynchus mykiss flow-through)	-	Acute EC50 (48hrs) 0.16 mg/l - Daphnia magna	10	1
2-octyl-2H-isothiazol-3-one [OIT] 26530-20-1	EC50(72h) = 0.084 mg/L (Scenedesmus subspicatus) (OECD 201)	LC50 (96h) = 0.036 mg/L (Oncorhynchus mykiss) (OECD 203)	-	EC50 (48h) =0.42 mg/L (OECD 202)	100	100
Zinc pyrithione 13463-41-7	EC50 (72hr) 0.0013 mg/l (Skeletonema costatum) (ISO 10253) 0.051 mg/l (Pseudokirchneriella subcapitata) (OECD 201)	EC50(96hr) 0.0104 mg/l (Brachydanio rerio) (OECD 203)	-	EC50 (48h) =0.038 mg/L Crustaceans (Ilyocypris dentifera)	1000	10
2-methyl-2H-isothiazol-3-one [MIT] 2682-20-4	EC50 (72hr) 0.157 mg/l (Pseudokirchneriella subcapitata) (OECD 201)	EC50 (96hr) 5.71 mg/l (Oncorhynchus mykiss) OECD 203	-	EC50 (48hr) 1.68 mg/l (Daphnia) (OECD 202)	10	1

### 12.2. Persistence and degradability

Persistence and degradability No information available.

#### Component Information

##### 3-Iodo-2-propynyl butylcarbamate [IPBC] (55406-53-6)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready Biodegradability: Manometric Respirometry Test (TG 301 F)	28 days		Not readily biodegradable

##### 2-octyl-2H-isothiazol-3-one [OIT] (26530-20-1)

Method	Exposure time	Value	Results
OECD Test No. 309: Aerobic Mineralization in Surface Water - Simulation Biodegradation Test		Half-life 0.6-1.4 d	Readily biodegradable

##### Zinc pyrithione (13463-41-7)

Method	Exposure time	Value	Results
OECD Test No. 309: Aerobic		biodegradation Half-life	Readily biodegradable 0.5

# SAFETY DATA SHEET

EVO-STIK WHITE FOR LIFE ADHESIVE/GROUT  
Supersedes Date: 04-Aug-2021

Revision date 08-Sep-2021  
Revision Number 2

Mineralization in Surface Water - Simulation Biodegradation Test			days
--	--	--	------

2-methyl-2H-isothiazol-3-one [MIT] (2682-20-4)			
Method	Exposure time	Value	Results
OECD Test No. 308: Aerobic and Anaerobic Transformation in Aquatic Sediment Systems		Half-life	1.28-2.1 days
OECD Test No. 309: Aerobic Mineralization in Surface Water - Simulation Biodegradation Test		biodegradation Half-life	Readily biodegradable 4.1 days

## 12.3. Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

## Component Information

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Quartz 14808-60-7	-	0
3-Iodo-2-propynyl butylcarbamate [IPBC] 55406-53-6	2.88	-
2-octyl-2H-isothiazol-3-one [OIT] 26530-20-1	2.92	-
Zinc pyrithione 13463-41-7	1.21	-
2-methyl-2H-isothiazol-3-one [MIT] 2682-20-4	-0.32	3.16

## 12.4. Mobility in soil

**Mobility in soil** No information available.

## 12.5. Results of PBT and vPvB assessment

**PBT and vPvB assessment** The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
3-Iodo-2-propynyl butylcarbamate [IPBC] 55406-53-6	The substance is not PBT / vPvB PBT assessment does not apply
2-octyl-2H-isothiazol-3-one [OIT] 26530-20-1	The substance is not PBT / vPvB
Zinc pyrithione 13463-41-7	The substance is not PBT / vPvB
2-methyl-2H-isothiazol-3-one [MIT] 2682-20-4	The substance is not PBT / vPvB

## 12.6. Other adverse effects

**Other adverse effects** No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

# SAFETY DATA SHEET

EVO-STIK WHITE FOR LIFE ADHESIVE/GROUT  
Supersedes Date: 04-Aug-2021

Revision date 08-Sep-2021  
Revision Number 2

Contaminated packaging	Do not reuse empty containers.
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

## SECTION 14: Transport information

### Land transport (ADR/RID)

14.1 UN number or ID number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	None

### IMDG

14.1 UN number or ID number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Marine pollutant	NP
14.6 Special Provisions	None
14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code	Not applicable

### Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	None

## Section 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

##### **SVHC: Substances of Very High Concern for Authorisation:**

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

##### **EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction**

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

##### **Substance subject to authorisation per REACH Annex XIV**

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

# SAFETY DATA SHEET

EVO-STIK WHITE FOR LIFE ADHESIVE/GROUT  
Supersedes Date: 04-Aug-2021

Revision date 08-Sep-2021  
Revision Number 2

## Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

## Persistent Organic Pollutants

Not applicable

## National regulations

### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

## **SECTION 16: Other information**

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed  
H302 - Harmful if swallowed  
H311 - Toxic in contact with skin  
H314 - Causes severe skin burns and eye damage  
H317 - May cause an allergic skin reaction  
H318 - Causes serious eye damage  
H330 - Fatal if inhaled  
H331 - Toxic if inhaled  
H360D - May damage the unborn child  
H372 - Causes damage to organs through prolonged or repeated exposure  
H400 - Very toxic to aquatic life  
H410 - Very toxic to aquatic life with long lasting effects

#### **Legend**

TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Ceiling Limit Value
*	Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
EWC	European Waste Catalogue

#### **Key literature references and sources for data**

No information available

**Prepared By** Product Safety & Regulatory Affairs

**Revision date** 08-Sep-2021

#### **Indication of changes**

**Revision note** Not applicable.

# SAFETY DATA SHEET

**EVO-STIK WHITE FOR LIFE ADHESIVE/GROUT**  
**Supersedes Date:** 04-Aug-2021

**Revision date** 08-Sep-2021  
**Revision Number** 2

---

**Training Advice** No information available

**Further information** No information available

**This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006**

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**