abode Cava counter-top Basin





Warranty

All Abode products are made using the highest quality materials and components, to ensure that they meet or exceed all UK or European Standards.

All products are thoroughly tested, and quality checked.

All products are backed with a comprehensive warranty, and we are confident that they will give many years of trouble-free service.

The warranty applies to products used for normal domestic purposes and where the installation, care and maintenance instructions have been observed.

The warranty extends to the original purchaser only.


Details of Warranty duration and Terms & Conditions for each product type can be found on our website (www.abodedesigns.co.uk)

Installation instructions

- 1. Take great care when handling this basin. Whilst every effort has been taken to remove sharp edges, the material by nature may be sharp. We recommend wearing safety gloves.
- 2. Check the package for completeness and any transport damage before installation commences.
- 3. Check that the supporting carcasses, worktop, or vanity shelf is level, left to right and front to back. This will ensure the correct drainage of water.
- 4. Ensure you have clear access to all the services required, hot/cold water and waste.
- 5. Check that the surrounding furniture is the correct size and shape to accept this product and that no plumbing or wiring may foul the installation.
- 6. If replacing an existing basin, remove the old product and clean the surrounding area, ensure the new basin will suit the existing waste cut out, and tap reach.

obode

- 7. Collect the tools you will need to complete this installation. Typically, this might include a sprit level, pencil, straight edge, drill, Ø65 & 35mm hole saw, silicone gun.
- 8. Mark out the position for the tap hole and waste hole, be mindful about the spout reach of your chosen tap to ensure it adequately overhangs the basin.
- 9. Drill the required holes, the basin waste will require a Ø65mm hole and the tap is typically Ø35mm, check the tap instructions to confirm.
- 10. Fit the tap as per the supplied installation instructions but do not fully tighten the tap to the shelf or cupboard, make the water connections to the tap and test for leaks.
- 11. Isolate the water and turn the tap so the spout is parallel with the back of the shelf or wall.




12. Unpack and fully inspect the basin for any damage. Installation of the product is acceptance of quality.


abode

Universal waste kit – **not included**.

'Click-clack closeable' (1) or 'free flowing' (2). As this basin has no overflow you must install the waste in free-flow mode (using part 2).




13. Assemble the waste.




obode

- 14. If you have purchased a decorative plinth, unpack the plinth fully inspect it for any damage. Installation of the plinth is acceptance of quality.
- 15. Apply sanitary grade silicone to the underside of the basin & fix the plinth in position.




16. Apply sanitary grade silicone to the underside of the plinth.




abode

17. Position the basin and allow adequate time for the silicone to cure.



- 18. Position the tap spout over the basin where required and tighten the tap with a box spanner.
- 19. Make the waste connections and test for leaks.
- 20. If other works are being carried out cover the basin & tap to protect them against damage.



Cleaning and Maintenance guidelines

- 1. Metallic objects (including steel scourer's) and ceramic objects should never come into contact with the basin as they may damage the decorative surface.
- 2. Clean your basin regularly with a damp cloth and mild detergent.
- 3. Hair dye and some cosmetics such as mascara, lipstick may cause slight discoloration and must be cleaned up immediately.
- 4. Do not allow any solvents to come into contact with this product.
- 5. Remove any limescale with a domestic spray limescale remover.
- 6. For any other cleaning advice please visit our website www.abode.co.uk

abode

Important Technical Data

The water temperature should not exceed 65°c.

Whilst every effort has been made to make these instructions comprehensive, they may not be exhaustive, and we strongly recommend that this product is installed by a skilled professional, this will ensure the best possible finished installation.

All Abode products are designed in accordance with recognised European or global standards. Please ensure that your Abode product is fitted in accordance with localised legislation.

The installation should be periodically checked for damage to water sealing parts as described in the instructions to avoid accidental water damage.

Abode is a registered trademark of Abode. All errors and omissions excepted.

A full technical specification and copies of these instructions are available for this product on our website.

www.abodedesigns.co.uk

Manufacturers Product Reference



abode

Unit L, Zenith Park, Whaley Road, Barnsley, S75 1HT.

Tel: 01226 283434 Fax: 01226 282434

www.abodedesigns.co.uk

All errors and omissions excepted.

Please retain these instructions with the basin for future reference