

Series 4, Built-in double oven MBS533BB0B







Optional accessories

HEZ617000 Pizza pan, enamelled, HEZ629070 Air Fry & Grill tray, HEZ631070 Baking tray, enamelled, HEZ632070 Multipurpose pan, enamelled, HEZ633001 Lid for professional pan, enamelled, HEZ633070 Professional pan, enamelled, HEZ634000 Baking and roasting grid (standard), HEZ636000 Glass pan, HEZ664000 Baking and roasting grid (steam), HEZ915003 Glass roasting dish, 5,4 L, HZ638000 Full ext rails, level independent, HEZ327000 Pizza stone, HEZ32WA00 Wireless food thermometer, HEZ530000 Half tray, HEZ531010 Baking tray, non-stick ceramic coated, HEZ532010 Universal pan, non-stick ceramic coated, HEZ538000 1fold telescopic rail, level independent

The built-in double oven with 3D hot air: achieve perfect baking and roasting results on multiple levels simultaneously.

- Red LED display control: easy-to-use thanks to the time functions.
- **Pop-out controls**: Make the front of the oven easy to clean and give it a sleek look.
- EcoClean Direct: less cleaning effort thanks to a special coating which covers the rear wall of the lower oven.
- 2 universal pans, slim size: optimized for smaller amounts of different dishes.

Technical Data	
Built-in / Free-standing:	Built-in
Integrated Cleaning system:	No
Dimensions:	50 mm
Dimensions of the packed product (HxWxD): 960 x 660 x 6	90 mm
Control Panel Material:	. Glass
Door Material:	. Glass
Net weight:	51.6 kg
Usable volume of cavity:	71 l
Cooking method: Full width grill, Hotair gentle, Hot Air, Conve	ntional
heat, Hot air grilling	
Oven control: mec	nanical
Number of interior lights:	1
EAN code:42420050	34529
Energy efficiency rating:	A
Energy consumption per cycle conventional (2010/30/EC):	1.02
kWh/cycle	
Energy consumption per cycle forced air convection (2010/30/	EQ):81
kWh/cycle	
Energy efficiency class (2010/30/EC) - cavity 2:	B
Energy consumption per cycle conventional - cavity 2 (2010/30	/E 0 .)83
kWh/cycle	
Energy efficiency index (2010/30/EC):	
Energy efficiency index cavity 2 (2010/30/EC):1	20.3 %
Connection rating: 5	900 W
Fuse protection:	32 A
Voltage:)-240 V
Frequency:	. 50 Hz
Plug type: no plug (electrical connection by electrician) connection (electrical connection by electrician)	, fixed
Included accessories cavity 1: 3 x combination grid, 1 x unipan, 2 x Universal pan, slim size	versal





Series 4, Built-in double oven MBS533BB0B

- Please refer to the dimensions provided in the installation manual

The built-in double oven with 3D hot air: achieve perfect baking and roasting results on multiple levels simultaneously.

Design

- LED-Display Control (Red)
- Interior halogen light
- Rotary dial, Retractable control dials, round
- Electronic clock timer
- Straight bar handle

Features

- Control panel lock

Top oven additional features

- Cavity volume: 34 litre capacity
- Full glass inner door
- Cavity (inner surface) top: Enamel grey
- Door hinge small cavity: Drop down oven door

Main oven additional features

- Cavity volume: 71 litre capacity
- EcoClean Direct : back panel
- Full glass inner door
- Door hinge big cavity: Drop down door
- 5 shelf positions

Top oven

- Oven with 3 heating methods: conventional top/bottom heat, Large-area grill, Small area grill
- Temperature range 50 °C 275 °C

Main oven

- Oven with 5 heating methods: 3D Hotair, conventional top and bottom heat, Hotair grilling, full width variable grill, Hotair gentle
- Fast pre-heating function
- Temperature range 50 °C 275 °C

Accessories

- 3 x combination grid, 1 x universal pan, 2 x Universal pan, slim size

Performance/technical information

- Energy efficiency rating (acc. EU Nr. 65/2014): B(at a range of energy efficiency classes from A+++ to D)
- Energy consumption per cycle in conventional mode:0.83 kwh
- Number of cavities: Top Cavity Heat source: electrical
- Energy efficiency rating (acc. EU Nr. 65/2014): B(at a range of energy efficiency classes from A+++ to D)
- Energy consumption per cycle in conventional mode:0.83 kWh
- Energy consumption per cycle in fan-forced convection mode:0.81 kwh
- Number of cavities: Main Cavity Heat source: electrical
- Total connected load electric: 5.9 KW
- Nominal voltage: 220 240 V
- Appliance dimension (hxwxd): 888 mm x 594 mm x 550 mm
- Niche dimension (hxwxd): 875 mm 888 mm x 560 mm 568 mm x 550 mm



Series 4, Built-in double oven MBS533BB0B



