



# Hippo Prestige 4 in 1 Silicone Colour Matt

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878  
Issue date: 8/25/2023 Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : Hippo Prestige 4 in 1 Silicone Colour Matt

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Professional use

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Tembe DIY & Building Products Limited Ltd  
Delta Court Sky business Park, 11  
P.O. Box Robin Hood Airport  
UK- DN9 3GN Doncaster  
United Kingdom  
T +44 (0) 1302 770 234  
[technical.support@tembediy.com](mailto:technical.support@tembediy.com)

#### 1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number	Comment
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard, H412  
Category 3  
Contains Fungicide 2-octyl-2H-isothiazol-3-one. May produce EUH208  
an allergic reaction.  
Warning! Hazardous respirable droplets may be formed when EUH211  
sprayed. Do not breathe spray or mist.  
Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

CLP Signal word : -  
Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.  
Precautionary statements (CLP) : P273 - Avoid release to the environment.  
P501 - Dispose of contents and container to a hazardous or special waste collection point.  
EUH-statements : EUH208 - Contains Fungicide 2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.  
EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

# Hippo Prestige 4 in 1 Silicone Colour Matt

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 2.3. Other hazards

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

Component	
octamethylcyclotetrasiloxane; [D4] (556-67-2)	This substance meets the PBT criteria of REACH regulation, annex XIII This substance meets the vPvB criteria of REACH regulation, annex XIII
Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, cyclic, <2% aromatic	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
octamethylcyclotetrasiloxane; [D4](556-67-2)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzene, C14-30-alkyl derivs	CAS-No.: 68855-24-3 EC-No.: 272-472-8	$\geq 5 - < 10$	Aquatic Chronic 4, H413
2-Pentanon O,O',O'',O'''-silantetrayltetraoxim	CAS-No.: 1170315-92-0 EC-No.: 942-139-8	$\geq 5 - < 10$	Acute Tox. 4 (Oral), H302 (ATE=1133 mg/kg bodyweight) Eye Irrit. 2, H319 STOT RE Not classified
Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, cyclic, <2% aromatic	EC-No.: 919-857-5 REACH-no: 01-2119463258-33	$\geq 2.5 - < 5$	Flam. Liq. 3, H226 STOT SE 3, H336 Asp. Tox. 1, H304 EUH066
Titanium dioxide (Note W)(Note 10)	CAS-No.: 13463-67-7 EC-No.: 236-675-5 EC Index-No.: 022-006-00-2 REACH-no: 01-2119489379-17	< 5	Carc. 2, H351

# Hippo Prestige 4 in 1 Silicone Colour Matt

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Fungicide 2-octyl-2H-isothiazol-3-one	CAS-No.: 26530-20-1 EC-No.: 247-761-7 EC Index-No.: 613-112-00-5	< 0,025	Acute Tox. 2 (Inhalation), H330 (ATE=0.27 mg/l) Acute Tox. 3 (Dermal), H311 (ATE=311 mg/kg bodyweight) Acute Tox. 3 (Oral), H301 (ATE=125 mg/kg bodyweight) Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071
octamethylcyclotetrasiloxane; [D4] substance listed as REACH Candidate (Octamethylcyclotetrasiloxane) substance with a Community workplace exposure limit	CAS-No.: 556-67-2 EC-No.: 209-136-7 EC Index-No.: 014-018-00-1 REACH-no: 01-2119529238-36	< 0.1	Repr. 2, H361f Aquatic Chronic 1, H410 (M=10)

### Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
Fungicide 2-octyl-2H-isothiazol-3-one	CAS-No.: 26530-20-1 EC-No.: 247-761-7 EC Index-No.: 613-112-00-5	(0.0015 ≤ C ≤ 100) Skin Sens. 1A, H317

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 µm.

Note W: It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung. This note aims to describe the particular toxicity of the substance; it does not constitute a criterion for classification according to this Regulation.

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove victim to fresh air. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: After contact with skin, wash immediately and thoroughly with water and soap. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Seek medical attention if ill effect or irritation develops. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use.
Symptoms/effects after eye contact	: Direct contact with the eyes is likely slightly irritating.
Symptoms/effects after ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

# Hippo Prestige 4 in 1 Silicone Colour Matt

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 4.3. Indication of any immediate medical attention and special treatment needed

11. Toxicological information.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : All extinguishing media allowed. Foam. Dry powder. Carbon dioxide. Water spray. Sand.  
Unsuitable extinguishing media : None known. Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Explosion hazard : No direct explosion hazard.

### 5.3. Advice for firefighters

Precautionary measures fire : Exercise caution when fighting any chemical fire. Evacuate unnecessary personnel. Do not breathe fumes from fires or vapours from decomposition.  
Firefighting instructions : Cool down the containers exposed to heat with a water spray. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.  
Protection during firefighting : Wear a self contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.  
Other information : Do not allow run-off from fire fighting to enter drains or water courses.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : [In case of inadequate ventilation] wear respiratory protection.

#### 6.1.1. For non-emergency personnel

Protective equipment : Concerning personal protective equipment to use, see item 8.  
Emergency procedures : Ventilate area. Avoid contact with skin and eyes. Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : For further information refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper protection.  
Emergency procedures : Recover the cleaning water for later disposal. Ventilate area.

### 6.2. Environmental precautions

Do not dispose of waste into sewer. Disposal must be done according to official regulations. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

### 6.4. Reference to other sections

Concerning disposal elimination after cleaning, see section 13. Concerning personal protective equipment to use, see section 8. See Section 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

# Hippo Prestige 4 in 1 Silicone Colour Matt

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Handling temperature	: 5 – 40 °C
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in dry, well-ventilated area. Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
Storage temperature	: 5 – 25 °C

### 7.3. Specific end use(s)

Adhesives, sealants.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

octamethylcyclotetrasiloxane; [D4] (556-67-2)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	123 mg/m <sup>3</sup>
IOEL TWA [ppm]	10 ppm
Titanium dioxide (13463-67-7)	
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA) [1]	10 mg/m <sup>3</sup> inhalable dust 4 mg/m <sup>3</sup> respirable dust

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

##### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

##### Personal protective equipment:

Avoid all unnecessary exposure.

##### Personal protective equipment symbol(s):



# Hippo Prestige 4 in 1 Silicone Colour Matt

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 8.2.2.1. Eye and face protection

#### Eye protection:

Avoid contact with eyes. Use splash goggles when eye contact due to splashing is possible. Chemical goggles or safety glasses

Eye protection			
Type	Field of application	Characteristics	Standard
Safety glasses	Droplet	With side shields	EN 166

### 8.2.2.2. Skin protection

#### Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

#### Hand protection:

Time of penetration is to be checked with the glove producer. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer. Gloves must be replaced after each use and whenever signs of wear or perforation appear. Wear protective gloves.

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)		> 0,1		EN ISO 374

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation. Wear appropriate mask

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Consumer exposure controls:

Avoid contact with skin and eyes. Take off immediately all contaminated clothing. Wash hands and other exposed areas with soap and water before leaving work.

#### Other information:

Do not eat, drink or smoke during use. Wash contaminated clothing before reuse.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: According to product specification.
Appearance	: Paste.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not applicable
Softening point	: Not applicable
Boiling point	: Not applicable
Flammability	: Non flammable.
Explosive properties	: Product is not explosive.
Oxidising properties	: Non oxidizing material according to EC criteria.
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: 70 °C (ISO 3679)
Auto-ignition temperature	: > 200 °C (calculated value)
Decomposition temperature	: Not available
pH	: insoluble in water
Viscosity, kinematic	: 4333.333 mm <sup>2</sup> /s

# Hippo Prestige 4 in 1 Silicone Colour Matt

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Viscosity, dynamic	: 5200 mPa·s (Brookfield spindle 96, 1 rpm)
Non-Newtonian liquid	: Thixotropic behaviour
Solubility	: insoluble in water. Water: Insoluble
Partition coefficient n-octanol/water (Log Kow)	: Not applicable for preparations
Partition coefficient n-octanol/water (Log Pow)	: Not applicable for preparations
Vapour pressure	: Does not apply
Vapour pressure at 50°C	: Not applicable.
Density	: 1.2 g/ml
Relative density	: 1.2
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

### Fungicide 2-octyl-2H-isothiazol-3-one

Boiling point	342 °C
Vapour pressure	4.9 hPa 25°C

### octamethylcyclotetrasiloxane; [D4]

Boiling point	175 °C
Flash point	51 °C
Auto-ignition temperature	384 °C
Vapour pressure	132 Pa at 25°C

### Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, cyclic, <2% aromatic

Boiling point	130 – 210 °C
Flash point	> 36 °C
Auto-ignition temperature	> 200 °C
Vapour pressure	0.3 kPa at 20 °C

### Titanium dioxide

Boiling point	3000 (2500 – 3000) °C
---------------	-----------------------

### 2-Pentanon O,O',O'',O'''-silantetrayltetraoxim

Boiling point	194.2 – 195 °C Atm. press.: 992,9 hPa
Flash point	122.5 °C Atm. press.: 100,1 kPa

## 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

No additional information available

### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No dangerous reactions known.

# Hippo Prestige 4 in 1 Silicone Colour Matt

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 10.2. Chemical stability

Stable under normal conditions. Not established.

### 10.3. Possibility of hazardous reactions

None under normal use. Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

None under normal use. fume. Carbon monoxide. Carbon dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### Benzene, C14-30-alkyl derivs (68855-24-3)

LD50 oral rat > 5000 mg/kg

LD50 dermal rabbit > 3000 mg/kg

#### octamethylcyclotetrasiloxane; [D4] (556-67-2)

LD50 oral rat 61440 mg/kg

LD50 dermal rat > 10000 mg/kg bodyweight

LC50 Inhalation - Rat > 20 mg/l/4h (OECD 403 method)

LC50 Inhalation - Rat (Vapours) 2975 mg/l/4h

#### Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, cyclic, <2% aromatic

LD50 oral rat > 5000 mg/kg (OECD 401 method)

LD50 dermal rabbit > 5000 mg/kg (OECD 402 method)

LC50 Inhalation - Rat > 5000 mg/m<sup>3</sup> (OECD 403 method)

#### Titanium dioxide (13463-67-7)

LD50 oral rat > 5000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down Procedure), Guideline: EPA OPPTS 870.1100 (Acute Oral Toxicity)

LD50 dermal rat > 10000 mg/kg

LD50 dermal rabbit > 10000 mg/kg

LC50 Inhalation - Rat > 6.82 mg/l

LC50 Inhalation - Rat (Dust/Mist) > 6.82 mg/l/4h

#### 2-Pentanon O,O',O",O'''-silantetrayltetraoxim (1170315-92-0)

LD50 oral rat 1133 mg/kg

Skin corrosion/irritation : Not classified  
pH: insoluble in water

Additional information : Based on available data, the classification criteria are not met



# Hippo Prestige 4 in 1 Silicone Colour Matt

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### Titanium dioxide (13463-67-7)

pH	7
----	---

Serious eye damage/irritation : Not classified  
pH: insoluble in water  
Additional information : Based on available data, the classification criteria are not met

### Titanium dioxide (13463-67-7)

pH	7
----	---

Respiratory or skin sensitisation : Not classified  
Additional information : Mixture Raw material (OECD 406 method)  
Does not cause cutaneous sensitisation for guinea-pigs  
Conclusion by analogy  
Based on available data, the classification criteria are not met  
Germ cell mutagenicity : Not classified  
Additional information : Based on available data, the classification criteria are not met  
Carcinogenicity : Not classified  
Additional information : Based on available data, the classification criteria are not met  
Reproductive toxicity : Not classified  
Additional information : Based on available data, the classification criteria are not met  
STOT-single exposure : Not classified  
Additional information : Based on available data, the classification criteria are not met

### Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, cyclic, <2% aromatic

STOT-single exposure	May cause drowsiness or dizziness.
----------------------	------------------------------------

STOT-repeated exposure : Not classified  
Additional information : Based on available data, the classification criteria are not met

### octamethylcyclotetrasiloxane; [D4] (556-67-2)

LOAEL (dermal, rat/rabbit, 90 days)	≈ 950 mg/kg bodyweight/day
NOAEL (dermal, rat/rabbit, 90 days)	950 mg/kg bodyweight/day

### 2-Pentanon O,O',O",O""-silantetrayltetraoxim (1170315-92-0)

NOAEL (oral, rat, 90 days)	16 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
----------------------------	--

Aspiration hazard : Not classified  
Additional information : Based on available data, the classification criteria are not met

### Hippo Prestige 4 in 1 Silicone Colour Matt

Viscosity, kinematic	4333.333 mm <sup>2</sup> /s
----------------------	-----------------------------

### octamethylcyclotetrasiloxane; [D4] (556-67-2)

Viscosity, kinematic	1.6 mm <sup>2</sup> /s at 20°C
----------------------	--------------------------------

### Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, cyclic, <2% aromatic

Viscosity, kinematic	0.8 – 2.1 mm <sup>2</sup> /s at 20 °C
----------------------	---------------------------------------

## 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

No additional information available

### 11.2.2. Other information

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met

# Hippo Prestige 4 in 1 Silicone Colour Matt

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - water : Harmful to aquatic life with long lasting effects.  
Hazardous to the aquatic environment, short-term (acute) : Not classified  
Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

<b>Fungicide 2-octyl-2H-isothiazol-3-one (26530-20-1)</b>	
LC50 - Fish [1]	122 µg/l (OECD 203 method)
EC50 - Crustacea [1]	0.42 mg/l (OECD 202 method)
EC50 72h - Algae [1]	0.084 mg/l (OECD 201 method)
ErC50 algae	(OECD 201 method)
NOEC chronic fish	22 µg/l
NOEC chronic crustacea	0.022 mg/l
NOEC chronic algae	0.004 mg/l
<b>octamethylcyclotetrasiloxane; [D4] (556-67-2)</b>	
LC50 - Fish [1]	> 0.0063 mg/l
EC50 - Crustacea [1]	> 0.0091 mg/l
EC50 72h - Algae [1]	> 0.022 mg/l
ErC50 algae	> 0.022 mg/l
NOEC chronic fish	≥ 0.0044 mg/l
NOEC chronic crustacea	> 0.0079 mg/l
<b>Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, cyclic, &lt;2% aromatic</b>	
LC50 - Fish [1]	> 1000 mg/l
EC50 - Crustacea [1]	1000 mg/l
ErC50 algae	> 1000 mg/l
NOEC chronic algae	100 mg/l
<b>Titanium dioxide (13463-67-7)</b>	
LC50 - Fish [1]	155 mg/l Test organisms (species): other:Japanese Medaka
LC50 - Fish [2]	> 10000 mg/l
EC50 - Crustacea [1]	19.3 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	27.8 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	> 1000 mg/l
EC50 - Other aquatic organisms [2]	61 mg/l
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	> 100 mg/l pseudokirchneriella subcapitata
NOEC (chronic)	≥ 2.92 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic algae	5600 mg/l

# Hippo Prestige 4 in 1 Silicone Colour Matt

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

<b>2-Pentanon O,O',O'',O'''-silantetrayltetraoxim (1170315-92-0)</b>	
LC50 - Fish [1]	> 106 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	> 106 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	53 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	93 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

### 12.2. Persistence and degradability

<b>Hippo Prestige 4 in 1 Silicone Colour Matt</b>	
Persistence and degradability	May cause long-term adverse effects in the environment.
<b>Fungicide 2-octyl-2H-isothiazol-3-one (26530-20-1)</b>	
Persistence and degradability	Readily biodegradable.
Biodegradation	3 - 5 days
<b>octamethylcyclotetrasiloxane; [D4] (556-67-2)</b>	
Persistence and degradability	Not readily biodegradable.
Biodegradation	28d 3.7 % (OECD 310 method)
<b>Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, cyclic, &lt;2% aromatic</b>	
Persistence and degradability	Readily biodegradable, according to appropriate OECD test.
Biodegradation	28d 80 %
<b>Titanium dioxide (13463-67-7)</b>	
Persistence and degradability	Not readily biodegradable.

### 12.3. Bioaccumulative potential

<b>Hippo Prestige 4 in 1 Silicone Colour Matt</b>	
Partition coefficient n-octanol/water (Log Pow)	Not applicable for preparations
Partition coefficient n-octanol/water (Log Kow)	Not applicable for preparations
Bioaccumulative potential	Not established.
<b>Fungicide 2-octyl-2H-isothiazol-3-one (26530-20-1)</b>	
Partition coefficient n-octanol/water (Log Kow)	2.92 (OECD 117 method)
Bioaccumulative potential	Low bioaccumulation potential.
<b>octamethylcyclotetrasiloxane; [D4] (556-67-2)</b>	
Bioconcentration factor (BCF REACH)	12400
Partition coefficient n-octanol/water (Log Pow)	6.48 at 25.1°C
<b>Titanium dioxide (13463-67-7)</b>	
BCF - Fish [1]	352

### 12.4. Mobility in soil

<b>Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, cyclic, &lt;2% aromatic</b>	
Ecology - soil	Highly volatile product.

# Hippo Prestige 4 in 1 Silicone Colour Matt

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 12.5. Results of PBT and vPvB assessment

Component	
octamethylcyclotetrasiloxane; [D4] (556-67-2)	This substance meets the PBT criteria of REACH regulation, annex XIII This substance meets the vPvB criteria of REACH regulation, annex XIII
Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, cyclic, <2% aromatic	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

Additional information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste)	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Ecology - waste materials	: Avoid release to the environment.
European List of Waste (LoW) code	: 08 04 09* - waste adhesives and sealants containing organic solvents or other dangerous substances 08 04 10 - waste adhesives and sealants other than those mentioned in 08 04 09

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
Not regulated for transport				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.2. UN proper shipping name</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

No data available

# Hippo Prestige 4 in 1 Silicone Colour Matt

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### Transport by sea

No data available

### Air transport

No data available

### Inland waterway transport

No data available

### Rail transport

No data available

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains substance(s) listed on the REACH Candidate List in concentrations  $\geq 0.1\%$  or SCL: Octamethylcyclotetrasiloxane (EC 209-136-7, CAS 556-67-2)

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

##### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

##### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

### Indication of changes:

Regulatory information. Physical and chemical properties.

### Abbreviations and acronyms:

CAS-No.	Chemical Abstract Service number
---------	----------------------------------

# Hippo Prestige 4 in 1 Silicone Colour Matt

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical oxygen demand (BOD)
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EN	European Standard
EC-No.	European Community number
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
IOELV	Indicative Occupational Exposure Limit Value
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative

Data sources	: ECHA (European Chemicals Agency). REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. Supplier's safety documents.
Training advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging.
Other information	: None.

Full text of H- and EUH-statements:	
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3

# Hippo Prestige 4 in 1 Silicone Colour Matt

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
EUH066	Repeated exposure may cause skin dryness or cracking.
EUH071	Corrosive to the respiratory tract.
EUH208	Contains Fungicide 2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H361f	Suspected of damaging fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
Repr. 2	Reproductive toxicity, Category 2
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
STOT RE Not classified	Specific target organ toxicity (repeated exposure) Not classified
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Aquatic Chronic 3	H412	Calculation method

# Hippo Prestige 4 in 1 Silicone Colour Matt

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
EUH208	EUH208	Calculation method
EUH211	EUH211	On basis of test data

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.