

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

**EVO-STIK THE DOGS CLEAR CARTRIDGES** 

Revision date 23-Jan-2024 Supercedes Date: 23-Jan-2024 **Revision Number** 1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

**EVO-STIK THE DOGS CLEAR CARTRIDGES Product Name** 

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives and/or sealants

Not to be used in articles intended for direct or prolonged skin contact Not to be used in Uses advised against

> production of toys or childcare articles Fabrics, textiles and apparel: bedding and clothing Gloves Footwear (shoes, boots) Paper products: tissue, towels, disposable dinnerware,

nappies, feminine hygiene products, adult incontinence products, writing paper

Reason why uses advised against Restricted substance per REACH Annex XVII

#### 1.3. Details of the supplier of the safety data sheet

#### **Company Name**

**Bostik Limited** Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

**United Kingdom** Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)

NHS: 111

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### 2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### Signal word

None

#### **Hazard statements**

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

### **EU Specific Hazard Statements**

United Kingdom - BE Page 1 / 16

**EVO-STIK THE DOGS CLEAR CARTRIDGES** 

Supercedes Date: 23-Jan-2024

Revision date 23-Jan-2024 Revision Number 1

EUH208 - Contains Trimethoxyvinylsilane & N-(3-(trimethoxysilyl)propyl)ethylenediamine & N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine. May produce an allergic reaction EUH210 - Safety data sheet available on request

# 2.3. Other hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

# SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical name	EC No (EU Index No)	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Diisononyl phthalate	249-079-5	28553-12-0	>25 - <40	[1]	-	01-2119430798- 28-XXXX
Trimethoxyvinylsilane	220-449-8 (014-049-00- 0)	2768-02-7	1 - <5	Skin Sens. 1B (H317) Acute Tox. 4 (H332) Flam. Liq. 3 (H226)	-	01-2119513215- 52-XXXX
N-(3-(trimethoxysilyl)pro pyl)ethylenediamine	217-164-6	1760-24-3	0.1- <1	Eye Dam. 1 (H318) Skin Sens. 1 (H317) Acute Tox. 4 (H332) STOT SE 3 (H335)	-	01-2119970215- 39-XXXX
Dioctyltin oxide	212-791-1	870-08-6	0.1- <1	STOT SE 2 (H371)	-	01-2119971268- 27-xxxx
N-[3-(Dimethoxymethylsi lyl)propyl]-ethylenediami ne	221-336-6	3069-29-2	0.1 - <0.5	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1A (H317)	-	01-2119963926- 21-xxxx

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes

[I] - Restricted substance per REACH Annex XVII

Full text of H- and EUH-phrases: see section 16

United Kingdom - BE Page 2 / 16

**EVO-STIK THE DOGS CLEAR CARTRIDGES** 

Revision date 23-Jan-2024 Supercedes Date: 23-Jan-2024 **Revision Number** 1

Air contaminants formed when using the substance or mixture as intended

Chemical name	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	REACH registration number
Methyl alcohol 67-56-1	200-659-6 (603-001-00-X)	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT SE 1 (H370) Flam. Liq. 2 (H225)	STOT SE 1 :: C>=10% STOT SE 2 :: 3%<=C<10%	-	-	01-2119433307- 44-XXXX

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

**General advice** Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

Inhalation Remove to fresh air. If symptoms persist, call a doctor.

Eye contact Consult an ophthalmologist. Rinse immediately with plenty of water, also under the

eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Skin contact Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

Ingestion Small amounts of toxic methanol are released by hydrolysis. Small amounts of toxic

methanol are released by hydrolysis. Call a doctor immediately. Never give anything by

mouth to an unconscious person. Rinse mouth thoroughly with water.

4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** None known.

No information available. **Effects of Exposure** 

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released, when the product is exposed to moisture or water. Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

**Suitable Extinguishing Media** Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

United Kingdom - BE Page 3 / 16

**EVO-STIK THE DOGS CLEAR CARTRIDGES** 

Revision date 23-Jan-2024 Supercedes Date: 23-Jan-2024 **Revision Number 1** 

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Thermal decomposition can lead to release of irritating gases and vapours.

Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Silicon dioxide. Thermal **Hazardous combustion products** 

decomposition can lead to release of irritating and toxic gases and vapours.

5.3. Advice for firefighters

precautions for fire-fighters

**Special protective equipment and** Wear self contained breathing apparatus for fire fighting if necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Use personal protective equipment as required. Ensure adequate ventilation. Do not get

in eyes, on skin, or on clothing.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section **Environmental precautions** 

12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

**Methods for containment** Do not scatter spilled material with high pressure water streams.

Take up mechanically, placing in appropriate containers for disposal. Methods for cleaning up

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information. Reference to other sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

Do not eat, drink or smoke when using this product. Wash hands before breaks and after General hygiene considerations

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a cool, well-ventilated place. Protect from moisture. **Storage Conditions** 

Keep away from food, drink and animal feedingstuffs.

Recommended storage

temperature

Keep at temperatures between 10 and 35 °C. Keep at temperatures between 10 and 35

°C.

7.3. Specific end use(s)

Specific use(s)

Adhesives and/or sealants.

United Kingdom - BE Page 4 / 16

**EVO-STIK THE DOGS CLEAR CARTRIDGES** 

Revision date 23-Jan-2024 Supercedes Date: 23-Jan-2024 **Revision Number** 1

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Observe technical data sheet. Other information

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon **Exposure Limits** curing

Chemical name	European Union	United Kingdom
Diisononyl phthalate	-	TWA: 5 mg/m <sup>3</sup>
28553-12-0		STEL: 15 mg/m <sup>3</sup>
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m <sup>3</sup>	TWA: 266 mg/m <sup>3</sup>
	*	STEL: 250 ppm
		STEL: 333 mg/m <sup>3</sup>
		Sk*
Silica, amorphous	TWA: 0.1 mg/m <sup>3</sup>	TWA: 6 mg/m <sup>3</sup>
7631-86-9		TWA: 2.4 mg/m <sup>3</sup>
		STEL: 18 mg/m <sup>3</sup>
		STEL: 7.2 mg/m <sup>3</sup>
Dioctyltin oxide	-	TWA: 0.1 mg/m <sup>3</sup>
870-08-6		STEL: 0.2 mg/m <sup>3</sup>
		Sk*

Chemical name	European Union	Ireland	United Kingdom
Methyl alcohol	-	15 mg/L (urine - Methanol end of	-
67-56-1		shift)	

**Derived No Effect Level (DNEL)** No information available

Derived No Effect Level (DNEL)	Derived No Effect Level (DNEL)				
Diisononyl phthalate (28553-12-0)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
worker Long term Systemic health effects	Inhalation	51.72 mg/m <sup>3</sup>			
worker Long term Systemic health effects	Dermal	366 mg/kg bw/d			

Trimethoxyvinylsilane (2768-02-7	Trimethoxyvinylsilane (2768-02-7)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
worker Systemic health effects Long term	Inhalation	27,6 mg/m <sup>3</sup>			
worker Systemic health effects Long term	Dermal	3,9 mg/kg bw/d			

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)					
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
worker Systemic health effects Long term	Inhalation	35.5 mg/m³			
worker	Dermal	5 mg/kg bw/d			

United Kingdom - BE Page 5/16

**EVO-STIK THE DOGS CLEAR CARTRIDGES** 

Revision date 23-Jan-2024 Revision Number 1 Supercedes Date: 23-Jan-2024

Supercedes Date: 23-Jan-20	)24		Revision Number 1
Systemic health effects Long term			
Dioctyltin oxide (870-08-6)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Dermal	0.05 mg/kg bw/d	
worker Long term Systemic health effects	Inhalation	0.004 mg/m³	
N-[3-(Dimethoxymethylsilyl)p	aranyll othylanodiamina (20	60-20-2)	
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	12 mg/m³	
worker Long term Systemic health effects	Dermal	1.7 mg/kg bw/d	
Derived No Effect Level (DNE			
Trimethoxyvinylsilane (2768-		D : 131 Eg .1	
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Systemic health effects Long term	Inhalation	18,9 mg/m³	
Consumer Systemic health effects Long term	Dermal	7,8 mg/kg bw/d	
Consumer Systemic health effects Long term	Oral	0,3 mg/kg bw/d	
N-(3-(trimethoxysilyl)propyl)	othylopodiamino (1760-24-2	N	
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Systemic health effects Long term	Oral	2.5 mg/kg bw/d	
Consumer Systemic health effects Long term	Inhalation	8.7 mg/m³	
Consumer Systemic health effects Long term	Dermal	2.5 mg/kg bw/d	
Dioctyltin oxide (870-08-6)			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Oral	0.0005 mg/kg bw/d	
Consumer Long term Systemic health effects	Dermal	0.025 mg/kg bw/d	

United Kingdom - BE Page 6/16

**EVO-STIK THE DOGS CLEAR CARTRIDGES** 

Revision date 23-Jan-2024 Supercedes Date: 23-Jan-2024 **Revision Number** 1

Consumer	Inhalation	0.0009 mg/m <sup>3</sup>	
Long term			
Systemic health effects			

N-[3-(Dimethoxymethylsilyl)pro	N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)					
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
Consumer Long term Systemic health effects	Inhalation	2.9 mg/m³				
Consumer Long term Systemic health effects	Dermal	0.83 mg/kg bw/d				
Consumer Long term Systemic health effects	Oral	0.83 mg/kg bw/d				

### **Predicted No Effect Concentration** (PNEC)

Predicted No Effect Concentration (PNEC)	
Trimethoxyvinylsilane (2768-02-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.34 mg/l
Marine water	0.034 mg/l
Microorganisms in sewage treatment	110 mg/l

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	0.062 mg/l			
Marine water	0.0062 mg/l			
Sewage treatment plant	25 mg/l			

Dioctyltin oxide (870-08-6)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater sediment	0.02798 mg/kg dry weight			
Marine sediment	0.002798 mg/kg dry weight			
Microorganisms in sewage treatment	100 mg/l			

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.062 mg/l
Marine water	0.006 mg/l
Sewage treatment plant	25 mg/l
Freshwater sediment	0.24 mg/kg dry weight
Marine sediment	0.024 mg/kg dry weight
Soil	0.01 mg/kg dry weight

### 8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Wear safety glasses with side shields (or goggles). Eye protection must conform to Eye/face protection

standard EN 166.

Wear suitable gloves. Recommended Use:. Neoprene™. Nitrile rubber. Butyl rubber. Hand protection

Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific

gloves. Gloves must conform to standard EN 374

Skin and body protection None under normal use conditions.

United Kingdom - BE Page 7/16

**EVO-STIK THE DOGS CLEAR CARTRIDGES** 

Revision date 23-Jan-2024 Supercedes Date: 23-Jan-2024 **Revision Number 1** 

Respiratory protection In case of inadequate ventilation wear respiratory protection. Wear a respirator

conforming to EN 140 with Type A/P2 filter or better. Ensure adequate ventilation,

None known

@ 40°C

Insoluble in water.

especially in confined areas.

Recommended filter type: Organic gases and vapours filter conforming to EN 14387. White. Brown.

**Environmental exposure controls** Do not allow uncontrolled discharge of product into the environment.

# SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid Paste **Appearance** Colour Colourless Odour Characteristic.

**Property** <u>Values</u> Remarks • Method

Melting point / freezing point No data available Initial boiling point and boiling No data available

range

Flammability No data available

Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

> 60 °C CC (closed cup) Flash point No data available

**Autoignition temperature** 

**Decomposition temperature** Ηq

pH (as aqueous solution) No data available

Kinematic viscosity > 21 mm<sup>2</sup>/s

No data available **Dynamic viscosity** 

Insoluble in water. Product cures Water solubility

with moisture

Solubility(ies) No data available **Partition coefficient** No data available Vapour pressure No data available Relative density 1.05 - 1.07 No data available **Bulk Density** 1,05 - 1.07 g/cm<sup>3</sup> Density Relative vapour density No data available

**Particle characteristics** 

Particle Size No information available **Particle Size Distribution** No information available

9.2. Other information

Solid content (%) No information available

**VOC** content No data available

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

Reactivity Product cures with moisture.

United Kingdom - BE Page 8/16

**EVO-STIK THE DOGS CLEAR CARTRIDGES** 

Revision date 23-Jan-2024 Supercedes Date: 23-Jan-2024 **Revision Number** 1

10.2. Chemical stability

Stable under normal conditions. Stability

**Explosion data** 

Sensitivity to mechanical

impact

None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Product cures with moisture. Protect from moisture. Exposure to air or moisture over

prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and

sources of ignition.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing.

# **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

**Product Information** 

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met. May cause sensitisation in

susceptible persons.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

No information available. **Symptoms** 

Acute toxicity

**Numerical measures of toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) >5000 mg/kg ATEmix (dermal) >5000 mg/kg >20000 ppm ATEmix (inhalation-gas) ATEmix (inhalation-dust/mist) >5 mg/l ATEmix (inhalation-vapour) 554.491 mg/l

United Kingdom - BE Page 9/16

**EVO-STIK THE DOGS CLEAR CARTRIDGES** 

Supercedes Date: 23-Jan-2024 Revision Number 1

Revision date 23-Jan-2024

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Diisononyl phthalate	>9750 mg/kg (Rattus)	>3160 mg/Kg (Oryctolagus	>4.4 mg/L (Rattus) 4 h	
		cuniculus)		
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg	= 3540 mg/kg (Oryctolagus	LC50 (4hr) 16.8 mg/l (Rattus)	
	(Rattus) OECD 401	cuniculus)	OECD TG 403	
N-(3-(trimethoxysilyl)propyl)eth	=2295 mg/kg (Rattus)	>2000 mg/Kg (Rattus)	LC50 4H (Aerosol)1.5 - 2.44	
ylenediamine			mg/L air	
Dioctyltin oxide =2500 mg/kg (Rattus)		LD50 > 2000 mg/kg (Rattus)	-	
·		OECD 402		
N-[3-(Dimethoxymethylsilyl)pro	=200 - 2000 mg/Kg (Rattus)	>5000 mg/Kg (Oryctolagus	> 5.2 mg/L (Rattus) 4 h	
pyl]-ethylenediamine	(OECD 401)	cuniculus)	(OECD 403)	
		(OECD 402)		

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

N-(3-(trimethoxysilyI)propyI)ethylenediamine (1760-24-3)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit				Mild skin irritant
Acute Dermal					
Irritation/Corrosion					

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye			Eye Damage
Acute Eye					
Irritation/Corrosion					

Respiratory or skin sensitisation

May produce an allergic reaction. OECD Test No. 406: Skin Sensitisation. No sensitisation responses were observed. No classification is proposed, based on conclusive negative data. May cause sensitisation in susceptible persons.

Product Information							
Method	Species	Exposure route	Results				
OECD Test No. 406: Skin	Guinea pig	Dermal	No sensitisation responses				
Sensitisation			were observed				

# Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Component Information

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Results
OECD Test No. 471: Bacterial Reverse Mutation Test	in vitro	Not mutagenic

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)

Method	Species	Results				
OECD Test No. 471: Bacterial Reverse Mutation Test	Mammalian cells in vitro	Negative				
OECD Test No. 476: In vitro Mammalian Cell Gene Mutation Test	Mammalian cells in vitro	Negative				

United Kingdom - BE Page 10 / 16

**EVO-STIK THE DOGS CLEAR CARTRIDGES** 

Supercedes Date: 23-Jan-2024

Revision date 23-Jan-2024 Revision Number 1

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity**Based on available data, the classification criteria are not met.

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)

Method	Species	Results
OECD Test No. 422: Combined Repeated Dose	Rat Oral	NOAEL >500 mg/Kg
Toxicity Study with the		
Reproduction/Developmental Toxicity Screening		
Test		

STOT - single exposure

Based on available data, the classification criteria are not met.

Dioctyltin oxide (870-08-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 422:	Rat	Oral	5 mg/kg	28 days	0.3 - 0.5 mg/kg
Combined Repeated Dose				-	bw/d May cause
Toxicity Study with the					damage to the
Reproduction/Developme					following organs:
ntal Toxicity Screening					Immune system
Test					-

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413:	Rat	Inhalation vapour		90 days	0.058 NOAEL
Sub-chronic Inhalation					
Toxicity: 90-day Study					

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 422:	Rat	Subacute oral		28 days	NOAEL >500 mg/kg
Combined Repeated Dose		toxicity gavage			
Toxicity Study with the					
Reproduction/Developme					
ntal Toxicity Screening					
Test					

Dioctyltin oxide (870-08-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rat Rabbit			28 days	0.3 -0.5 mg/kg bw/d

**Aspiration hazard** 

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** 

11.2.2. Other information

United Kingdom - BE Page 11 / 16

**Revision Number** 1

**EVO-STIK THE DOGS CLEAR CARTRIDGES** 

Revision date 23-Jan-2024 Supercedes Date: 23-Jan-2024

Other adverse effects No information available.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

#### **Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Diisononyl phthalate 28553-12-0	EC50: >500mg/L (72h, Desmodesmus subspicatus) EC50: >1.8mg/L (96h, Pseudokirchneri	mg/L (Brachydanio rerio semi-static)	-	EC50: >500mg/L (48h, Daphnia magna) EC50: >0.06mg/L (48h, Daphnia magna)		(long toll)
Trimethoxyvinylsilane 2768-02-7	ella subcapitata)  EC 50 (72h) > 957 mg/l (Desmodesmus subspicatus)  EU Method C.3	LC50 (96h) = 191 mg/l (Oncorhynchus mykiss)	-	EC50(48hr) 168.7mg/l (Daphnia magna)		
N-(3-(trimethoxysilyl)pr opyl)ethylenediamine 1760-24-3	-	LC50 (96H) =597 mg/L (Danio rerio)Semi-static	-	EC50 (48h) =81mg/L Daphnia magna Static		
Dioctyltin oxide 870-08-6	EC50 (3hr) >1.000 mg/l (bacteria) (Activated Sludge, Respiration Inhibition Test)	LC50 (96hr) >0,09 mg/l (Brachydanio rerio (zebra)) (Acute Toxicity Test)	-	EC50 (48Hr) >0,21 mg/l (Daphnia magna (Dappnia magna)) (Daphnia sp. Acute Immobilisation Test)		

# 12.2. Persistence and degradability

Persistence and degradability No information available.

Trimethoxyvinylsilane (2768-02-7)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily
Biodegradability: Manometric			biodegradable
Respirometry Test (TG 301 F)			-

Dioctyltin oxide (870-08-6)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	755 hours	biodegradation	Not readily biodegradable 2
Biodegradability: Manometric			%
Respirometry Test (TG 301 F)			

# 12.3. Bioaccumulative potential

# Bioaccumulation

Component Inforr
------------------

Chemical name	Partition coefficient

United Kingdom - BE Page 12/16

**EVO-STIK THE DOGS CLEAR CARTRIDGES** 

Revision date 23-Jan-2024 Supercedes Date: 23-Jan-2024 **Revision Number** 1

Diisononyl phthalate	9.7
Trimethoxyvinylsilane	1.1
N-(3-(trimethoxysilyl)propyl)ethylenediamine	-0.3
Dioctyltin oxide	6

#### 12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB above the PBT and vPvB assessment threshold of declaration.

Chemical name	PBT and vPvB assessment
Diisononyl phthalate	The substance is not PBT / vPvB
Trimethoxyvinylsilane	The substance is not PBT / vPvB
N-(3-(trimethoxysilyl)propyl)ethylenediamine	The substance is not PBT / vPvB
Dioctyltin oxide	The substance is not PBT / vPvB
N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine	The substance is not PBT / vPvB

### 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

#### 12.7. Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of contents/container in accordance with local, regional, national, and

international regulations as applicable.

Handle contaminated packages in the same way as the product itself. Contaminated packaging

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09 **European Waste Catalogue** 

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

# **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1 UN number or ID number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable

14.6 Special precautions for user

**Special Provisions** None

# **IMDG**

14.1 UN number or ID number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated

United Kingdom - BE Page 13/16

**EVO-STIK THE DOGS CLEAR CARTRIDGES** 

Revision date 23-Jan-2024 Supercedes Date: 23-Jan-2024 **Revision Number 1** 

NΡ 14.5 Marine pollutant 14.6 Special precautions for user

**Special Provisions** None

14.7 Maritime transport in bulk according to IMO instruments

Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

# Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated Not regulated 14.4 Packing group 14.5 Environmental hazards Not applicable

14.6 Special precautions for user

**Special Provisions** None

### Section 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

# Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

### **SVHC: Substances of Very High Concern for Authorisation:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No.	Restricted substance per REACH
		Annex XVII
Diisononyl phthalate	28553-12-0	52[a].
Dioctyltin oxide	870-08-6	20.

20 (6) DOT. 52. Not to be used in toys or childcare articles above 0.1% which can be placed in the mouth by children.

### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

# **Export Notification requirements**

This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

Chemical name	European Export/Import Restrictions per (EC) 649/2012 - Annex
	Number
Dioctvltin oxide	1.1

United Kingdom - BE Page 14/16

**EVO-STIK THE DOGS CLEAR CARTRIDGES** 

Revision date 23-Jan-2024 Supercedes Date: 23-Jan-2024 **Revision Number 1** 

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

#### **Persistent Organic Pollutants**

Not applicable

#### **National regulations**

#### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. Chemical Safety Assessment has been carried out for this mixture

# SECTION 16: Other information

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

H302 - Harmful if swallowed

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

Legend

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Limit Value Ceiling Sk\* Skin designation

**SVHC** Substance(s) of Very High Concern

Persistent, Bioaccumulative, and Toxic (PBT) Chemicals PBT vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

**EWC** European Waste Catalogue

**ADR** European Agreement concerning the International Carriage of Dangerous Goods by

Road

**IMDG** International Maritime Dangerous Goods (IMDG) International Air Transport Association (IATA) IATA

RID Regulations concerning the International Transport of Dangerous Goods by Rail

# Key literature references and sources for data

No information available

**Prepared By** Product Safety & Regulatory Affairs

23-Jan-2024 **Revision date** 

Indication of changes

Not applicable. **Revision note** 

No information available **Training Advice** No information available **Further information** 

### This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of

United Kingdom - BE Page 15/16

**EVO-STIK THE DOGS CLEAR CARTRIDGES** 

Supercedes Date: 23-Jan-2024

Revision date 23-Jan-2024 Revision Number 1

its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

United Kingdom - BE Page 16 / 16