

## Water Hawk Jointing Compound 400g 61023

- Pipe jointing compound for use with hot and cold potable water
- WRAS Approved Product
- Non-toxic and environmentally friendly
- Easy and effective to use



Water Hawk is a pipe jointing compound designed for use with hot and cold potable water. It is suitable for potable water, Natural Gas, steam, air (excluding medical lines) brine, alcohol and L.P. Gas. It is ideal for use on pipe diameters up to 25mm and with reinforcement fibre on pipework over 25mm. The non-toxic formulation is also WRAS approved.

## **Application**

Water Hawk is a pipe jointing compound for all jointing applications but is uniquely designed for use with potable water. It is suitable for potable water, Natural Gas, steam, air (excluding medical lines), brine, alcohol and also L.P. Gas.Water hawk is manufactured from a unique silicone compound, to ensure it does not support microbiological growth. Water Hawk complies with BS EN 751-2 Class A, when used in conjunction with an approved reinforcing fibre, or as a sealing material for metallic threaded joints in contact with 1st, 2nd and 3rd family gases to 5 bar and  $70\text{\^{A}}^{\circ}\text{C}$  and water up to 7 bar and  $130\text{\^{A}}^{\circ}\text{C}$ . It may be used alone on pipe diameters up to 25 mm and is used with reinforcement fibre on pipework over 25 mm. Note that no British Standard exists for testing jointing compounds on pipes in excess of 50 mm diameter.

## **Specification**

Colour: White-straw Form: Thick paste Odour: None pH: N/A SG: 2.0

## Package, Handling & Safety

Water Hawk is supplied in 400g tins and 200g tubs.

Water Hawk is classified as non-toxic, but for further information please consult the Safety Data Sheet (SDS).



Single Item Outer Carton

Height mm 74 Outer Height mm 158 Width mm 71 Outer Width mm 340 Depth mm 71 Outer Depth mm 240 Weight kg 0.400 Outer Weight kg 8.520

**Barcode EAN** 5014551101296 **OCU Barcode** 05014551101302

**Transit Type** CP1 1200 x 1000

Units per carton 18
Cartons per layer 17
Total units per transit layer 306
Layers per transit type 5
Total units per transit type 1530

Safety Data Sheet (EN) 61023 Water Hawk 400g gb-en-gb.pdf

Last modification 28-10-2022 (d/m/y)