

# **Safety Data Sheet**

Gyproc® ProMix Lite





# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 and The Chemicals (Health and Safety) and Genetically Modified
Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 No. 720

Issuing Date 15-Nov-2021 Revision Date 28-Jan-2022 Revision Number 3

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product Name Gyproc ProMix Lite

Synonyms None

Pure substance/mixture Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** Filler and finishing compound

Uses advised against No specific uses advised against are identified

#### 1.3. Details of the supplier of the safety data sheet

#### **Supplier**

British Gypsum East Leake Loughborough Leicestershire LE12 6HX UK

T: +44 (0) 115 945 6123

### For further information, please contact

**E-mail address** bgtechnical.enquiries@bpb.com

# 1.4. Emergency telephone number

**Emergency telephone** +44 (0) 115 945 6123

8:30am - 5:00pm Monday - Friday (GMT)

# SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

Skin sensitisation Category 1A - (H317)

#### 2.2. Label elements

Contains Methylisothiazolinone



Signal word Warning

#### Hazard statements

#### H317 - May cause an allergic skin reaction

EUH208 - Contains 1,2-Benzisothiazolin-3-one May produce an allergic reaction.

# **Precautionary statements**

P261 - Avoid breathing dust

P280 - Wear protective gloves

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P362 + P364 - Take off contaminated clothing and wash it before reuse

P501 - Dispose of contents/ container to an approved waste disposal plant

**Biocide Labelling:** Contains 1,2-Benzisothiazol-3(2H)-one, 2-Methyl-2H-isothiazol-3-one, Bronopol, CMIT/MIT(3:1) to prevent microbial deterioration

# 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Calcium carbonate 471-34-1	25 - <50	No data available	207-439-9	Not Classified.	-	-	-
Mica 12001-26-2	3 - <5	No data available	601-648-2	No data available	-	-	-
Quartz 14808-60-7	0.25 - <0.5	No data available	238-878-4	[C]	•	-	-
Distillates (petroleum), solvent-dewaxed heavy paraffinic 64742-65-0	0.025 - <0.25	No data available	265-169-7	Asp Tox. 1 (H304)	1	-	-
Magnesium oxide 1309-48-4	0.025 - <0.25	No data available	215-171-9	No data available	-	-	-
Bronopol 52-51-7	<0.025	No data available	200-143-0	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) STOT SE 3 (H335) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)	-	1	10
Silica, amorphous, precipitated and gel	<0.025	No data available	No information available	No data available	-	-	-

Revision Date: 28-Jan-2022 **Gyproc ProMix Lite** 

112926-00-8							
Methylisothiazolinone 2682-20-4	<0.025	No data available	220-239-6	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH071)	Skin Sens. 1A :: C>=0.0015%	10	1
1,2-Benzisothiazolin- 3-one 2634-33-5	<0.025	No data available	220-120-9	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400)	Skin Sens. 1 :: C>=0.05%	-	-
Mixture, 3(2H)-isothiazolone, 5-chloro-2-methyl- with 2-methyl-3(2H)-isothi azolone 55965-84-9	<0.025	No data available	No information available	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH071)	C>=0.6%	100	100

# Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

**General advice** Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air.

**Eye contact** Rinse thoroughly with plenty of water, also under the eyelids.

**Skin contact** Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

or allergic reactions see a doctor.

**Ingestion** Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** Itching. Rashes. Hives.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors May cause sensitisation in susceptible persons. Treat symptomatically.

# **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable Extinguishing Media Alcohol resistant foam. Carbon dioxide (CO2). Dry powder. Water spray or fog. Use

extinguishing measures that are appropriate to local circumstances and the surrounding

environment.

**Unsuitable extinguishing media**Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Product is or contains a sensitiser. May cause sensitisation by skin contact.

**Hazardous combustion products** Carbon monoxide. Carbon dioxide (CO2).

5.3. Advice for firefighters

Specific/special fire-fighting

measures

Fires need to be assessed to determine appropriate protocols and safety measures for firefighting, including establishing safe zones, extinguishing media to be used, firefighter

protection, and actions to control or extinguish the fire.

Special protective equipment and

precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

# SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

6.2. Environmental precautions

**Environmental precautions** Keep out of drains, sewers, ditches and waterways. See Section 12 for additional

Ecological Information.

6.3. Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Take up mechanically, placing in appropriate containers for disposal. Following product

recovery, flush area with water.

Prevention of secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections

See section 8 for more information. See section 13 for more information.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse. Keep out of reach of children.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash it before reuse.

# 7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** 

Keep containers tightly closed in a dry, cool and well-ventilated place.

#### 7.3. Specific end use(s)

Specific use(s).

The identified uses for this product are detailed in Section 1.2

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### **Exposure Limits**

Chemical name	United Kingdom	Ireland
Mica	TWA: 10 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>
12001-26-2	TWA: 0.8 mg/m <sup>3</sup>	STEL: 9 mg/m <sup>3</sup>
	STEL: 30 mg/m <sup>3</sup>	
	STEL: 2.4 mg/m <sup>3</sup>	
Quartz	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>
14808-60-7	STEL: 0.3 mg/m <sup>3</sup>	STEL: 0.3 mg/m <sup>3</sup>
Magnesium oxide	TWA: 10 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup>
1309-48-4	TWA: 4 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
	STEL: 30 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
	STEL: 12 mg/m <sup>3</sup>	STEL: 10 mg/m <sup>3</sup>
		STEL: 12 mg/m <sup>3</sup>
		STEL: 30 mg/m <sup>3</sup>

#### Biological occupational exposure limits

**Derived No Effect Level (DNEL)** No information available.

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering controls Showers

Eyewash stations

Ventilation systems.

Personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Hand protection** Wear suitable gloves. Considering the data specified by the glove manufacturer, check

during use that the gloves are retaining their protective properties and change them as soon

as any deterioration is detected. Frequent changes are recommended.

**Skin and body protection** Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Contaminated work

clothing should not be allowed out of the workplace. Take off contaminated clothing and

wash it before reuse.

**Environmental exposure controls** Prevent product from entering drains.

# SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

AppearancePastePhysical stateSolid

**Colour** According to product specification

**Odour** Characteristic

Odour threshold No information available

 Property
 Values

 Melting point / freezing point
 No data available

Initial boiling point and boiling No data available

range

Flammability No data available

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash point

Autoignition temperature

Decomposition temperature

pH

pH (as aqueous solution)

No data available

pH (as aqueous solution)

Kinematic viscosity

No data available

Dynamic viscosity

No data available

No data available

Water solubility Immiscible in water

Solubility(ies)No data availablePartition coefficientNo data availableVapour pressureNo data available

Relative density 1.27 g/cm<sup>3</sup>

Bulk densityNo data availableLiquid DensityNo data availableVapour densityNo data available

Particle characteristics

Particle SizeNo data availableParticle Size DistributionNo data available

**Explosive properties**No information available. **Oxidising properties**No information available.

9.2. Other information

VOC No information available

# SECTION 10: Stability and reactivity

10.1. Reactivity

**Reactivity** None under normal use conditions.

10.2. Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions 
None under normal processing.

10.4. Conditions to avoid

**Conditions to avoid**None known based on information supplied.

10.5. Incompatible materials

**Incompatible materials** Strong acids. Strong bases. Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition products Carbon oxides.

# SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

# Information on likely routes of exposure

# **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available.

**Eye contact** Specific test data for the substance or mixture is not available.

**Skin contact** May cause sensitisation by skin contact. Repeated or prolonged skin contact may cause

allergic reactions with susceptible persons. (based on components).

**Ingestion** Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives.

Numerical measures of toxicity

**Component Information** 

Chemical hame	Ofal LD50	Definal LD50	innaiation LC50

Calcium carbonate	= 6450 mg/kg (Rat)	>2000 mg/kg (Rat)	> 3 mg/L (Rat)4 h
Distillates (petroleum), solvent-dewaxed heavy paraffinic	> 5000 mg/kg (Rat)	> 5000 mg/kg ( Rabbit )	> 2400 mg/m³ (Rat) 4 h
Magnesium oxide	= 3990 mg/kg (Rat)	-	-
	= 3870 mg/kg (Rat)		
Bronopol	= 193 mg/kg (Rat)	= 1600 mg/kg (Rat)	> 5 g/m³ (Rat) 6 h
Methylisothiazolinone	232 - 249 mg/kg (Rat)	= 200 mg/kg (Rabbit)	= 0.11 mg/L (Rat) 4 h
	= 120 mg/kg (Rat)		
1,2-Benzisothiazolin-3-one	= 1020 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Mixture, 3(2H)-isothiazolone, 5-chloro-2-methyl- with 2-methyl-3(2H)-isothiazolone	= 53 mg/kg ( Rat )	= 87.12 mg/kg (Rabbit)	-

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available.

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitisation May cause sensitisation by skin contact.

No information available. Germ cell mutagenicity

Carcinogenicity No information available.

our on regonnerty	anon arandoro.	
Chemical name	European Union	IARC
Quartz		Group 1
Distillates (petroleum), solvent-dewaxed heavy	Carc. 1B	Group 1
paraffinic		
Silica, amorphous, precipitated and gel		Group 3

Reproductive toxicity No information available. STOT - single exposure No information available. STOT - repeated exposure No information available. No information available. **Aspiration hazard** 

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Other adverse effects

The environmental impact of this product has not been fully investigated. Large or frequent **Ecotoxicity** 

spills may have hazardous effects on the environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Calcium carbonate	EC50 >14mg/L (72h,	LC50 >100% Sol (96h,	-	EC50 >100% Sol (48h,
	Desmodesmus	Oncorhynchus mykiss)		Daphnia magna)
	subspicatus)			
Distillates (petroleum),	-	LL50: >100mg/L (96h,	-	EL50: >10000mg/L

solvent-dewaxed heavy paraffinic		Pimephales promelas)		(48h, Daphnia magna)
	EC50: 0.25 mg/L (72h, Skeletonema	LC50: 35.7 mg/L (96h, Lepomis	EC20: 2 mg/L (150 min, Activated	EC50: 1.4 mg/L (48h, Daphnia magna)
	costatum)	macrochirus)	sludge)	Baprilla magna)

#### 12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

**Bioaccumulation** No information available.

Chemical name	Partition coefficient
1,2-Benzisothiazolin-3-one	1.3

# 12.4. Mobility in soil

Mobility in soil No information available.

#### 12.5. Results of PBT and vPvB assessment

#### PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Calcium carbonate	The substance is not PBT / vPvB PBT assessment does
	not apply
Distillates (petroleum), solvent-dewaxed heavy paraffinic	The substance is not PBT / vPvB
Bronopol	The substance is not PBT / vPvB
Methylisothiazolinone	The substance is not PBT / vPvB
1,2-Benzisothiazolin-3-one	The substance is not PBT / vPvB
Mixture, 3(2H)-isothiazolone, 5-chloro-2-methyl- with	The substance is not PBT / vPvB
2-methyl-3(2H)-isothiazolone	

#### 12.6. Other adverse effects

Other adverse effects No information available.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

# **SECTION 14: Transport information**

IMDGNot regulated14.1 UN number or ID numberNot regulated14.2 UN proper shipping nameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable

14.6 Special Precautions for Users

Special Provisions Nor

14.7 Maritime transport in bulk No information available according to IMO instruments

RID Not regulated

14.1 UN number Not regulated

14.2 UN proper shipping name
 14.3 Transport hazard class(es)
 14.4 Packing group
 14.5 Environmental hazards
 Not regulated Not regulated Not applicable

14.6 Special Precautions for Users

Special Provisions None

ADR
14.1 UN number or ID number
14.2 UN proper shipping name
14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environmental hazards

Not regulated
Not regulated
Not regulated
Not applicable

14.6 Special Precautions for Users

Special Provisions None

IATANot regulated14.1 UN number or ID numberNot regulated14.2 UN proper shipping nameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable

14.6 Special Precautions for Users

Special Provisions None Note: None

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

#### Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Calcium carbonate - 471-34-1	75.	
Distillates (petroleum), solvent-dewaxed heavy paraffinic - 64742-65-0	28. 75.	
Bronopol - 52-51-7	75.	
Methylisothiazolinone - 2682-20-4	75.	
1,2-Benzisothiazolin-3-one - 2634-33-5	75.	
Mixture, 3(2H)-isothiazolone, 5-chloro-2-methyl- with 2-methyl-3(2H)-isothiazolone - 55965-84-9	75.	

#### **Persistent Organic Pollutants**

Not applicable

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

#### EU - Plant Protection Products (1107/2009/EC)

Chemical name	EU - Plant Protection Products (1107/2009/EC)

Calcium carbonate - 471-34-1	Plant protection agent
Quartz - 14808-60-7	Plant protection agent

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)
Silica, amorphous, precipitated and gel - 112926-00-8	18 - Insecticides, acaricides and products to control other
	arthropods
Methylisothiazolinone - 2682-20-4	13 - Working or cutting fluid preservatives
	12 - Slimicides
	11 - Preservatives for liquid-cooling and processing
	systems
Mixture, 3(2H)-isothiazolone, 5-chloro-2-methyl- with	2 - Disinfectants and algaecides not intended for direct
2-methyl-3(2H)-isothiazolone - 55965-84-9	application to humans or animals
	4 - Food and feed area disinfectant
	6 - Preservatives for products during storage
	11 - Preservatives for liquid-cooling and processing
	systems
	12 - Slimicides
	13 - Working or cutting fluid preservatives

#### **International Inventories**

Contact supplier for inventory compliance status

#### 15.2. Chemical safety assessment

Chemical Safety Report No information available

# **SECTION 16: Other information**

# Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

EUH071 - Corrosive to the respiratory tract

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H310 - Fatal in contact with skin

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

#### Legend

SVHC: Substances of Very High Concern for Authorisation:

# Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method

	To a sure of the control of the cont
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	On basis of test data
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

#### Key literature references and sources for data used to compile the SDS

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)

European Chemicals Agency (ECHA) (ECHA\_API)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Issuing Date 15-Nov-2021

Revision Date 28-Jan-2022

Revision Note Initial Release.

This material safety data sheet complies with the requirements of UK REACH

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 



"Gyproc", "Thistle", "Gypframe" and "Glasroc" are all registered trademarks of Saint-Gobain Construction Products UK Limited. "Isover" is a registered trademark of Saint-Gobain Isover and "Artex" is a registered trademark of Saint-Gobain Construction Products UK Limited.

Saint-Gobain Construction Products UK Limited is a limited company registered in England under company number 734396, having its registered office at Saint-Gobain House, East Leake, Loughborough, Leicestershire, LEI2 6JU, UK. Saint-Gobain Construction Products UK Limited trades as British Gypsum for part of its business activities.

British Gypsum reserves the right to revise product specification without notice. The information herein should not be read in isolation as it is meant only as guidance for the user, who should always ensure that they are fully conversant with the products and systems being used and their subsequent installation prior to the commencement of work. For a comprehensive and up-to-date library of information visit the British Gypsum website at: british-gypsum.com. For information about products supplied by Artex Limited or Saint-Gobain Isover please see their respective websites.

"British Gypsum" is a registered trademark of Saint-Gobain Construction Products UK Limited.

