

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 31/03/2023 Revision date: 19/09/2023 Supersedes version of: 31/03/2023 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Substance (UVCB)
Substance name	: Refined White Spirit
EC-No.	: 919-857-5
REACH registration No.	: 01-2119463258-33
Product code	: WHSRGEN
Type of product	: Solvents

1.2. Relevant identified uses of the substance or mixture and uses advised against

·

1.2.1. Relevant identified uses

Intended for general public
Main use category
Use of the substance/mixture
Use of the substance/mixture

: For thinning oil colours and brush maintenance. Solvents

: Industrial use, Professional use, Consumer use

1.2.2. Uses advised against

Restrictions on use

: Any other use not identified.

1.3. Details of the supplier of the safety data sheet

Distributor	EU
J.V. Barrett & Co. Ltd Ltd	Barrettine (Europe) Ltd Ltd
St Ivel Way Warmley	Unit 3D North Point House, North Point Business Park, New Mallow Road
United Kingdom– BS30 8TY Bristol	Ireland– T23 AT2P Cork
United Kingdom	Ireland
T +44 (0)1179 60 00 60	T +353 21 206 6530
sales@barrettine.co.uk - www.barrettine.co.uk	sales@barrettine.co.uk - www.barrettine.co.uk

1.4. Emergency telephone number

Emergency number

: +44 (0) 1179 600060 (Office hours only 8am - 5pm Mon- Thurs. 8 am - 4.30 pm Fri.) +44 (0) 1270 502891 (Out of hours emergency number)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	NHS 111/NHS 24/NHS Direct		111 0845 4647	or call a doctor

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008	B [CLP]
Flammable liquids, Category 3	H226
Specific target organ toxicity – Single exposure, Category 3,	H336
Narcosis	
Aspiration hazard, Category 1	H304
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) GHS02 GHS07 GHS08 Signal word (CLP) : Danger Hazard statements (CLP) : H226 - Flammable liquid and vapour. H304 - May be fatal if swallowed and enters airways. H336 - May cause drowsiness or dizziness. Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 - Avoid breathing vapours, spray. P271 - Use only outdoors or in a well-ventilated area. P301+P310+P331 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor. Do NOT induce vomiting. P405 - Store locked up. P501 - Dispose of contents and container to a hazardous or special waste collection point. **EUH-statements** EUH066 - Repeated exposure may cause skin dryness or cracking. : Child-resistant fastening Applicable 2 Tactile warning Applicable

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients	
3.1. Substances	
Substance type Name EC-No.	: UVCB : Refined White Spirit : 919-857-5
Name	Product identifier
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics	EC-No.: 919-857-5 REACH-no: 01-2119463258-33
Refined White Spirit	EC-No.: 919-857-5 REACH-no: 01-2119463258-33
Full text of H- and FUH-statements: see section 16	

Full text of H- and EUH-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

10/00/0000 (Devicies data)		0/44
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.	
	present and easy to do. Continue rinsing.	
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lense	s, if
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing.	
	CENTER/doctor if you feel unwell.	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a POISON	
First-aid measures general	: Call a physician immediately.	
4.1. Description of first aid measures		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Symptoms/effects	: May cause drowsiness or dizziness.
Symptoms/effects after skin contact	: Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: May cause eye irritation.
Symptoms/effects after ingestion	: Risk of lung oedema.

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.Do not use a heavy water stream.
5.2. Special hazards arising from the subs	tance or mixture
Fire hazard Hazardous decomposition products in case of fire	Flammable liquid and vapour.Toxic fumes may be released.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equip	oment and emergency procedures	
General measures	: Stop leak if safe to do so.	
6.1.1. For non-emergency personnel		
Protective equipment	: Wear recommended personal protective equipment.	
Emergency procedures	 Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing vapours, spray. 	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for containment	and cleaning up	
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.	

Other information

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable.

: Dispose of materials or solid residues at an authorised site.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing vapours, spray. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including an	y incompatibilities
	Ground/bond container and receiving equipment. Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

Monitoring methods	
Monitoring methods	If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Refined White Spirit		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	125 mg/kg bodyweight/day	
Long-term - local effects, dermal	5	
Long-term - systemic effects, inhalation 871 mg/m ³		
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	125 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation 185 mg/m ³		
Long-term - systemic effects, dermal 208 mg/kg bodyweight/day		

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses. Chemical goggles or safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	>0.55		EN 374-2, EN 374-3
Reusable gloves	Polyvinylalcohol (PVA)	6 (> 480 minutes)			EN 374-2, EN 374-3
Reusable gloves	Viton® II	6 (> 480 minutes)			EN 374-2, EN 374-3

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chen	nical properties	
9.1. Information on basic physical	and chemical properties	
Physical state	: Liquid	
Colour	: Colourless.	
Odour	: Hydrocarbons.	
Odour threshold	: Not available	
Melting point	: < -50 °C Atm. press.: 1 atm Decomposition: 'no' Sublimation: 'no'	
Freezing point	: Not available	
Boiling point	: 155 – 192 °C Atm. press.: 1 atm Decomposition: 'no'	
Flammability	: Not applicable	
Lower explosion limit	: Not available	
Upper explosion limit	: Not available	
Flash point	: ≥ 40 °C Atm. press.: 1 atm	
Auto-ignition temperature	≥ 230 °C	
Decomposition temperature	: Not available	
pH	: Not available	
19/09/2023 (Revision date)	GB - en	5/11

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Viscosity, kinematic Solubility Partition coefficient a cotonel/water (Leg Kow)	: 1.33 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)' : soluble in most organic solvents. : Not available
Partition coefficient n-octanol/water (Log Kow) Vapour pressure	: 4 hPa
Vapour pressure at 50°C	: Not available
Density	: 0.776 g/cm³ Type: 'density' Temp.: 15 °C
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with re	egard to	physical haza	rd classes
----------------------------	----------	---------------	------------

Explosion limits

: 0.6 – 8 vol %

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Oxidizing agent.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information			
11.1. Information on hazard classes as	defined in Regulation (EC) No 1272/2008		
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	 Not classified Not classified Not classified 		
Hydrocarbons, C9-C11, n-alkanes, iso	alkanes, cyclics, < 2% aromatics		
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)		
LD50 dermal rabbit	≥ 3160 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)		
Skin corrosion/irritation	: Not classified		
Serious eye damage/irritation	: Not classified		
Respiratory or skin sensitisation	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

STOT-single exposure	: May cause drowsiness or dizziness.		
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics			
STOT-single exposure	May cause drowsiness or dizziness.		
STOT-repeated exposure	: Not classified		
Aspiration hazard	: May be fatal if swallowed and enters airways.		
Refined White Spirit			
Viscosity, kinematic	1.33 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'		
Human evidence for classification	Yes		
Hydrocarbon	Yes		
Hydrocarbons, C9-C11, n-alkanes, is	oalkanes, cyclics, < 2% aromatics		
Viscosity, kinematic	1.33 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'		
Human evidence for classification	Yes		
Hydrocarbon	Yes		
11.2. Information on other hazards			

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general Hazardous to the aquatic environment, short–term (acute) Hazardous to the aquatic environment, long–term (chronic) Not rapidly degradable	 The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Not classified Not classified
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
No additional information available	

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Additional information

: Flammable vapours may accumulate in the container.

n accordance with ADR / IME	JG / IATA / ADN / RID			
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber			
UN 3295	UN 3295	UN 3295	UN 3295	UN 3295
14.2. UN proper shipping	g name			
HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics)	HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics)	Hydrocarbons, liquid, n.o.s. (Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics)	HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics)	HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics)
Transport document descr	iption			
UN 3295 HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics), 3, III, (D/E)	UN 3295 HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics), 3, III	UN 3295 Hydrocarbons, liquid, n.o.s. (Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics), 3, III	UN 3295 HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics), 3, III	UN 3295 HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C9-C11, n alkanes, isoalkanes, cyclics, < 2% aromatics), 3 III
14.3. Transport hazard o	:lass(es)			
3	3	3	3	3
14.4. Packing group				
III	Ш	III	Ш	Ш
14.5. Environmental haz	ards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary informatio	n available			
4.6. Special precaution	s for user			
Overland transport Classification code (ADR) imited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) dixed packing provisions (AD Portable tank and bulk contain Portable tank and bulk contain ADR) Fank code (ADR)	R) : MP ner instructions (ADR) : T4	1, TP29		

Special provisions for carriage - Packages (ADR)

Special provisions for carriage - Operation (ADR) Hazard identification number (Kemler No.) : V12

: S2

: 30

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

.

Orange plates

Orange plates	30 3295
Tunnel restriction code (ADR)	: D/E
EAC code	: 3YE
Transport by sea	
Special provisions (IMDG)	: 223
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29 : F-E
EmS-No. (Fire) EmS-No. (Spillage)	. F-E : S-D
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: Immiscible with water.
Topenies and observations (INDO)	
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA) PCA max net quantity (IATA)	: 355
CAO packing instructions (IATA)	: 60L : 366
CAO max net quantity (IATA)	: 220L
Special provisions (IATA)	: A3, A224
ERG code (IATA)	: 3L
Inland waterway transport	F 4
Classification code (ADN)	: F1
Limited quantities (ADN)	: 5L : E1
Excepted quantities (ADN) Equipment required (ADN)	. ET : PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 0
Rail transport	
Classification code (RID)	: F1
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID) Mixed packing provisions (RID)	: P001, IBC03, LP01, R001 : MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container instructions (RD)	: TP1, TP29
(RID)	, 20
Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Colis express (express parcels) (RID)	: CE4
Hazard identification number (RID)	: 30

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)

Reference code	Applicable on	Entry title or description	
3(a)	Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	
3(b)	Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
40.	Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	

REACH Annex XIV (Authorisation List)

Not listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Not listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Not listed on the PIC list (Regulation EU 649/2012)

POP Regulation (Persistent Organic Pollutants)

Not listed on the POP list (Regulation EU 2019/1021)

Ozone Regulation (1005/2009)

Not listed on the Ozone Depletion list (Regulation EU 1005/2009)

VOC Directive (2004/42)

Organic solvent

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

: Yes

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

Modified.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes				
Section	Changed item	Change	Comments	
1.1	Additional information	Added	UFI	
1.3	Additional information	Modified		

Full text of H- and EUH-statements:

Asp. Tox. 1	Aspiration hazard, Category 1	
EUH066	Repeated exposure may cause skin dryness or cracking.	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H304	May be fatal if swallowed and enters airways.	
H336	May cause drowsiness or dizziness.	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.