

# CPF120IGMPBL

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven Type of second oven

Cleaning system main oven

EAN code

**Energy efficiency class** 

Energy efficiency class, second cavity

120x60 cm

2

Electric Mixed

Thermo-ventilated

Thermo-ventilated

Pyrolytic

8017709286064

A+ Α



# **Aesthetics**







**Aesthetics** Design Flush fit Colour Black

Command panel finish Assembled st/steel Logo Logo position

Upstand

Hob colour Type of pan stands Type of control setting Control knobs

Portofino

**Enamelled** metal Facia below the oven

Yes

Stainless steel Cast Iron Control knobs **Smeg Portofino**  Controls colour Stainless steel

No. of controls 11 Serigraphy colour Black Touch Display Door With frame Glass type Black

Smeg Portofino Handle

**Handle Colour** Black Storage compartment Drawer Sliding compartment Yes Plinth Black

# **Programs / Functions**

No. of cooking functions

9



Rear centre - Gas - Rapid - 3.00 kW

Central - Teppanyaki - 1.40 kW

Traditional cooking functions						
Static	Fan assisted	Circulaire				
<b>®</b>						
Turbo (circulaire + bottom + upper +	ECO ECO	Small grill				
fan)						
Large grill	Fan grill (large)	Fan assisted base				
Cleaning functions						
<b>P</b> . Pyrolytic						
Programs / Functions A	uxiliary Oven					
Cooking functions cavity 2 Traditional cooking functions, cav	8 rity <b>2</b>					
Static	Fan assisted	@ Circulaire				
ECO ECO	Large grill	Fan grill (large)				
<b>₹</b> Fan-assisted bottom						
Cooking functions with Direct Steam technology						
<b>€</b> 3						
Termo-ventilato (Circolare + Ventola)						
Cleaning functions cavity 2						
<b>V</b> <sup>→</sup> Vapor Clean						
Hob technical features						
UR STOP II						
Total no. of cook zones 6						
Left centre - Gas - 2UR (dual) - 4.20 k Front centre - Gas - Semi Rapid - 1.80						
Contro Cas Connitapia 1.00						

SMEG SPA 22/07/2025

Front right - Induction - multizone - 2.10~kW - Booster 2.30~kW - 21.1x19.1~cm Rear right - Induction - multizone - 1.60~kW - Booster 1.85~kW - 21.0x19.0~cm



**Number of Flexible** 

zones

Automatic pan detection

Yes

Yes

Type of gas burners

Automatic electronic

ignition

Yes

Standard

1

Minimum pan diameter

indication

Selected zone indicator Yes

Residual heat indicator Yes

**Burner** caps Automatic switch off

when overheat

Matte black enamelled Yes

# Main Oven Technical Features





















No. of lights

2 Fan number 1

Net volume of the cavity 70 litres Gross volume, 1st cavity 791

Cavity material Easy clean enamel

Shelf positions

Metal racks Type of shelves Light type Halogen Light power 40 W

Cooking time setting Start and Stop

Light when oven door is

open

Door opening Flap down

Removable door Yes Full glass inner door Yes Removable inner door Yes

Total no. of door glasses 4 No.of thermo-reflective

door glasses

Safety Thermostat Yes Heating suspended Yes when door is opened

**Tangential** Cooling system Yes

**Door Lock During** 

**Pyrolisis** 

Usable cavity space dimensions (HxWxD)

Temperature control Electro-mechanical

360X460X425 mm

1200 W

Lower heating element

power

Upper heating element - 1000 W

Power

1700 W Grill elememt Large grill - Power 2700 W Circular heating element 2000 W

- Power

Grill type Electric Soft Close system Yes

# **Options Main Oven**

Timer Yes End of cooking acoustic Yes

alarm

Minimum Temperature Maximum temperature 50 °C 280 °C

# Second Oven Technical Features




















second cavity

Gross volume, 2nd

cavity

Cavity material

63 litres

79 I

Easy clean enamel

No. thermo-reflective door glasses

Safety Thermostat Heating suspended when door is opened 2

Yes Yes



Shelf positions

Type of shelves Metal racks

No. of lights 2

Light type Halogen 40 W Light power

Cooking time setting Start and Stop

Light when oven door is

open

Door opening

Removable door Yes Full glass inner door Yes Removable inner door Yes No. total door glasses

Flap down

3

Cooling system **Tangential** 

Usable cavity space 360X460X425 mm

dimensions (HxWxD)

Temperature control Electro-mechanical

Lower heating element - 1200 W

power

Upper heating element - 1000 W

Power

Grill element - power 1700 W 2700 W Large grill - Power Circular heating element 2000 W

- Power

Electric Grill type Tilting grill Yes Soft Close system Yes

# **Options Auxiliary Oven**

Timer Minimum Temperature 50 °C Yes End of cooking acoustic Maximum temperature 260 °C

alarm

# Accessories included for Main Oven & Hob

Chrome shelf with back Grill mesh 1

and side stop Telescopic Guide rails, 1 20mm deep tray 1 total Extraction

40mm deep tray 1 **Meat Probe** 1

# Accessories included for Secondary Oven

Chrome shelf with back Grill mesh and side stop

20mm deep tray 1

40mm deep tray

Telescopic Guide rails,

total Extraction


## **Electrical Connection**

Max Power Draw 10900 W Cable testing

Additional connection Yes. Double and Three Current 32 A

modalities Phase 220-240 V Voltage 50/60 Hz Frequency 380-415 V Voltage 2 (V) Terminal block 5 poles Type of electric cable Yes, Single phase







# **Compatible Accessories**

#### **AIRFRY**

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



## BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.



Cast iron grill plate suitable for Victoria Cookers TR4110



### BN620-1

Enamelled tray, 20mm deep



#### **BN640**

Enamelled tray, 40mm deep



#### BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid



#### **GRILLPLATE**

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



#### **GTP**

\*\*Partially extractable telescopic guides (1 level)\*\* Extraction: 300 mm Material: Stainless steel AISI 430 polished



# GTT

\*\*Totally extractable telescopic guides (1 level)\*\* Extraction: 433 mm Material: Stainless steel AISI 430 polished



### KIT1CPF120X

Splashback 120x60 cm, stainless steel, suitable for Portofino cookers



# KITH95CPF120

Height extension kit (950 mm), suitable for TR4110 cookers



#### KITP65CPF120

Depth extension kit (650 mm), suitable for TR4110 cookers



#### **PALPZ**

Pizza shovel with fold away handle width: 315mm length: 325mm



#### **SCRP**

Induction and ceramic hobs and teppanyaki scraper



### SFLK1

Child lock



#### SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



#### **TPKPLATE**



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



## **WOKGHU**

Cast-Iron WOK Support



# Alternative products



CPF120IGMPX



CPF120IGMPR



CPF120IGMPWH



CPF120IGMPT



# Symbols glossary

Automatic merge of zones for a bigger area



Heavy duty cast iron pan stands: for maximum stability and strength.



A: Product drying performance, measured from A+++ to D / G depending on the product family



A+: Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is guaranteed.



Installation in column: Installation in column



Air cooling system: to ensure a safe surface temperatures.



A DIRECT STEAM oven has 1 steam cooking function to which the user can MANUALLY add steam. The function is activated when the user turns the function knob to the STEAM ON position, and deactivated when the user turns the steam knob to the STEAM OFF position. The user decides at the start of the cooking process how much water to load, up to 250ml. The water in the cavity then becomes steam during the cooking process.



Triple glazed doors: Number of glazed doors.



Quadruple glazed: Number of glazed doors.



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.



Knobs control



Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.



Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.



Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.



Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.



ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.



Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.



STOP

°C ∓

UR

Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.

Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.

**&** 

0

Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.

Circulaire with steam assist: Provides extra moisture to food during cooking. Excellent for bread baking. The moisture allows the bread dough to stretch further at the beginning of cooking, creating an aerated and light textured dough. The remaining part of the cooking process allows for the signature crust to form.

Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.

All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.

The inner door glass: can be removed with a few quick movements for cleaning.

Side lights: Two opposing side lights increase visibility inside the oven.

Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.

Pyrolitic: Pyrolitic cleaning cycles can be selected as necessary to automatically clean the oven interior.

Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 °C, the indicator goes out.

.5 The oven cavity has 5 different cooking levels.

Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly.

Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.

Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.

Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.

Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.

Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.

The capacity indicates the amount of usable space in the oven cavity in litres.

The capacity indicates the amount of usable space in the oven cavity in litres.





The touch timer display or DigiScreen guarantees simple functionality. They display the time, set programmed cooking and the minute minder timer.



## **Benefit**

#### Circulaire

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

#### Touch control

Easy and intuitive timer setting with a single touch

#### Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat

#### **Isothermic Cavity**

The best cooking performance at the highest energy efficiency

#### Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

#### Soft close

The door is equipped with a specific system for silent closing

## **Pyrolysis**

Easy oven cleaning thanks to special pyrolytic function

#### Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

#### **Direct Steam**

Steam is generated from water placed in a dedicated basin at the bottom of the cavity

#### Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

#### Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

#### Removalble inner glass

Internal door glasses are easily removable for complete cleaning

#### Multilevel cooking

Several cooking levels allow maximum flexibility of use



#### Cold door

During any function, the external door glass is cold, avoiding any risk of burns

## AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket

## Drawer storage compartment

More space thanks to the lower compartment, ideal for storing accessories or cooking utensils

## BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

## Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)