

KL F03WHUK

Category	Breakfast
Product Family	Kettles
Country version	UK
EAN code	8017709231026



Aesthetics

Aesthetics	50's Style	Cable colour	Grey
Colour	White	Body material	Stainless steel
Finishing	Gloss	Base material	Plastic
Lid colour	White	Lid material	Stainless steel
Base colour	Polished chrome	Spout material	Stainless steel
Handle colour	Chrome	Handle material	Plastic
Spout colour	Polished steel	Type of logo	Applied

Controls

Type of controls	Lever	Lever material	Stainless steel
------------------	-------	----------------	-----------------

Technical Features

Max capacity	1.7lt / 7 cups	Auto switch off	Yes, at 100°C
Water level indicator	Yes	Safety auto shut off	Yes
Soft Opening' lid	Yes	Concealed heating element	Yes
Filter	Yes	Integrated cord	Yes
Filter material	Stainless steel	Antislip feet	Yes
Limescale	Yes	360° swivel base	Yes
Removable	Yes		

Electrical Connection

Plug	(G) UK e Singapore	Frequency (Hz)	50/60 Hz
------	--------------------	----------------	----------

Power	3000 W
Voltage	220-240 V

Power supply cable length	39"
---------------------------	-----

Logistic Information

Width	226mm
Product width	171mm
Product height	248mm
Dimensions of the product HxWxD (mm)	248x226x171 mm
Giftbox width	267mm
Giftbox depth	222 mm
Gift box height	252mm
Width (mm) packed	273 mm

Depth packed (mm)	228 mm
Height packed (mm)	260 mm
Packed product width (in)	10.75 "
Packed product width (in)	8.98 "
Packed product height (in)	10.24 "
Net weight (kg)	1,600 kg
Gross weight (kg)	2,400 kg

Alternative products



KLF03BLUK



KLF03PBUK



KLF03PKUK



KLF03BLMUK



KLF03GRUK



KLF03SBMUK



KLF03CRUK



KLF03PGUK



KLF03RDUK



KLF03WHMUK



KLF03EGMUK

Benefit

Maximum capacity

1.7L capacity, enough for 7 cups, perfect for enjoying alone or with company at any time of the day

Gentle lid opening with "Soft Opening" system and removable, washable stainless steel limescale filter

360° swivel base allowing the kettle to be placed in any position

Automatic kettle shut-off when reaching 100°C / 212°F