

iQ700, French Door Bottom Glass,
183 x 90.5 cm, Black, Total
noFrost
KF96RSBEA



- ✓ The glassDoor series brings effortless elegance to your kitchen.
- ✓ The iceTwister for ice cubes on demand. Easy to refill.
- ✓ LED light – Even lighting throughout the inside of your fridge to keep everything in view.
- ✓ safetyGlass shelves – Extra strong and easy to clean.
- ✓ superCooling: faster cooling for fresh food.

Features

Technical Data

Energy Efficiency Class ¹ :	E
Average annual energy consumption in kilowatt hour per year (kWh/a):	320 kWh/annum
Sum of volume of frozen compartments:	171 l
Sum of volume of chill compartments:	401 l
Airborne acoustical noise emissions :	39 dB(A) re 1pW
Airborne acoustical noise emission class:	C
Built-in / Free-standing:	Freestanding
Door panel options:	Not possible
Height:	1830 mm
Width of the appliance:	905 mm
Dimensions:	736 mm
Weight:	172.7 kg
EAN code:	4242003915349
Fuse protection:	10 A
Door opening:	Other
Nominal power:	220-240 V
Frequency:	50-60 Hz
Length electrical supply cord:	240.0 cm
Number of compressors:	2
Number of independent cooling systems:	2
Interior ventilator:	Yes
Reversible Door Hinge:	No
Number of Adjustable Shelves in fridge compartment:	4
Shelves for Bottles:	No
Frost free system:	Fridge and freezer
Installation type:	Freestanding



¹ Scale of Energy Efficiency Classes from A to G

iQ700, French Door Bottom Glass,
183 x 90.5 cm, Black, Total
noFrost
KF96RSBEA

Features	
<p>Performance and Consumption</p> <ul style="list-style-type: none">• EU19_EEK_D: E• Total Volume : 572 l• Net Fridge Volume : 401 l• Net Freezer Volume : 171 l• Net 4* compartment volume : 171 l• Freezing capacity 24h : 14 kg• Annual Energy Consumption: 320 kWh/a• Climate Class: SN-T• Noise Level : 39 dB , EU19_Noise emission class_D: C• EU19_Fast freezer facility_D <p>Design features</p> <ul style="list-style-type: none">• Black Gloss doors and cast iron side panels• Bright interior LED fridge light in fridge section• Lightning backwall• Light position in cooler: Top and backwall and side• Interior design with metal applications• LED display for fridge and freezer• Super Cooling: automatic deactivation• Holiday mode• optical, Acoustic open door warning system <p>Food freshness system</p> <ul style="list-style-type: none">• multiAirflow cooling - improves circulation of air around the fridge <p>Key features - Fridge section</p> <ul style="list-style-type: none">• 1 vegetable/salad containers• Automatic defrost in fridge section• 1 dairy compartment in door• Door shelves in fridge door: 2 large and 3 small. <p>Key features - Freezer section</p> <ul style="list-style-type: none">• Freezer malfunction warning signal: optical, acoustical• 3 freezer drawers• Twist ice box <p>Dimension and installation</p> <ul style="list-style-type: none">• 220 - 240 V• Dimensions: 183 cm H x 90.5 cm W x 73.6 cm D• 4 wheels for easier transport, 3 of them height adjustable. <p>Design features</p> <p>Design features</p> <p>Freshness System</p> <p>Country Specific Options</p> <ul style="list-style-type: none">• Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.• To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth	<p>increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.</p> <ul style="list-style-type: none">• Beverage centre with predefined temperature settings and option for individual settings through Home Connect App• 5 safety glass shelves of which 4 are height adjustable

iQ700, French Door Bottom Glass,
183 x 90.5 cm, Black, Total
noFrost
KF96RSBEA

Dimensioned drawings

Measurements in mm

1815, 610, 853, 1830 (A), 635, 684, 736

A: Front is adjustable from 1830 to 1847 mm, with front levelling feet fully extended

Measurements in mm

1830 (A), 1815, 906, 610 (B)

A: Front is adjustable from 1830 to 1847 mm, with front levelling feet fully extended

B: Add 25 mm for fixed spacers on back

Measurements in mm

1393, 50, 244, 905, 1102, 90°, 118°

Measurements in mm

244, a, b, 244, (A), (B), 90°, 118°, 90°, 118°

A	a	b
≤ 600	0	0
600 < A ≤ 650	50	50
650 < A ≤ 700	65	65
> 700	244	244

A: Kitchen cabinet or worktop depth

B: Wall
Drawers can be pulled and taken out with door open to 90°