

Towel Warmer - Technical Specification



500mm x 1800mm Curved Chrome

| | | |
|-------------------------------------|--|----------------------|
| | EAN | 5060235344572 |
| | Finish | Curved Chrome |
| | Width | 500mm |
| | Height | 1800mm |
| | Fitted Depth | 89mm |
| | Horizontal Profile Size | 22mm |
| | Vertical Profile Size | 40mm x 30mm D Shaped |
| | Thread to Thread Centre | 455mm |
| | Wall to Thread Centre | 62mm |
| | Thread Orientation | Vertical Into Bottom |
| | Thread Size | 1/2" BSP |
| | Weight | 12.2 kg |
| Installation & Usage Options | | |
| Central Heating System | | |
| | Thermal Output dt50 | 514 Watts – 1754 BTU |
| | Thermal Output dt30 | 266 Watts – 907 BTU |
| | Maximum Working Pressure | 1000 kPa – 10 Bar |
| Option – Electric Only or Dual Fuel | | |
| | 400 Watts Electrical Element Kit – EAN 5060235341519 | |

Fitted Dimensions

Technical drawing showing the fitted dimensions of the towel warmer. The front view indicates a height of 1800mm, a width of 500mm, and a thread-to-thread center distance of 455mm. The side view indicates a depth of 89mm and a wall-to-thread center distance of 62mm.

| Product Information |
|---|
| Conform to EN 442 standard |
| CE Mark applied |
| Brackets and Fixings included |
| Specification |
| Pressure tightness: No leakage at 1.3 x MOP |
| Resistance to pressure: No breakage at 1.69 x MOP |
| Maximum operating pressure (MOP): 1000 kPa |
| Maximum surface temperature: 110°C |
| Resistance against corrosion: No corrosion after 100 h humidity |