

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**WICKES DURABLE MATT EMULSION colours**

Print date: 09.09.2015

Product code: W709640-W001

Page 1 of 6

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

WICKES DURABLE MATT EMULSION colours

**Further trade names**

W709640585 WICKES Durable Matt Emul Cream  
 W709640583 WICKES Durable Matt Emul Champagne  
 W709640002 WICKES Durable Matt Emul PBW  
 W709640636 WICKES Durable Matt Emul Steel

W709640627 WICKES Durable Matt Emul Ivory  
 W709640646 WICKES Durable Matt Emul Magnolia  
 W709640106 WICKES Durable Matt Emul Skinny La  
 W709640314 WICKES Durable Matt Emul

Citrus Ta

W709640709 WICKES Durable Matt Emul Earl Grey  
 W709640103 WICKES Durable Matt Emul Cappuccin  
 W709640788 WICKES Durable Matt Emul Purple Ha  
 W709640123 WICKES Durable Matt Emul Boating L

W709640110 WICKES Durable Matt Emul Sun Kisse  
 W709640710 WICKES Durable Matt Emul Mink  
 W709640313 WICKES Durable Matt Emul Eastern P  
 W709640693 WICKES Durable Matt Emul Fawn

W709640117 WICKES Durable Matt Emul Vintage B  
 W709640312 WICKES Durable Matt Emul Conifer S  
 W709640576 WICKES Durable Matt Emul Driftwood  
 W709640105 WICKES Durable Matt Emul Urban Nig

W709640580 WICKES Durable Matt Emul Calico  
 W709640379 WICKES Durable Matt Emul Frappucci  
 W709640707 WICKES Durable Matt Emul Chino  
 W709640544 WICKES Durable Matt Emul Nickel

W709640581 WICKES Durable Matt Emul Willow  
 W709640104 WICKES Durable Matt Emul City Stat  
 W709640683 WICKES Durable Matt Emul Slate  
 Wafer

W709640315 WICKES Durable Matt Emul Mellow Mo  
 W709640640 WICKES Durable Matt Emul Biscuit  
 W709640107 WICKES Durable Matt Emul

W709640662 WICKES Durable Matt Emul Fern  
 Gardinia

W709640586 WICKES Durable Matt Emul

W709640696 WICKES Durable Matt Emul Putty  
 Pewter

W709640543 WICKES Durable Matt Emul

W709640620 WICKES Durable Matt Emul Sage

W709640120 WICKES Durable Matt Emul Hope's

W709640790 WICKES Durable Matt Emul Powder

Abbreviation: 96940-9642-W001

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

water based emulsion for walls and ceilings

**Uses advised against**

Not required under normal use.

**1.3. Details of the supplier of the safety data sheet**

Company name: Wickes Building Supplies Limited

Lodge Way House

Street: Harlestone Road

Place: NN5 7UG Northampton

Telephone: 0844 892 2701

e-mail: safetydatasheet@jwo.com

Contact person: Customer Service

Telephone: 0844 892 2701

Internet: www.wickes.co.uk

Responsible Department: GBK GmbH - Global Regulatory Compliance - Emergency-Nr +49(0)6132-84463

**1.4. Emergency telephone**

+49 (0)6132-84463

**number:****SECTION 2: Hazards identification****2.2. Label elements****Regulation (EC) No. 1272/2008**

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## WICKES DURABLE MATT EMULSION colours

Print date: 09.09.2015

Product code: W709640-W001

Page 2 of 6

### Special labelling of certain mixtures

EUH208 Contains benz/methyl/chlormethyl-isothiazolon. May produce an allergic reaction.

### Additional advice on labelling

The product does not require a hazard warning label in accordance with EC directives/German regulations on dangerous substances.

### 2.3. Other hazards

For allergy sufferers, see details in section 11

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Mixture of the following substances with non-hazardous admixtures

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Remove contaminated soaked clothing immediately.  
If you feel unwell, seek medical advice.

#### After inhalation

Move to fresh air in case of accidental inhalation of vapours.  
In the event of symptoms refer for medical treatment.

#### After contact with skin

Wash off immediately with soap and plenty of water.  
Consult a doctor if skin irritation persists.

#### After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
If eye irritation persists, consult a specialist.

#### After ingestion

Drink plenty of water.  
If you feel unwell, seek medical advice.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Product itself does not burn.  
Fire-extinguishing activities according to surrounding.

### 5.2. Special hazards arising from the substance or mixture

Carbon monoxide and carbon dioxide.

### 5.3. Advice for firefighters

Use breathing apparatus with independent air supply.

#### Additional information

Cool containers at risk with water spray jet.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

In case of vapour formation use respirator.  
Avoid contact with skin, eyes and clothing.  
Ensure adequate ventilation.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## WICKES DURABLE MATT EMULSION colours

Print date: 09.09.2015

Product code: W709640-W001

Page 3 of 6

### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).

Shovel into suitable container for disposal.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### **Advice on safe handling**

Keep container tightly closed.

Avoid contact with eyes and skin.

Use only in thoroughly ventilated areas.

#### **Advice on protection against fire and explosion**

No special protective measures against fire required.

### 7.2. Conditions for safe storage, including any incompatibilities

#### **Requirements for storage rooms and vessels**

Keep container tightly closed in a dry, cool and well-ventilated place.

#### **Further information on storage conditions**

Keep away from food, drink and animal feeding stuffs.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### 8.2. Exposure controls

#### **Appropriate engineering controls**

Ensure adequate ventilation, especially in confined areas.

#### **Protective and hygiene measures**

Avoid contact with eyes and skin.

Wash hands before breaks and immediately after handling the product.

When using, do not eat, drink or smoke.

Take off immediately all contaminated clothing.

#### **Eye/face protection**

Safety goggles with side protection.

#### **Hand protection**

Glove material specification [make/type, thickness, permeation time/life, wetting resistance]: Butyl latex, 0,7 mm, 480 min., 60 min., i.e. protective glove made by www.kcl.de. This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

#### **Respiratory protection**

No personal respiratory protective equipment normally required.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Highly viscous
Colour:	Various / white
Odour:	Characteristic

pH-Value:

8-9,5

#### **Test method**

#### **Changes in the physical state**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**WICKES DURABLE MATT EMULSION colours**

Print date: 09.09.2015

Product code: W709640-W001

Page 4 of 6

Melting point:	(n.a. = not applicable; n.d. = not determined)
Initial boiling point and boiling range:	(n.a. = not applicable; n.d. = not determined)
Sublimation point:	(n.a. = not applicable; n.d. = not determined)
Softening point:	(n.a. = not applicable; n.d. = not determined)
Pour point:	(n.a. = not applicable; n.d. = not determined)
Flash point:	Not applicable.

**Flammability**

Solid:	(n.a. = not applicable; n.d. = not determined)
Gas:	(n.a. = not applicable; n.d. = not determined)
Lower explosion limits:	(n.a. = not applicable; n.d. = not determined)

**Auto-ignition temperature**

Solid:	(n.a. = not applicable; n.d. = not determined)
Gas:	(n.a. = not applicable; n.d. = not determined)

Vapour pressure:  
(at 20 °C) ca. 23 hPa

Vapour pressure: (n.a. = not applicable; n.d. = not determined)

Density (at 20 °C): 1,44-1,46 g/cm<sup>3</sup>

Bulk density: (n.a. = not applicable; n.d. = not determined)

Water solubility: Completely miscible

Viscosity / dynamic:  
(at 20 °C) 5000-60000 mPa·s

Viscosity / kinematic: (n.a. = not applicable; n.d. = not determined)

Flow time: (n.a. = not applicable; n.d. = not determined)

Vapour density: (n.a. = not applicable; n.d. = not determined)

Evaporation rate: (n.a. = not applicable; n.d. = not determined)

Solvent separation test: (n.a. = not applicable; n.d. = not determined)

**9.2. Other information****SECTION 10: Stability and reactivity****10.1. Reactivity**

(n.a. = not applicable; n.d. = not determined)

**10.2. Chemical stability**

(n.a. = not applicable; n.d. = not determined)

**10.3. Possibility of hazardous reactions**

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## WICKES DURABLE MATT EMULSION colours

Print date: 09.09.2015

Product code: W709640-W001

Page 5 of 6

(n.a. = not applicable; n.d. = not determined)

### **10.4. Conditions to avoid**

To avoid thermal decomposition, do not overheat.

### **10.5. Incompatible materials**

(n.a. = not applicable; n.d. = not determined)

### **10.6. Hazardous decomposition products**

Carbon monoxide and carbon dioxide.

### **Further information**

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### **11.1. Information on toxicological effects**

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### **Irritation and corrosivity**

Based on available data, the classification criteria are not met.

#### **Sensitising effects**

Based on available data, the classification criteria are not met.

#### **STOT-single exposure**

Based on available data, the classification criteria are not met.

#### **Severe effects after repeated or prolonged exposure**

Based on available data, the classification criteria are not met.

#### **Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### **Specific effects in experiment on an animal**

non-sensitising

#### **Practical experience**

#### **Observations relevant to classification**

If appropriately handled and if in accordance with the general hygienic rules, no damages to health have become known.

## SECTION 12: Ecological information

### **Further information**

Ecological injuries are not known or expected under normal use.

Do not flush into surface water or sanitary sewer system.

Low hazard to waters.

## SECTION 13: Disposal considerations

### **13.1. Waste treatment methods**

#### **Advice on disposal**

Where possible recycling is preferred to disposal.

Can be incinerated, when in compliance with local regulations.

#### **Waste disposal number of waste from residues/unused products**

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

**WICKES DURABLE MATT EMULSION colours**

Print date: 09.09.2015

Product code: W709640-W001

Page 6 of 6

080120 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19

**Waste disposal number of used product**

080120 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19

**Contaminated packaging**

Empty containers should be taken for local recycling, recovery or waste disposal.

**SECTION 14: Transport information****Other applicable information**

Not subject of the requirements of ADR/RID.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

2004/42/EC (VOC): 2004/42/EG A/a 30 g/l (2010) < 1 g/l (30) VOC.

**Additional information**

Directive 2004/42/EG: compliant  
1907/2006/EG REACH: compliant

**National regulatory information**

Water contaminating class (D): 1 - slightly water contaminating

**SECTION 16: Other information****Relevant H and EUH statements (number and full text)**

EUH208 Contains benz/methyl/chlormethyl-isothiazolon. May produce an allergic reaction.

**Further Information**

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*