

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**WICKES SMOOTH MASONRY**

Print date: 09.09.2015

Product code: W709357-W001

Page 1 of 6

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

WICKES SMOOTH MASONRY

**Further trade names**

W709356002	WICKES Smooth Masonry Brill White	5,000L
W709358002	WICKES Smooth Masonry Brill White	10,000L
W709356646	WICKES Smooth Masonry Magnolia	5,000L
W709357646	WICKES Smooth Masonry Magnolia	15,000L
W709359590	WICKES Smooth Masonry BrickRed	0,250L
W709357002	WICKES Smooth Masonry Brill White	15,000L
W709359605	WICKES Smooth Masonry Black	0,250L
W709358646	WICKES Smooth Masonry Magnolia	10,000L
W709356440	WICKES Smooth Masonry Sand Stone	5,000L
W709356605	WICKES Smooth Masonry Black	5,000L
W709358548	WICKES Smooth Masonry Buttermilk	10,000L
W709356548	WICKES Smooth Masonry Buttermilk	5,000L
W709359548	WICKES Smooth Masonry Buttermilk	0,250L
W709356438	WICKES Smooth Masonry Barley	5,000L
W709356590	WICKES Smooth Masonry Brick Red	5,000L
W709356436	WICKES Smooth Masonry Cool Grey	5,000L
W709356437	WICKES Smooth Masonry Soft Sand	5,000L
W709358440	WICKES Smooth Masonry Sand Stone	10,000L
W709359646	WICKES Smooth Masonry Magnolia	0,250L
W709359437	WICKES Smooth Masonry Soft Sand	0,250L
W709359436	WICKES Smooth Masonry Cool Grey	0,250L
W709359440	WICKES Smooth Masonry Sand Stone	0,250L
W709359438	WICKES Smooth Masonry Barley	0,250L

Abbreviation: 1000

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

water based emulsion for walls and ceilings

**Uses advised against**

Not required under normal use.

**1.3. Details of the supplier of the safety data sheet**

Company name:	Wickes Building Supplies Limited	
	Lodge Way House	
Street:	Harlestone Road	
Place:	NN5 7UG Northampton	
Telephone:	0844 892 2701	
e-mail:	safetydatasheet@jwo.com	
Contact person:	Customer Service	Telephone: 0844 892 2701
Internet:	www.wickes.co.uk	
Responsible Department:	GBK GmbH - Global Regulatory Compliance - Emergency-Nr +49(0)6132-84463	
<b>1.4. Emergency telephone number:</b>	+49 (0)6132-84463	

**SECTION 2: Hazards identification****2.2. Label elements****Regulation (EC) No. 1272/2008**

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## WICKES SMOOTH MASONRY

Print date: 09.09.2015

Product code: W709357-W001

Page 2 of 6

### Special labelling of certain mixtures

EUH208 Contains benz/methyl/chlormethyl-isothiazolon. May produce an allergic reaction.

### Additional advice on labelling

The product does not require a hazard warning label in accordance with EC directives/German regulations on dangerous substances.

### 2.3. Other hazards

For allergy sufferers, see details in section 11

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

water based emulsion for walls and ceilings

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Remove contaminated soaked clothing immediately.  
If you feel unwell, seek medical advice.

#### After inhalation

Move to fresh air in case of accidental inhalation of vapours.  
In the event of symptoms refer for medical treatment.

#### After contact with skin

Wash off immediately with soap and plenty of water.  
Consult a doctor if skin irritation persists.

#### After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
If eye irritation persists, consult a specialist.

#### After ingestion

Drink plenty of water.  
If you feel unwell, seek medical advice.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Product itself does not burn.  
Fire-extinguishing activities according to surrounding.

### 5.2. Special hazards arising from the substance or mixture

Carbon monoxide and carbon dioxide.

### 5.3. Advice for firefighters

Use breathing apparatus with independent air supply.

#### Additional information

Cool containers at risk with water spray jet.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

In case of vapour formation use respirator.  
Avoid contact with skin, eyes and clothing.  
Ensure adequate ventilation.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## WICKES SMOOTH MASONRY

Print date: 09.09.2015

Product code: W709357-W001

Page 3 of 6

### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).

Shovel into suitable container for disposal.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### **Advice on safe handling**

Keep container tightly closed.

Avoid contact with eyes and skin.

Use only in thoroughly ventilated areas.

#### **Advice on protection against fire and explosion**

No special protective measures against fire required.

### 7.2. Conditions for safe storage, including any incompatibilities

#### **Requirements for storage rooms and vessels**

Keep container tightly closed in a dry, cool and well-ventilated place.

#### **Further information on storage conditions**

Keep away from food, drink and animal feeding stuffs.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### 8.2. Exposure controls

#### **Appropriate engineering controls**

Ensure adequate ventilation, especially in confined areas.

#### **Protective and hygiene measures**

Avoid contact with eyes and skin.

Wash hands before breaks and immediately after handling the product.

When using, do not eat, drink or smoke.

Take off immediately all contaminated clothing.

#### **Eye/face protection**

Safety goggles with side protection.

#### **Hand protection**

Glove material specification [make/type, thickness, permeation time/life, wetting resistance]: Butyl latex, 0,7 mm, 480 min., 60 min., i.e. protective glove made by www.kcl.de.

@0803021005..

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

#### **Respiratory protection**

No personal respiratory protective equipment normally required.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Highly viscous
Colour:	Various / white
Odour:	Characteristic

**Test method**

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## WICKES SMOOTH MASONRY

Print date: 09.09.2015

Product code: W709357-W001

Page 4 of 6

pH-Value: 8-9

### Changes in the physical state

Melting point: (n.a. = not applicable; n.d. = not determined)

Initial boiling point and boiling range: (n.a. = not applicable; n.d. = not determined)

Sublimation point: (n.a. = not applicable; n.d. = not determined)

Softening point: (n.a. = not applicable; n.d. = not determined)

Pour point: (n.a. = not applicable; n.d. = not determined)

Flash point: Not applicable.

### Flammability

Solid: (n.a. = not applicable; n.d. = not determined)

Gas: (n.a. = not applicable; n.d. = not determined)

Lower explosion limits: (n.a. = not applicable; n.d. = not determined)

### Auto-ignition temperature

Solid: (n.a. = not applicable; n.d. = not determined)

Gas: (n.a. = not applicable; n.d. = not determined)

Vapour pressure: ca. 23 hPa  
(at 20 °C)

Vapour pressure: (n.a. = not applicable; n.d. = not determined)

Density (at 20 °C): 1,25-1,31 g/cm<sup>3</sup>

Bulk density: (n.a. = not applicable; n.d. = not determined)

Water solubility: Completely miscible

Viscosity / dynamic: 50000-140000 mPa·s  
(at 20 °C)

Viscosity / kinematic: (n.a. = not applicable; n.d. = not determined)

Flow time: (n.a. = not applicable; n.d. = not determined)

Vapour density: (n.a. = not applicable; n.d. = not determined)

Evaporation rate: (n.a. = not applicable; n.d. = not determined)

Solvent separation test: (n.a. = not applicable; n.d. = not determined)

### 9.2. Other information

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

(n.a. = not applicable; n.d. = not determined)

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

**WICKES SMOOTH MASONRY**

Print date: 09.09.2015

Product code: W709357-W001

Page 5 of 6

**10.2. Chemical stability**

(n.a. = not applicable; n.d. = not determined)

**10.3. Possibility of hazardous reactions**

(n.a. = not applicable; n.d. = not determined)

**10.4. Conditions to avoid**

To avoid thermal decomposition, do not overheat.

**10.5. Incompatible materials**

(n.a. = not applicable; n.d. = not determined)

**10.6. Hazardous decomposition products**

Carbon monoxide and carbon dioxide.

**Further information**

No decomposition if stored and applied as directed.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

**Irritation and corrosivity**

Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**Severe effects after repeated or prolonged exposure**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Specific effects in experiment on an animal**

non-sensitising

**Practical experience****Observations relevant to classification**

If appropriately handled and if in accordance with the general hygienic rules, no damages to health have become known.

**SECTION 12: Ecological information****Further information**

Ecological injuries are not known or expected under normal use.

Do not flush into surface water or sanitary sewer system.

Low hazard to waters.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Advice on disposal**

Where possible recycling is preferred to disposal.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**WICKES SMOOTH MASONRY**

Print date: 09.09.2015

Product code: W709357-W001

Page 6 of 6

Can be incinerated, when in compliance with local regulations.

**Waste disposal number of waste from residues/unused products**

080120 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19

**Waste disposal number of used product**

080120 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19

**Contaminated packaging**

Empty containers should be taken for local recycling, recovery or waste disposal.

**SECTION 14: Transport information****Other applicable information**

Not subject of the requirements of ADR/RID.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

2004/42/EC (VOC): 2004/42/EG A/c 40(2010) <1g/l VOC

**Additional information**

exterior wall paints: 2004/42/EG A/c 40(2010) <1g/l VOC

Directive 2004/42/EG: compliant

1907/2006/EG REACH: compliant

**National regulatory information**

Water contaminating class (D): 1 - slightly water contaminating

**SECTION 16: Other information****Relevant H and EUH statements (number and full text)**

EUH208 Contains benz/methyl/chlormethyl-isothiazolon. May produce an allergic reaction.

**Further Information**

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*