Sheet



Table of contents		
Product	Article	EAN
ROCUT TC 26, 0-26mm	52005	4004625014066



Properties	
D	15899
External Key	52005
Status	Sharing (all languages)
	Variant (7119), EC002190 – Pipe Shears (8864), Special treatment class (9347), SCIP (9340), UFI-Code (9343), Pipe shears (50368488),
Classes	Marketing Product (7118), Product group (7637), Pipe cutters,
Classes	deburring/chamfering/calibrating, scissors (7949), Material without cutting depth (9217), Product line (6902), Product area (6901), Brand (6900)
Last Change	11/18/23 02:13:45 am
General	
Article	52005
Description Variant	ROCUT TC 26, 0-26mm
Sales text	ROCUT TC 26 Plastic Pipe Scissors, 0-26mm
EAN/GTIN	4004625014066
Customs tariff number	82034000
Name of marketing product	Plastic pipe shears ROCUT Standard
SKU	52005
Brand name	ROTHENBERGER
Execution	0-26 mm (0 - 1")
Basic designation	ROCUT TC 26
Name of the variant website	ROCUT TC 26, 0-26mm
Description Variant Catalogue (Print)	ROCUT TC 26, 0-26mm



Cut to length	
010300090001000100	
Piece	
Discount group 4	
ROTHENBERGER	
Pipe, installation tools	
Price list	
1	
Piece	
ES - Spain	
Vizcaya	
Material is not dangerous goods	
1: immediately from stock	
No	
No	
08/01/2023	
12/31/2023	
0.165 kg	
0.200 kg	
28,500 cm	
14,500 cm	
	O10300090001000100 Piece Discount group 4 ROTHENBERGER Pipe, installation tools Price list 1 Piece ES - Spain Vizcaya Material is not dangerous goods 1: immediately from stock No No 08/01/2023 12/31/2023 0.165 kg 0.200 kg 28,500 cm



Shipping Weight	0.200 kg
Packing Height	3,000 cm
Minimum Order Quantity Multiples	4
Packaging volume	1,239
Product Hierarchy	ROCUT TC 26 Professional
Minimum amount	4
Product specification	Core assortment
Maximum amount	no maximum quantity
Durability	99
Packaging quantity	1
Length x Width x Height	28,500 X 14,500 X 3,000 cm
Discount Group 2023	В
Length	28,500 cm
Width	14,500 cm
Height	3,000 cm
Specifications	
Working Range Diameter Inches	0 – 1 inch
Working range diameter mm	0 - 26 mm
Marketing	
Neutral designation	Plastic pipe shears
Stainless stee	el blade with V-grind: Precise point gate without deformation

Errors excepted for the entire content. Purchase only from specialist retailers.



Application benefits	Low effort: Ideally toothed cutting curve		
	Wide tube support: Provides a right-angled cut		
	 Release lever at the touch of a button: This allows you to open the knife automatically and in a controlled manner 		
Marketing			
	 Transport lock: After use, the plier legs can be locked in the transport position 		
	The ROCUT TC 26 is an adjustable plastic pipe shear, which is used for the precise machining of pipes with a diameter of		
Marketing text	0-26. Effortless and at the same time more efficient work thanks to the mm (0-1 inch) a wide range of application		
	Precise point cutting without deformation is ensured by the stainless-steel blade with V-grind.		
Application	The manual plastic pipe shear for cutting PP, PE, PEX, PB and PVDF pipes up to a diameter of 0-26 mm		
Product	Manual plastic pipe shears for cutting PP, PE, PEX, PB and PVDF pipes		
Scope of delivery	ROCUT TC 26, 0-26 mm		

Sheet

ROCUT TC 26, 0-26 mm



Media

Detail



 $52005_ROCUT\text{-}TC\text{-}26_d01.tif$

MamfileID: 160613

Description: FileType: tif

Main



2691_ROCUT TC 26 Standard-Main image-1690.tiff

MamfileID: 29478 Description: FileType: tiff

Icons



Rothenberger LOGO-Du1176E0.eps

MamfileID: 94964 Description: FileType: eps

Crossselling

Upselling



PIPECUT mini incl. charger EU, 4Ah battery

Article: 1000003165

Basic article



Crossselling



ROCUT TC 26, 0-26mm

Article: 52005

Accessorie



Replacement Blade f. ROCUT 26 / 42 S

Article: 55007

6

TUBE CUTTER 42 Pro, MSR, 6-42mm

Article: 70109

Crossselling



TUBE CUTTER 42 Pro, PVC, 6-42mm

Article: 70072



Uni-Small Saw PUK, fixed, 290mm

Article: 842100