

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

**EVO-STIK CONCRETE FLOOR TILE ADHESIVE/GROUT** 

Supercedes Date: 15-Nov-2018

Revision date 26-Jul-2019 Revision Number 2

Revision Number 2

\_\_\_

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product Identifier

Product Name EVO-STIK CONCRETE FLOOR TILE ADHESIVE/GROUT

Pure substance/mixture Mixture

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** Building and construction work. Adhesives.

Uses advised against None known

#### 1.3. Details of the supplier of the safety data sheet

#### **Company Name**

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

### 1.4. Emergency telephone number

United Kingdom +44 (1785) 272650

**Ireland** +353 (1) 8624900 (Monday- Friday 9am-5pm)

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin sensitisation Category 1 - (H317)

#### 2.2. Label Elements

Contains: 2-methyl-2H-isothiazol-3-one [MIT]



## Signal word WARNING

### **Hazard statements**

H317 - May cause an allergic skin reaction

## **Precautionary statements**

### **EVO-STIK CONCRETE FLOOR TILE ADHESIVE/GROUT**

Supercedes Date: 15-Nov-2018 Revision Number 2

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

P280 - Wear protective gloves

P501 - Dispose of contents/ container to an approved waste disposal plant

## 2.3. Other Hazards

No information available

#### PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

# SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable

#### Mixtures

The product contains no substances which at their given concentration, are considered to be hazardous to health

Chemical name	EC No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Quartz	238-878-4	14808-60-7	>25 - <40	۸		Exempt
Diethylene glycol monobutyl ether	203-961-6	112-34-5	0.1 - <1	Eye Irrit. 2 (H319)		01-2119475104- 44-XXXX
2-methyl-2H-isothiazol-3 -one [MIT]	220-239-6	2682-20-4	0.0015 - <0.01	Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Acute Tox. 3 (H301) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411) (M Factor Acute =1)	Skin Sens. 1 :: C>=0.0015%	No data available

# Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

Revision date 26-Jul-2019

**EVO-STIK CONCRETE FLOOR TILE ADHESIVE/GROUT** 

Supercedes Date: 15-Nov-2018

\_\_\_

**General advice** Show this safety data sheet to the doctor in attendance.

**Inhalation** Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a doctor.

**Skin contact** Wash with soap and water. May cause an allergic skin reaction. In the case of skin

irritation or allergic reactions see a doctor.

Ingestion Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never

give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** Itching. Rashes. Hives.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors May cause sensitisation in susceptible persons. Treat symptomatically.

## **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

**Unsuitable extinguishing media** Full water jet. Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Product is or contains a sensitiser. May cause sensitisation by skin contact.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

## **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions**Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Other information Ventilate the area. Prevent further leakage or spillage if safe to do so.

6.2. Environmental precautions

**Environmental precautions**Do not flush into surface water or sanitary sewer system. Do not allow to enter into

soil/subsoil. See Section 12 for additional Ecological Information.

### 6.3. Methods and material for containment and cleaning up

Revision date 26-Jul-2019

**EVO-STIK CONCRETE FLOOR TILE ADHESIVE/GROUT** 

Methods for containment

Use a non-combustible material like vermiculite, sand or earth to soak up the product

and place into a container for later disposal.

**Methods for cleaning up**Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

Supercedes Date: 15-Nov-2018

**Reference to other sections** See section 8 for more information. See section 13 for more information.

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact

with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product.

Revision date 26-Jul-2019

**Revision Number** 2

Take off contaminated clothing and wash it before reuse.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink

or smoke when using this product. Wash thoroughly after handling. Take off all

contaminated clothing and wash it before reuse.

# 7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children. Keep from freezing.

# 7.3. Specific end use(s)

Specific Use(s)

Adhesives. Building and construction work.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

## SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters

#### **Exposure Limits**

Chemical name	European Union	Ireland	United Kingdom
Limestone	-	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
1317-65-3		TWA: 4 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup>
		STEL: 30 mg/m <sup>3</sup>	STEL: 30 mg/m <sup>3</sup>
		STEL: 12 mg/m <sup>3</sup>	STEL: 12 mg/m <sup>3</sup>
Quartz	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>
14808-60-7	_		
Diethylene glycol monobutyl ether	TWA: 10 ppm	TWA: 10 ppm	TWA: 10 ppm
112-34-5	TWA: 67.5 mg/m <sup>3</sup>	TWA: 67.5 mg/m <sup>3</sup>	TWA: 67.5 mg/m <sup>3</sup>
	-	STEL: 15 ppm	STEL: 15 ppm
		STEL: 101.2 mg/m <sup>3</sup>	STEL: 101.2 mg/m <sup>3</sup>

Derived No Effect Level (DNEL) No information available

**EVO-STIK CONCRETE FLOOR TILE ADHESIVE/GROUT** 

\_\_\_\_\_

Predicted No Effect Concentration No information available.

(PNEC)

8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

**Personal Protective Equipment** 

Supercedes Date: 15-Nov-2018

**Eye/face protection** Wear safety glasses with side shields (or goggles). Avoid contact with eyes.

Hand protection Wear protective gloves. Ensure that the breakthrough time of the glove material is not

exceeded. Refer to glove supplier for information on breakthrough time for specific

Revision date 26-Jul-2019

**Revision Number** 2

gloves. Gloves must conform to standard EN 374

**Skin and body protection** Wear protective gloves.

Environmental exposure controls No information available.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state Solid
Appearance Paste
Colour Grev

Odour No information available Odour threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH Not applicable No data available

Melting point / freezing point
Boiling point / boiling range
Flash point
Evaporation rate
Flammability (solid, gas)

No data available
No data available
No data available
No data available

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapour pressure No data available Vapour density No data available

Relative density 1.75

No data available Water solubility Solubility(ies) No data available **Partition coefficient** No data available **Autoignition temperature** No data available **Decomposition temperature** No data available Kinematic viscosity No data available Dynamic viscosity No data available **Explosive properties** No data available Oxidising properties No data available

9.2. Other information

Solid content (%)

Softening Point

Molecular weight

VOC Content (%)

Density

No information available

**EVO-STIK CONCRETE FLOOR TILE ADHESIVE/GROUT** 

# SECTION 10: Stability and reactivity

Supercedes Date: 15-Nov-2018

10.1. Reactivity

**Reactivity** No information available.

10.2. Chemical stability

**Stability** Stable under normal conditions.

**Explosion Data** 

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Keep from freezing.

10.5. Incompatible materials

**Incompatible materials**None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information .

**Inhalation** Based on available data, the classification criteria are not met.

**Eye contact** Based on available data, the classification criteria are not met.

**Skin contact** May cause sensitisation by skin contact. Specific test data for the substance or mixture

is not available. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components).

**Ingestion** Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives.

Numerical measures of toxicity

**Acute Toxicity** 

Revision date 26-Jul-2019

**EVO-STIK CONCRETE FLOOR TILE ADHESIVE/GROUT** 

\_

## **Component Information**

Supercedes Date: 15-Nov-2018

	Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
	Quartz 14808-60-7	>2000 mg/kg (Rat)		
ŀ		- 5660 mg/kg ( Bot )	- 2700 mg/kg / Bobbit \	
	Diethylene glycol monobutyl ether 112-34-5	= 5660 mg/kg(Rat)	= 2700 mg/kg(Rabbit)	
	2-methyl-2H-isothiazol-3-one [MIT] 2682-20-4	LD50 =285 mg/Kg (Rat)	LD50 >2000 mg/Kg (Rat)	= 0.11 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation** May cause sensitisation by skin contact.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT - single exposure** Based on available data, the classification criteria are not met.

**STOT - repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor
	plants		Micro-organisms		
Diethylene glycol	EC50: >100mg/L	LC50: =1300mg/L	-	EC50: >100mg/L	-
monobutyl ether	(96h,	(96h, Lepomis		(48h, Daphnia	
112-34-5	Desmodesmus	macrochirus)		magna) EC50:	
	subspicatus)	·		=2850mg/L (24h,	
				Daphnia magna)	

# 12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

Revision date 26-Jul-2019

**EVO-STIK CONCRETE FLOOR TILE ADHESIVE/GROUT** 

### **Component Information**

Supercedes Date: 15-Nov-2018

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Quartz	-	0
14808-60-7		
2-methyl-2H-isothiazol-3-one [MIT]	-0.32	3.16
2682-20-4		

### 12.4. Mobility in soil

**Mobility in soil** No information available.

### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The components in this formulation do not meet the criteria for classification as PBT or

vPvB..

Chemical name	PBT and vPvB assessment	
Diethylene glycol monobutyl ether	The substance is not PBT / vPvB	
112-34-5	PBT assessment does not apply	
2-methyl-2H-isothiazol-3-one [MIT]	The substance is not PBT / vPvB	
2682-20-4		

#### 12.6. Other adverse effects

Other adverse effects No information available.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of contents/container in accordance with local, regional, national, and

international regulations as applicable.

Contaminated packaging Do not reuse empty containers. Handle contaminated packages in the same way as the

product itself.

**Other information** Waste codes should be assigned by the user based on the application for which the

product was used.

# **SECTION 14: Transport information**

Note: Keep from freezing.

Land transport (ADR/RID)

14.1UN NumberNot regulated14.2Proper Shipping NameNot regulated14.3Transport hazard class(es)Not regulated14.4Packing GroupNot regulated14.5Environmental hazardsNot applicable14.6Special ProvisionsNone

**IMDG** 

14.1 UN numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated

Revision date 26-Jul-2019

#### **EVO-STIK CONCRETE FLOOR TILE ADHESIVE/GROUT**

Supercedes Date: 15-Nov-2018 Revision Number 2

\_\_\_

**14.4 Packing group** Not regulated

14.5 Marine Pollutant Np14.6 Special Provisions None

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

## Air transport (ICAO-TI / IATA-DGR)

14.1 UN numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable14.6 Special ProvisionsNone

# **Section 15: REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

## Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

# **SVHC: Substances of Very High Concern for Authorisation:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No.	Restricted substance per REACH Annex XVII
Diethylene glycol monobutyl ether	112-34-5	55.

CAS 112-34-5 restricted for use in aerosol products sold to general public. Products for general public with level above 3% should be labeled "Do not use in paint spraying equipment".

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

#### **Persistent Organic Pollutants**

Not applicable

Revision date 26-Jul-2019

**EVO-STIK CONCRETE FLOOR TILE ADHESIVE/GROUT** 

·

## 15.2. Chemical safety assessment

Supercedes Date: 15-Nov-2018

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

## **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H330 - Fatal if inhaled

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

#### Legend

SVHC: Substances of Very High Concern for Authorisation:

**Legend** SECTION 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

#### Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 26-Jul-2019

**Indication of changes** 

Revision note Not applicable.

Training Advice No information available

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

Revision date 26-Jul-2019