




# Product Technical Sheet



## I. General

<b>Product Description</b>	Wickes Adjustable Pipe Wrench - 350mm
<b>SKU</b>	500553
<b>Brand</b>	Wickes
<b>Product image</b>	<div><b>PRODUCT IMAGE</b></div> 



# Product Technical Sheet



## II. Reference data


<b>Specification</b>	Featuring a flame-hardened, tempered V-shaped tooth profile for secure pipe grip and quick-adjusting jaw ratchets for smooth operation.
<b>Features and Benefits</b>	<ul style="list-style-type: none"><li>-The serrated surface of jaw increases the grip on the pipe;</li><li>-Sturdy construction, made of high strength carbon steel;</li><li>-Ease of use, the ergonomic handle design reduces user fatigue.</li></ul>
<b>Application</b>	<ul style="list-style-type: none"><li>-Adjustable jaws can be widened or narrowed to fit a wide range of pipe diameters;</li><li>-Maximum jaw opening: 50 mm.</li></ul>

## III. Instructions & Note

### -Instructions-

#### STEP 1

Open the adjustable wrench by turning the screw mechanism. This will open the jaw of the wrench. Check if you opened it enough for the nut to fit in, or if it needs to be opened more.



#### STEPS

#### STEP 2

Slip the open jaw over the nut and hold it in place, turn the screw mechanism to clamp tightly around the nut, then rotate the wrench clockwise to tighten or counterclockwise to loosen until the nut is sufficiently tight or loose enough to remove.

