

# Hep<sub>2</sub>O

Plumbing and Heating Systems

## Flexible Tap Connector Range.



**wavin**

CONNECT TO BETTER

# Hep<sub>2</sub>O - a comprehensive range of flexible tap connectors.



## Flexible tap connectors

Consisting of 36 items including braided hose, white hose, valve and monobloc options, the range covers all applications.

All incorporate the unique Hep<sub>2</sub>O **In4Sure™** joint recognition technology. Just insert, twist and feel for the rumble to know the joint is totally secure.

Hep<sub>2</sub>O fittings are easy to demount and adjust with the **HepKey™**, but once installed cannot be tampered with or accidentally demounted. All products come with the peace of mind of an industry-leading **50 year guarantee.**

	Hep <sub>2</sub> O x BSP Nut	Length	Description	Hose
	HD425A/15W	150mm	15MM X 1/2" BSP	Braided
	HD125A/15W	300mm	15MM X 1/2" BSP	Braided
	HD125B/15W	300mm	15MM X 3/4" BSP	Braided
	HD125C/22W	300mm	22MM X 3/4" BSP	Braided
	HD125B/22W	300mm	22MM X 3/4" BSP	Braided
	HD225A/15W	500mm	15MM X 1/2" BSP	Braided
	HD225B/15W	500mm	15MM X 3/4" BSP	Braided
	HD225C/22W	500mm	22MM X 3/4" BSP (Full Bore)	Braided
	HD225B/22W	500mm	22MM X 3/4" BSP	Braided
	HD325A/15W	1000mm	15MM X 1/2" BSP	Braided
	HD325B/22W	1000mm	22MM X 3/4" BSP	Braided
	HDW125A/15W	300mm	15MM X 1/2" BSP	White
	HDW125B/15W	300mm	15MM X 3/4" BSP	White
	HDW125B/22W	300mm	22MM X 3/4" BSP	White
	HDW225A/15W	500mm	15MM X 1/2" BSP	White
	HDW225B/15W	500mm	15MM X 3/4" BSP	White
	HDW225B/22W	500mm	22MM X 3/4" BSP	White
<b>Hep<sub>2</sub>O x Hep<sub>2</sub>O</b>				
	HD125H/15W	300mm	300MM 15MM X 15MM	Braided
	HD125H/22W	300mm	300MM 22MM X 22MM	Braided
	HD225H/15W	500mm	500MM 15MM X 15MM	Braided
	HD225H/22W	500mm	500MM 22MM X 22MM	Braided
	HDW125H/15W	300mm	300MM 15MM X 15MM	White
	HDW125H/22W	300mm	300MM 22MM X 22MM	White
<b>Hep<sub>2</sub>O x Elbow BSP Nut</b>				
	HD125D/15W	300mm	ELBOW 15MM X 1/2" BSP	Braided
	HDW125D/15W	300mm	ELBOW 15MM X 1/2" BSP	White
<b>Hep<sub>2</sub>O Brass Service Valve x BSP Nut</b>				
	HD125E/15W	300mm	15MM X 1/2" BSP	Braided
	HD125E/22W	300mm	22MM X 3/4" BSP	Braided
	HD225E/15W	500mm	15MM X 1/2" BSP	Braided
	HD225I/15W	500mm	15MM X 3/4" BSP	Braided
	HD225E/22W	500mm	22MM X 3/4" BSP	Braided
	HDW125E/15W	300mm	15MM X 1/2" BSP	White
	HDW125E/22W	300mm	22MM X 3/4" BSP	White
<b>Hep<sub>2</sub>O Brass Service Valve (Handle) x BSP Nut</b>				
	HD125EH/15W	300mm	15MM X 1/2" BSP	Braided
	HD125EH/22W	300mm	22MM X 3/4" BSP	Braided
<b>Hep<sub>2</sub>O x Monobloc Mixers</b>				
	HD125F/15W	300mm	MONOBLOC 15MMXM10*	Braided
	HD125G/15W	300mm	MONOBLOC 15MMXM12 *	Braided

\*Sold and priced as a pair.

## Part of the market-leading **Hep<sub>2</sub>O** range.



### **Benefits of Hep<sub>2</sub>O:**

- ⦿ Secure and tamper proof
- ⦿ Easy and fast to install
- ⦿ Maintenance-free
- ⦿ No price fluctuations
- ⦿ Reduces risks of metal theft
- ⦿ Fully compatible with copper
- ⦿ 50 year guarantee

**For full range visit: [www.hep2o.co.uk](http://www.hep2o.co.uk)**



**Wavin** Flexible Tap Connector Range

# Hep<sub>2</sub>O

Plumbing and Heating Systems

It must be Hep<sub>2</sub>O.  
Anything else  
is just a fitting.



**Wavin Limited**

Registered Office

Edlington Lane

Doncaster | DN12 1BY

Tel. 0844 856 5152

[www.wavin.co.uk](http://www.wavin.co.uk) | [info@wavin.co.uk](mailto:info@wavin.co.uk)



CONNECT TO BETTER

